Remington®

2011 PRODUCT CATALOG

REMINGTON.COM



One moment. One shot.™

NEW

INNOVATIVE.

You can count on Remington to offer state-of-the-art firearms, ammunition and accessories to meet your shooting needs. Here's what's new in 2011.

VERSA MAX™ WATERFOWL MOSSY OAK DUCK BLIND® CAMO *p. 6*

VERSA MAX™ SYNTHETIC STOCK AND FORE-END *p. 7*

MODEL 1100™ COMPETITION SYNTHETIC *p. 17*

MODEL 500 DEHUMIDIFIER *p. 84*

MODEL 597™ AAC®-SD™ *p. 40*

FAST SNAP 2.0 *p. 80*

MODEL 700™ CDL DM *p. 24*

MODEL 700™ CDL SF LIMITED EDITION *p. 24*

REM® SQUEEG-E *p. 82*

MODEL 700™ SPS TACTICAL AAC®-SD™ *p. 29*

REMINGTON HYPERSONIC STEEL™ *p. 52*

MODEL 700™ SPS CAMO *p. 27*

UMC® TARGET PISTOL AND REVOLVER CARTRIDGES *p. 75*

MODEL 700™ XCR II CAMO
Rocky Mountain Elk Foundation Edition *p. 23*

MODEL SEVEN™ SYNTHETIC *p. 32*

Remington®

ONE MOMENT. ONE SHOT.™

For the last 195 years, Remington® has been America's most trusted gunmaker. But we didn't get there by resting on our laurels. We work tirelessly to bring you the most advanced technology you can find in the market. We believe you are only as good as your equipment, so we strive to make every hunt a great hunt. One moment. One shot.

TRUSTED.

From the new VERSA MAX™ shotgun to HyperSonic Steel™ to the latest cutlery, Remington® is the name you can count on.

SUPPORT YOUR SPORT

We are all stewards of the hunting and shooting tradition. To continue moving boldly forward, we must all get involved, contributing time and money to worthwhile conservation organizations. Join a sportsmen's club. Buy Duck Stamps. Write letters to editors. And join the NRA. Learn the advantages of a National Rifle Association membership. Visit NRA.org or write: National Rifle Association of America, 11250 Waples Mill Road, Fairfax, VA 22030

INDEX

FIREARMS

SHOTGUNS 6–17

VERSA MAX™ 6
887™ Nitro Mag® 8
11-87™ Sportsman® 10
11-87™ Sportsman® Super Magnum 10
870™ Special Purpose 12
Tactical Shotguns 12
870™ Wingmaster® 14
870™ Express® 14
Competition 16
1100™ Competition Synthetic 16

COMPACT FIREARMS 18

RIFLES 20–49

700™ Intro 20
700™ XCR II 22
700™ Big-Game Rifles 24
700™ SPS Camo 26
700™ SPS Stainless 26
700™ Long Range 28
700™ SPS Tactical 28
700™ Varmint 30
Model Seven™ Short Action 32
Model 770™ 32
Model 7600™ 34
Model 750™ 34
Model R-15 36
Model R-25 38
Model 597™ VTR 40
Model 597™ 40
Model 552™/572™ 42
Left-Handed Rifles 42
Custom Shop 700™ Sendero® 44
Custom Shop Target Tactical/40-X™ Series 46
Custom Shop Rimfire Series 48
Parker® Gun 48

AMMUNITION

AMMUNITION 51–78

HyperSonic Steel™ 52
Wingmaster HD® 53
Nitro-Steel® 54
Sportsman® Hi-Speed® Steel Loads 54
Lead Magnums 55
Nitro Turkey® 55
Upland 56
Target Loads 58
Premier® AccuTip Bonded Sabot Slug 59
High-Performance Sabot Slugs 60
High-Performance Lead Slugs 61
Premier® A-Frame 62
Premier® Scirocco Bonded 63
Premier® Core-Lokt® Ultra Bonded® 64
Premier® AccuTip 65
Premier® Match 65
Premier® Copper-Solid® 65
30 Remington® AR 66
Premier® AccuTip 450 Bushmaster 66
Premier® AccuTip-V 67
Premier® Disintegrator® Varmint 67
Power Level® Ammunition 68
Remington® Ultra Mag® 69
Remington® Core-Lokt® 70
Managed-Recoil® 72
Golden Saber® HPJ 74
Pistol & Revolver 74
HD Ultimate Home Defense 75
UMC® Target 75
UMC® Ammunition 76
Rimfire 77
Components 78

ACCESSORIES

GUN CARE 79–84

Cleaning Kits 80
Cleaning Accessories 82
Gun Care Chemicals 83
Gun Storage 84

ACCESSORIES CONT.

FIREARM ACCESSORIES 85–87

Scope Mounts 85
Stocks/Fore-ends 86
Extra Barrels 86
SuperCell™ Recoil Pad 86
Adjustable Length of Pull Kit 86
Choke Tubes 87
Magazines 87

CUTLERY 88–94

Premier® Tactical 88
Premier® Rescue® 88
Premier® Excursion® 88
Premier® Hunting Knives 89
Premier® Tactical Sheath 89
Boy Scouts of America® Knife 90
Bullet Knife 90
Heritage Series 91
Multi-Tool 92
Cleaning Sets 92
Sportsman Series F.A.S.T.® 93
Insignia Edition® 94
Decals 94

SPECS

SHOTGUN/RIFLE 96–104

Shotgun Specs 96
Rifle Specs 98
Rifle Chambering 103
Barrel Specs 104

BALLISTICS 105–108

Centerfire Rifle 105
Centerfire Pistol and Revolver 108

VALUED PARTNERS 110–111

FIREARMS

DEPENDABLE.

Every Remington® shotgun and rifle is built on a tradition of unyielding reliability and performance you expect from the most trusted gunmaker in America.

Whether it's the breakthrough VERSA MAX,™ the 700™ SPS Camo rifle or the Model Seven™ Synthetic, Remington® combines timeless tradition with relentless innovation.

INTRODUCING THE NEW VERSA

ANY LOAD. ANYWHERE. EVERY TIME.

VERSA MAX™ shatters convention and all previous benchmarks for reliability with an action unlike any that have come before it. Any load. Anywhere. Every time — the new pinnacle of autoloader technology. | **VERSA MAX™** cycles 12 gauge rounds from 2 ¾" to 3 ½" magnums. • Versaport™ gas system regulates cycling pressure based on shell length. • Reduces recoil to that of a 20 gauge. • Self-cleaning — continuously cycled thousands of rounds in torture test. • TriNyte® barrel and nickel-Teflon® plated internal components offer extreme corrosion resistance. • Enlarged trigger guard opening and larger safety for easier use with gloves.

Available models: VERSA MAX™ Synthetic Stock and Fore-End includes 5 Flush Mount ProBore® Chokes (Full, Mod, Imp Mod, Light Mod and Imp. Cylinder) • Available in two barrel lengths: 26" and 28" VT. • Gray overmolded grips. | VERSA MAX™ Waterfowl Mossy Oak Duck Blind® Camo includes 4 ProBore® Extended Choke Tubes (Imp. Cylinder, Mod, Full and Extra Full). | VERSA MAX™ Realtree AP™ Camo includes 4 ProBore® Extended Choke Tubes (Imp. Cylinder, Mod, Full and Extra Full). *For complete model listings and specifications, see page 96.*

For more on VERSA MAX™ go to remington.com/versamax or scan this QR code with your smartphone.

VERSAPORT™

AN ADVANCED PATENT-PENDING GAS OPERATING SYSTEM UNLIKE ANY IN THE WORLD

Self-regulates gas pressure based on the length of the shell for flawless cycling of all loads. The heart of VERSA MAX™ is an advanced gas operating system unlike any in the world. For consistently reliable function with all 12 gauge loads – from the lightest 2 ¾" target loads to the heaviest 3 ½" magnums – it automatically regulates the gas-cycling pressure based on the length of the shell used. Any load. Anywhere. Every time.

MAX™

Anodized aluminum receiver and **nickel-Teflon®** plated barrel and internal components offer extreme corrosion resistance in the harshest conditions

VERSA MAX™ WATERFOWL MOSSY OAK DUCK BLIND® CAMO
Available in 12 gauge (2 ¾", 3" and 3 ½")
(Order No. 81048)

NEW

SuperCell™ RECOIL PAD

MOSSY OAK DUCK BLIND

VERSA MAX™ SYNTHETIC STOCK AND FORE-END
Available in 12 gauge (2 ¾", 3" and 3 ½")
(Order No. 81042)

NEW

SuperCell™ RECOIL PAD

TRINYTE

VERSA MAX™ REALTREE AP™ CAMO
Available in 12 gauge (2 ¾", 3" and 3 ½")
(Order No. 81054)

NEW

SuperCell™ RECOIL PAD

REALTREE AP

VERSA MAX™ GUN CASE
A hard-sided gun case comes standard with every VERSA MAX™ purchased.

VERSA MAX™ — 3 ½" Magnum							
Order Number	Description	Stock and Fore-End Finish	Gauge	Barrel Length	Choke	UPC 0 47700	Manufacturer's Suggested Retail Price
81042	VERSA MAX™ Black Synthetic Stock and Fore-End with Grey Overmolded Grips	Black Synthetic	12	28" VT	ProBore® [1]	81042 3	$1,399.00
81043	VERSA MAX™ Black Synthetic Stock and Fore-End with Grey Overmolded Grips	Black Synthetic	12	26" VT	ProBore® [1]	81043 0	$1,399.00
81048	VERSA MAX™ Waterfowl Mossy Oak Duck Blind® Camo with Black Overmolded Grips	Camo	12	28" VT	ProBore® [2]	81048 5	$1,599.00
81054	VERSA MAX™ Realtree AP™ Camo with Black Overmolded Grips	12	12	26" VT	ProBore® [2]	81054 6	$1,599.00

[1] Supplied with Flush Mount ProBore® Choke Tubes — Improved Cylinder, Light Modified, Modified, Improved Modified and Full
[2] Supplied with Extended ProBore® Choke Tubes — Over Decoys, Flooded Timber, Pass Shooting and Turkey/Predator

VERSA MAX™

FEATURES

- *Most versatile, reliable shotgun on the market*
- *Reliably cycles 12 gauge rounds from 2 ¾" to 3 ½" magnums*
- *Versaport™ gas system regulates cycling pressure based on shell length*
- *Reduces recoil to that of a 20 gauge*
- *Self-cleaning – continuously cycled thousands of rounds in torture test*
- *Enlarged trigger guard opening and larger safety for easier use with gloves*
- *TriNyte® Barrel and nickel-Teflon® plated internal components offer extreme corrosion resistance*

- *Length of Pull Kit to extend length by 1"*
- *Fully adjustable stock for drop-cast-LOP-comb insert*

TESTED & PROVEN WITH THOUSANDS OF ROUNDS IN AN EXTREME TORTURE TEST

With its self-cleaning design, VERSA MAX™ ripped through hundreds of rounds without cleaning. That's an astounding testament to its reliability.

REMINGTON® VERSA MAX™ REDUCES RECOIL OF A 12 GAUGE MAGNUM TO THAT OF A 20 GAUGE.



The softest-shooting semi-auto available.

- VERSA MAX™ 12 ga Magnum Load
- Standard 20 ga Pump Shotgun

REMINGTON.COM/VERSAMAX

BUILT WITH ARMOR SKIN AND BONES OF STEEL.

The most durable shotgun on the planet. Born of the gunmaking expertise that brought you the best-selling, most trusted shotgun of all time, the Model 870.™ The **Model 887™ Nitro Mag®** is an armor-clad warrior designed to carry the torch of our great pump-gun legacy through the most extreme conditions on earth. Our softest-shooting pump-gun ever, it has awesome balance and natural pointing characteristics.

Our exclusive ArmorLokt® process seals the receiver and barrel in a vault of weather-impervious synthetic armor that's both completely rustproof and tough as nails. Receiver is crafted of solid steel and the barrel is hammer forged to last a lifetime. Twin steel action bars ensure smooth, positive chambering and ejection. And the sleek receiver design, awesome balance and natural pointing characteristics spell trouble for any bird within reach of its 12 gauge 3 ½" Super Magnum capability. The synthetic stock and fore-end are ergonomically contoured to offer a positive grip and comfortable handling. Swivel studs are built-in.

Available models: Model 887™ Nitro Mag® | Model 887™ Nitro Mag® Waterfowl Camo | Model 887™ Nitro Mag® Camo Combo | Model 887™ Nitro Mag® Tactical | Model 887™ Nitro Mag® Bone Collector™ Edition. ***For complete model listings and specifications, see page 96.***

ARMORLOKT® COATING. All exterior surfaces are locked in a vault of nail-tough polymer armor that's impenetrable to moisture and will never rust. This over-molded construction not only minimizes maintenance, it withstands abrasion and punishment like no other. Consider it full-coverage insurance for anything the season throws at you.

ARMORLOKT TECHNOLOGY

MODEL 887™ NITRO MAG®
Available in: 12 gauge (2 ¾", 3" and 3 ½")
(Order No. 82501)

Model 887™ Extra Barrel
Available in: 12 gauge (2 ¾", 3" and 3 ½")
(Order No. 80200)

MODEL 887™ NITRO MAG®
WATERFOWL CAMO
Available in: 12 gauge (2 ¾", 3" and 3 ½")
(Order No. 82502)

MODEL 887™ NITRO MAG® CAMO COMBO
Available in: 12 gauge (2 ¾", 3" and 3 ½")
(Order No. 82530)

MODEL 887™
NITRO MAG® TACTICAL
Available in: 12 gauge (2 ¾", 3" and 3 ½")
(Order No. 82540)

MODEL 887™ NITRO MAG®
BONE COLLECTOR
Available in: 12 gauge (2 ¾", 3" and 3 ½")
(Order No. 82503)

MODEL 887™ NITRO MAG®

FEATURES

- *Action design based on the venerable Model 870™ – ultra-smooth and reliable*
- *Rugged ArmorLokt® coating totally prevents rust on all exterior surfaces*
- *SuperCell™ recoil pad reduces the felt recoil up to 54%*
- *Handles 12 gauge 2 ¾", 3" and 3 ½" loads interchangeably*
- *Rugged synthetic stock and fore-end with specially contoured grip panels*
- *ArmorLokt® barrel with solid rib and HiViz® front sight with interchangeable fiber optics*
- *Sling swivel studs built in*
- *Six models to choose from*

MODEL 11-87™ SPORTSMAN®

Truly as timeless and versatile as the American sportsman, the Model 11-87™ Sportsman® is a return to the roots of the Remington® semi-automatic shotgun – all-around utility and classic looks for clays, field and upland hunting. No matter the season, our Sportsman® answers the call with the unique blend of speed, reliability and smooth operation that has made the Model 11-87™ a standout since its introduction. These are workhorse shotguns, built to our legendary and uncompromising standards for autoloader performance.

Available models: Model 11-87™ Sportsman® Field | Model 11-87™ Sportsman® ShurShot® Camo Cantilever | Model 11-87™ Sportsman® Camo | Model 11-87™ Sportsman® Synthetic | Model 11-87™ Sportsman® Compact Synthetic. ***For complete model listings and specifications, see page 96.***

MODEL 11-87™ SPORTSMAN® SUPER MAGNUM

Its speed, versatility, power and swift pointing characteristics can't be topped. All feature rubber overmolded grip panels on the stock and fore-end for a sure hold in all weather conditions. These shotguns tame the biggest, baddest 3 ½" 12 gauge rounds with a soft-shooting action and our SuperCell™ recoil pad. Along with world-renowned dependability, these shotguns are equipped with a wealth of specialized features for your game of choice.

Available models: | Model 11-87™ Sportsman® Super Magnum Waterfowl | Model 11-87™ Sportsman® Super Magnum Synthetic | Model 11-87™ Sportsman® Super Magnum ShurShot® Turkey. ***For complete model listings and specifications, see page 96.***

MODEL 11-87™ SPORTSMAN® FIELD
Available in: 12 and 20 gauge (2 3/4" and 3")
(Order No. 83700, 83704)

MODEL 11-87™ SPORTSMAN® SHURSHOT® CAMO CANTILEVER
Available in: 12 gauge (2 3/4" and 3")
(Order No. 83602)

MODEL 11-87™ SPORTSMAN® CAMO
Available in: 12 and 20 gauge (2 3/4" and 3")
(Order No. 29895, 29917)

MODEL 11-87™ SPORTSMAN® SYNTHETIC
Available in: 12 and 20 gauge (2 3/4" and 3")
(Order No. 29879, 29881, 29825, 29827)

MODEL 11-87™ SPORTSMAN® COMPACT SYNTHETIC
Available in: 20 gauge (2 3/4" and 3")
(Order No. 83630)

Shown with Adjustable Length of Pull Kit attached.

MODEL 11-87™ SPORTSMAN® FIELD

FEATURES

- *Walnut stock and fore-end with satin finish and fleur-de-lis checkering*
- *12 gauge with 28" barrel (Mod Choke included) 20 gauge with 26" barrel (Mod Choke included)*
- *Dual-bead sights*
- *Nickel-plated bolt and gold trigger*

Fleur-de-lis checkering complements the satin-finished walnut stock and fore-end to create classic appeal.

MODEL 11-87™ SPORTSMAN® SUPER MAGNUM WATERFOWL

MODEL 11-87™ SPORTSMAN® SUPER MAGNUM WATERFOWL
Available in: 12 gauge (2 3/4", 3" and 3 1/2")
(Order No. 83617)

MODEL 11-87™ SPORTSMAN® SUPER MAGNUM SYNTHETIC
Available in: 12 gauge (2 3/4", 3" and 3 1/2")
(Order No. 83620)

MODEL 11-87™ SPORTSMAN® SUPER MAGNUM SHURSHOT® TURKEY
Available in: 12 gauge (2 3/4", 3" and 3 1/2")
(Order No. 83616)

MODEL 11-87™ SPORTSMAN® SUPER MAGNUM WATERFOWL

FEATURES

- *Full camo coverage in Mossy Oak Duck Blind® with overmolded grip panels*
- *HiViz® vent rib sight with replaceable fiber optics on 28" Rem Choke barrels*
- *Extended waterfowl chokes and Length of Pull Kit included*
- *SuperCell™ recoil pad*

Overmolded grips provide sure grip in all weather conditions.

MODEL 870™ SPECIAL PURPOSE

The **Model 870™ Special Purpose** helps perfect the art of flattening bigger game at longer ranges. • The most dependable slide-action of all time offers three advanced designs that will go the distance with deadly precision and reach further with greater accuracy than ever before possible. • ShurShot® pistol grip stock with grip-enhancing overmold offers ambidextrous freedom and handling ease.

Available models: Model 870™ SPS Super Magnum Turkey/Predator w/scope | Model 870™ SPS ShurShot® Synthetic Super Slug | Model 870™ SPS ShurShot® Synthetic Turkey. ***For complete model listings and specifications, see pages 97–98. Note: See pages 86–87 for ShurShot® stocks and Wingmaster HD® Choke Tubes.***

TACTICAL SHOTGUNS

Remington® tactical shotguns are the No. 1 choice of law enforcement agencies across the country. They're rugged and ultra-dependable and continually evolve as they're called to serve in new, increasingly demanding environments. • Built on our legendary pump-action that's become the gold standard for high-risk applications.

Available models: Model 870™ Express® Tactical A-TACS® Camo | Model 870™ Express® Tactical with XS® Ghost Ring Sights | Model 887™ Express® Nitro Magnum Tactical | Model 1100™ Tactical. ***For complete model listings and specifications, see page 96. Note: See page 87 for Tactical Choke Tube and Magazine Extension Kit.***

MODEL 870™ SPS SUPER MAGNUM TURKEY/PREDATOR W/SCOPE
Available in: 12 gauge (2 ¾", 3" and 3 ½")
(Order No. 81062)

SuperCell™ RECOIL PAD · ShurShot™ Stock · MOSSY OAK Obsession · OVERMOLDED GRIPS · TRUGLO

MODEL 870™ SPS SHURSHOT® SYNTHETIC SUPER SLUG
Available in: 12 gauge (2 ¾" and 3")
(Order No. 82101)

SuperCell™ RECOIL PAD · ShurShot™ Stock · MOSSY OAK Treestand · SUPER SLUG

MODEL 870™ SPS SHURSHOT® SYNTHETIC TURKEY
Available in: 12 gauge (2 ¾", 3" and 3 ½")
(Order No. 81061)

SuperCell™ RECOIL PAD · ShurShot™ Stock · REALTREE APG

MODEL 870™ SPS SUPER MAGNUM TURKEY/PREDATOR W/SCOPE

FEATURES

- *12 gauge, 2 ¾", 3" and 3 ½" chambered*
- *20" barrel Turkey/Predator Extended Rem Choke included*
- *ShurShot® pistol-grip stock with black overmolded grip panels for sure grip*
- *TruGlo® 30mm Red/Green Dot Scope (Model TG8030DB)*
- *Full Mossy Oak® Obsession™ camo coverage*
- *Includes padded, quick-attach sling*

FOR PERFECT GROUPS EVERY TIME, USE PREMIER® ACCUTIP BONDED SABOT SLUG

Guided by our Power Port Tip, these bonded sabot slugs print tiny 100-yard groups. Spiral nose cuts, bonded construction and a high-strength cartridge-brass jacket. Available in 2 ¾" or 3" 12 gauge and 20 gauge versions.

See page 59.

MODEL 870™ EXPRESS® TACTICAL A-TACS® CAMO with Ghost Ring Sights
Available in: 12 gauge (2 ¾" and 3")
(Order No. 81204)

SuperCell™ RECOIL PAD · XS SIGHT SYSTEMS · A-TACS®

MODEL 887™ NITRO MAGNUM TACTICAL
Available in: 12 gauge (2 ¾", 3" and 3 ½")
(Order No. 82540)

MODEL 870™ EXPRESS® TACTICAL with Ghost Ring Sights
Available in: 12 gauge (2 ¾" and 3")
(Order No. 81198)

XS SIGHT SYSTEMS

MODEL 1100™ TAC-4
Available in: 12 gauge (2 ¾")
(Order No. 82801)

The Tactical Extended Rem Choke is designed for optimum performance and recoil reduction. It also aids in reducing muzzle rise for consistent shot placement.

MODEL 870™ EXPRESS® TACTICAL A-TACS® CAMO

FEATURES

- *Full camo coverage in Next A-TACS® Tactical camo*
- *18 ½" barrel and Extended Ported TAC Choke*
- *XS-sights Picatinny rail with integral Ghost Ring Sight and Front Blade Sight*
- *2-shot extension and barrel clamp with swivel stud attachments*
- *SpeedFeed® IV pistol-grip style stock*
- *SuperCell™ recoil pad for superior recoil reduction*

MODEL 870™ WINGMASTER®

The Model 870™ is so smooth and reliable that, nearly 60 years after its introduction, it remains the standard by which all pump shotguns are measured. And with its strength, durability, silky-smooth bind-free action and sleek, classic lines, it's no wonder it has become the best-selling shotgun of any type in history with more than 10 million made. **Model 870™ Wingmaster®** is the smoothest pump-action shotgun on the market. • Receiver machined from a solid steel billet. • The pump glides effortlessly on two twin-action bars for the utmost in positive chambering and ejection. • A wide array of barrel and choke options make versatility a Wingmaster® hallmark. • Available in 12 gauge 2 ¾" and 3", 20 and 28 gauge, and 410 bore. • American walnut woodwork. • Richly blued and highly polished receiver and barrel for classic appeal. ***For complete model listings and specifications, see page 96.***

MODEL 870™ EXPRESS®

America's favorite pump shotgun. • Continual upgrades make it the most advanced, well-rounded family of pump shotguns around. • Beneath the no-nonsense, ready-for-work exterior of the Model 870™ Express® lies the same quality, precision and dependability you'll find in our legendary Model 870™ Wingmaster® in a variety of applications: tactical, turkey, deer and waterfowl, to name just a few.

Available models: Model 870™ Express® Super Magnum Turkey/Waterfowl | Model 870™ Express® | Model 870™ Express® Turkey Camo | Model 870™ Express® ShurShot® Synthetic Turkey | Model 870™ Express® ShurShot® Synthetic Fully Rifled Cantilever. ***For complete model listings and specifications, see page 97.***

DUCKS UNLIMITED

Remington is proud to support Ducks Unlimited, the world leader in wetlands conservation. To learn more, visit ducks.org.

MODEL 870™ WINGMASTER®

MODEL 870™ WINGMASTER®
Available in: 12 and 20 gauge (2 ¾" and 3"), 28 gauge (2 ¾"), and 410 bore (3")
(Order No. 26927, 26929, 26947, 26949, 24983, 24991)

MODEL 870™ CLASSIC TRAP
Available in: 12 gauge (2 ¾")
(Order No. 24857)

MODEL 870™ WINGMASTER®

FEATURES

- *Remarkable reliability and durability*
- *The smoothest pump-action shotgun on the market*
- *Superior balance, handling and looks*
- *Points, swings and functions better than any other in its class*
- *The highly polished and richly blued receiver is milled from a solid billet of steel for the ultimate in rugged dependability*
- *A wide array of barrel and choke options make versatility a Wingmaster® hallmark*
- *Twin-action bars for non-binding action*
- *Available in standard 12 gauge 2 ¾" and 3", 20 and 28 gauge and 410 bore*

MODEL 870™ EXPRESS® SUPER MAGNUM TURKEY/WATERFOWL
Available in: 12 gauge (2 ¾", 3" and 3 ½")
(Order No. 81125)

MODEL 870™ EXPRESS®
Available in: 12 and 20 gauge (2 ¾" and 3")
(Order No. 25568, 25569)

MODEL 870™ EXPRESS® TURKEY CAMO
Available in: 12 gauge (2 ¾" and 3")
(Order No. 25152)

MODEL 870™ EXPRESS® SHURSHOT® SYNTHETIC TURKEY
Available in: 12 gauge (2 ¾" and 3")
(Order No. 81114)

MODEL 870™ EXPRESS® SHURSHOT® SYNTHETIC CANTILEVER
Available in: 12 and 20 gauge (2 ¾" and 3")
(Order No. 81118)

MODEL 870™ EXPRESS® SUPER MAGNUM TURKEY/WATERFOWL

FEATURES

- *12 gauge, HiViz® vent-rib sight with replaceable fiber optics*
- *26" barrel with extended Turkey and Waterfowl chokes*
- *Mossy Oak® Bottomland™ full camo*
- *Shoots 2 ¾", 3" and 3 ½" shells*
- *SuperCell™ recoil pad*
- *Drilled and tapped receiver*

From a solid steel block to roller-bearing smooth. Every Model 870™ receiver is machined from a single block of solid steel for unmatched strength. This is just one of the many reasons it's the most proven, popular and reliable shotgun action in the world.

COMPETITION SHOTGUNS

No shotguns have won more titles or are better equipped for the high-volume regimen of today's elite shooters. Prepare to see record scores crushed at a rapid rate by our latest upgrade to the lineup. | **Model 1100™ Premier® Sporting Series** features nickel receivers with intricate fine-line embellishments and gold accents. • Gold triggers and a custom Premier® Sporting hard case complete the package. | **Model 1100™ Sporting** offers 12, 20 and 28 gauge and 410 bore options. • Semi-fancy American walnut stocks and fore-ends. • Vent-rib Rem Choke barrels. • Four Briley™ extended chokes are standard equipment. | **Model 1100™ Competition** is super-tuned for the competitive scene. • Overbored 30" barrel for one of the softest-recoiling actions in the world. • Receiver and all internal parts feature a nickel-Teflon® finish for the smoothest, most reliable cycling ever. • Optimized for 2 ¾" target loads and light field loads. • Barrel has a 10mm target-style rib. • Twin target-style bead sights. ***For complete model listings and specifications, see page 98.***

Stock is fully adjustable at the comb. Also fully adjustable for cast and LOP.

MODEL 1100™ COMPETITION SYNTHETIC

The new **Model 1100™ Competition Synthetic** is super-tuned for the competitive scene. • 30" overbored barrel. • Optimized for 2 ¾" target loads and light field loads. • Nickel-Teflon® finish on receiver and all internal parts for smoother cycling – the most reliable cycling ever. • Barrel has a 10mm target-style rib. • Adjustable comb and cast adjustment options. • High-gloss blued barrel. • Fully adjustable target-style stock with recoil reduction. • Synthetic polymer stock and fore-end finished with a carbon graphite appearance. • Includes full set of 5 extended Briley (Target) choke tubes. Stock includes recoil reducing system and SuperCell™ recoil pad. ***For complete model listings and specifications, see page 98.***

MODEL 1100™ PREMIER® SPORTING SERIES

MODEL 1100™ PREMIER® SPORTING SERIES
Available in: 12, 20 and 28 gauge (2 ¾") and 410 bore (3")
(Order No. 82842, 82846, 82854, 82858)

MODEL 1100™ SPORTING SERIES
Available in: 12, 20 and 28 gauge (2 ¾") and 410 bore (3")
(Order No. 25315, 25399, 29583, 29549)

MODEL 1100™ COMPETITION
Available in: 12 gauge (2 ¾")
(Order No. 26919)

MODEL 1100™ PREMIER® SPORTING SERIES

FEATURES

- *Nickel-plated receivers*
- *Fine-line embellishments on receivers*
- *Gold triggers and gold embellishments on receivers*
- *Semi-fancy, solid American walnut stocks and fore-ends*
- *All models will come packaged in a custom Premier® Sporting case*
- *Twin target-style bead sights*
- *High-grade walnut stocks*

Intricately embellished nickel receiver of Model 1100™ Premier® Sporting models.

NEW

MODEL 1100™ COMPETITION SYNTHETIC

NEW

MODEL 1100™ COMPETITION SYNTHETIC
Available in: 12, 20 and 28 gauge (2 ¾") and 410 bore (3")
(Order No. 82842, 82846, 82854, 82858)

MODEL 1100™ COMPETITION SYNTHETIC

FEATURES

- *Twin target-style bead sights*
- *Polished nickel finish on receiver*
- *Nickel-Teflon® coated internals*
- *Adjustable comb and cast adjustment options*
- *Includes full set of five Briley (Target) Pro-Bore Choke Tubes: skeet, improved cylinder, light modified, modified and full*

FOR PERFECT PATTERNS WITH OUR COMPETITION SHOTGUNS, USE PREMIER® STS® TARGET.

The standard in target shooting reliability. Absolutely consistent from shot to shot. Bar none, the most reliable, most reloadable shells you can use. Available in 12, 20 and 28 gauge and 410 bore. See page 58.

COMPACT FIREARMS

Young shooters are more apt to become avid fans of the shooting sports if they start with a gun that fits properly. This is exactly why we crafted our standard, premium-grade stocks with a shorter length of pull, then fit them to some of our finest firearms. Again this season, all synthetic compact firearms are equipped with our Adjustable Length of Pull Kit. This way, the firearm can grow as the youngster does; and adults requiring a shorter length of pull can tailor compact firearms to their specific needs. For the ultimate in shooting comfort, all compact rifles and shotguns also feature the world's most effective recoil pad – the SuperCell.™ Rifles feature 20" barrels, while youth shotguns have 21" barrels (20" for deer gun).

Available models: Model 770™ Compact | Model 700™ SPS Compact | Model 700™ SPS Compact (Left-Handed) | NEW Model 700™ SPS Camo Compact | NEW Model Seven™ Synthetic Compact | Model 870™ Express® Compact in Mossy Oak® Pink Camo | Model 870™ Express® Compact with Realtree® Hardwoods® HD™ | Model 870™ Express® Compact Jr. | Model 11-87™ Sportsman® Compact. ***For complete model listings and specifications, see page 96–101.***

ADJUSTABLE LENGTH OF PULL KIT INCLUDED WITH COMPACT FIREARMS

NEW

Our Adjustable Length of Pull Kit is included with all 2011 synthetic compact firearms. The kit offers a full 1" adjustment, so any compact model can be custom-fit to shooters of small stature and grow alongside youngsters – all the way up to the standard LOP.

KIT INCLUDES

- *Two ¼" LOP spacers*
- *One ½" LOP spacer*
- *Corresponding screw lengths to accommodate 3 different lengths*
- *Full 1" adjustment*
- *SuperCell™ recoil pad*

See page 86 for the Adjustable Length of Pull Kit.

MANAGED-RECOIL® STS® TARGET.

Dramatically reduced recoil – 40 percent less in the 12 gauge load – with target-grinding STS® consistency and pattern density. Ideal for new shooters and recoil-sensitive shooters.

See full line of ammunition on pages 51–78.

ADJUSTABLE LOP SYSTEM — SuperCell™ RECOIL PAD — REALTREE hardwoods HD

Shown installed

MODEL 870™ EXPRESS® COMPACT CAMO

Available in 20 gauge (2 ¾" and 3")

MODEL 870™ EXPRESS® COMPACT SYNTHETIC

Available in: 20 gauge (2 ¾" and 3")

ADJUSTABLE LOP SYSTEM — SuperCell™ RECOIL PAD

MODEL 870™ EXPRESS® COMPACT JR.

Available in: 20 gauge (2 ¾" and 3")

ADJUSTABLE LOP SYSTEM — SuperCell™ RECOIL PAD

MODEL 870™ EXPRESS® COMPACT DEER

Available in: 20 gauge (2 ¾" and 3")

MODEL 11-87™ SPORTSMAN® COMPACT SYNTHETIC

Available in: 20 gauge (2 ¾" and 3")

Also available in full camo.

ADJUSTABLE LOP SYSTEM — SuperCell™ RECOIL PAD

Shown installed

MODEL 597™ PINK CAMO

Available in: 22 LR (Order No. 80854)

MOSSY OAK — TRUGLO

MODEL 770™ COMPACT

Available in: 243 Win. (Order No. 85637)

ADJUSTABLE LOP SYSTEM

MODEL 700™ SPS COMPACT SYNTHETIC

Available in: 243 Win. (Order No. 84150), 7mm-08 Remington (Order No. 84151)

(Left-hand models also available, page 99)

ADJUSTABLE LOP SYSTEM — SuperCell™ RECOIL PAD — X-MARK PRO ADJUSTABLE

MODEL 870™ COMPACT PINK CAMO

Available in: 20 gauge (2 ¾" and 3")

ADJUSTABLE LOP SYSTEM — SuperCell™ RECOIL PAD — MOSSY OAK

SHOTGUN FEATURES

MODEL 870™ EXPRESS® COMPACT CAMO

- *13" length of pull*
- *Offered in 20 gauge*
- *Adjustable length of pull system*
- *Features Rem Choke barrels*
- *Perfect length, weight and balance for smaller-stature shooters*
- *Model 870™ action is the reliability standard for pump shotguns around the world*
- *Realtree® Hardwoods® HD™ camo*
- *SuperCell™ recoil pad*

MODEL 870™ EXPRESS® COMPACT JR.

- *Shorter 12" length of pull (1" shorter than compact model)*
- *Adjustable length of pull system*
- *Features Rem Choke barrels*
- *Perfect length, weight and balance for smaller-stature shooters*
- *Model 870™ action is the reliability standard for pump shotguns around the world*

RIFLE FEATURES

- *Legendary Remington® bolt-action accuracy*
- *1-inch-shorter stock for smaller-stature shooters*
- *Ordnance-grade steel receivers*
- *Three rings of steel (bolt, barrel and receiver) surround the cartridge head for strongest lock-up*
- *Hammer-forged barrel with blued finish (Model 700™ only)*
- *Button-rifled barrel (Model 770™)*
- *Hinged floorplate or detachable magazines*

LEGENDARY

THE LEGENDARY MODEL 700™

When the Model 700™ was introduced more than 45 years ago, it was ahead of its time. The same is true today. With enhancements like the X-Mark Pro® externally adjustable trigger system, the TriNyte® Corrosion Control System, and the continual addition of hot, new calibers, barrel contours and stock designs, the strongest and most accurate line of factory-built rifles in the world is now also the most technologically advanced and versatile. We're proud of the Model 700 heritage – superior, out-of-the-box accuracy, rock-solid dependability and the generation it's linked to. But we're even more excited about where it's headed.

3 RINGS OF STEEL:

WHAT LEGENDS ARE MADE OF.

A breakthrough design in every sense, the Model 700™ emerged in 1962 as the first major advancement in the bolt-action rifle category since the 1890s. It was a long-awaited answer to the desires and demands of the hunting and shooting public – a supremely accurate rifle with sleek lines built to handle the higher pressures of the latest cartridge innovations. Since then, it has established itself as the most accurate and most popular factory-built rifle in American firearms history.

While there are many claims about accuracy in hunting rifles, the Model 700™ heritage speaks for itself. Generations of hunters and shooters agree: No other production rifle shoots tighter groups with so many bullets and loadings. Its inherent ability to place shots in a tiny cluster is what makes it the envy of every other riflemaker. And it's also the #1 bolt-action platform of choice for military and law-enforcement sniper units and custom gunmakers worldwide. It has won more NRA hunting rifle championships than any other firearm and has taken big game on every continent in the world.

FIRING ON ONE STOUT, FLAWLESS CYLINDER.

Model 700™ is engineered with a cylindrical receiver, instead of the traditional flat-bottom type. Machined from solid-steel bar stock, this design provides enhanced rigidity and strength while forming a more consistent bedding area for the action in the stock. This regulates harmonics and also helps bring the barrel to rest in the same place, shot after shot – which translates to bullets hitting the paper with near-identical point of impact, shot after shot.

HOW MILLISECONDS PUT IT DECADES AHEAD.

With the dramatic increase in precision of our manufacturing processes and the introduction of our X-Mark Pro® externally adjustable trigger system, the exceptionally crisp Model 700™ trigger assembly gets better every year. Our ultra-fast lock time of 2.5-3.0 milliseconds is the best in the industry today, greatly minimizing the effects of shooter movement for improved on-game and on-target results. The X-Mark Pro® Externally Adjustable Trigger System is an externally adjustable trigger set at a 3 ½ lb. pull.

3 RINGS OF STEEL.

Quite possibly, the strongest action in the world. Without question, the Remington® Model 700™ rifle is the strongest action ever conceived. Close the bolt and the cartridge is locked in a triple-reinforced vault of steel. The action's unique design also fully supports the cartridge, creating a tighter, more precise fit in the chamber and more exact alignment with the bore.

THE LEGEND CONTINUES.

Model 700™ has been a standout since its introduction – at the range, in the field and on the rack – but its guts are what makes it the legendary fixture it is today. Superior design elements come together with unmatched precision in our nation's longest-running manufacturing facility.



MODEL 700™ XCR II

Featuring our TriNyte® Corrosion Control System, **Model 700™ XCR II** is the most durable hunting rifle ever built. The stainless steel barrel and receiver are coated with matte black TriNyte® for a more classic look with less glare for superior stealth. It's every bit as impervious to extreme conditions, with the same proven track record in accelerated saltwater testing that opened the world's eyes to the power of our patent-pending technology. | **Model 700™ XCR II** is also optimized for sure handling in adverse climates. • Olive drab green synthetic stock. • Patented Hogue® rubber overmolding for a positive grip in the slickest environments. • SuperCell™ recoil pad – the most effective on the market today. • X-Mark Pro® externally adjustable trigger system delivers an unsurpassed level of crispness and shot control. • Choose from a wide range of hard-hitting big-game cartridges – all delivered with the tack-driving accuracy only a legendary Model 700™ barreled action could produce. • Features TriNyte® Corrosion Control System on its stainless steel barreled action. • Most durable rifle ever built. | **RMEF Model 700™ XCR II** is our 11th Limited Edition Rocky Mountain Elk Foundation rifle. • Stock dressed in Realtree AP™ camo. • Chambered for the 300 Win. Mag. | **Model 700™ XCR II Bone Collector™ Edition** is emblazoned with Michael Waddell's Bone Collector logo. • Built to master the most extreme conditions. ***For complete model listings and specifications, see page 98.***

TRINYTE® CORROSION CONTROL SYSTEM.

(Patent pending.) Consisting of 416 Stainless Steel, electroless nickel and proprietary PVD, this armor-tough, multilayer coating is the world's most effective barrier against rust and abrasion for firearms, yet it is only a fraction of a human hair in thickness.

As proved in a rigorous saltwater test by an independent laboratory, our armor-tough, multilayer TriNyte® coating forms a virtually impenetrable barrier to corrosion. In fact, it's the most effective on the planet.

Remington® with TriNyte®

Competition (stainless steel)

EXTERNALLY ADJUSTABLE TRIGGER.

It breaks like glass, has virtually zero creep and offers a level of shot control unmatched by any factory trigger today. The X-Mark Pro® externally adjustable trigger system delivers true, custom-grade performance in a production trigger and is user-adjustable with readily available tools. Not that you'll feel the need. It comes with a lighter average pull weight – 3 ½ lbs. While others use gadgets and add-ons to hide inconsistencies, Remington® eliminates them with state-of-the-art manufacturing techniques and the tightest possible production tolerances. A mirror-like finish on its components enhances corrosion resistance and adds to its breaks-like-glass feel. The X-Mark Pro® externally adjustable trigger system is now standard equipment on all cataloged Model 700™ and Model Seven™ rifles.

For more information, visit www.remington.com.

MODEL 700™ XCR II

Available in: 25-06 Remington (Order No. 84520), 270 Win. (Order No. 84521), 280 Remington (Order No. 84522), 7mm Remington Mag (Order No. 84524), 7mm Remington Ultra Mag (Order No. 84527), 30-06 Springfield (Order No. 84523), 300 WSM (Order No. 84525), 300 Win. Mag (Order No. 84526), 300 Remington Ultra Mag™ (Order No. 84528), 338 Remington Ultra Mag™ (Order No. 84530), 338 Win. Mag (Order No. 84529), 375 H&H (Order No. 84531), 375 Remington Ultra Mag™ (Order No. 84532)

MODEL 700™ XCR II
Bone Collector™ Edition
Available in: 30-06 Springfield
(Order No. 84515)

NEW

MODEL 700™ XCR II CAMO
Rocky Mountain Elk Foundation Edition
Available in: 300 Win. Mag
(Order No. 84541)

MODEL 700™ XCR II

FEATURES

- *Proprietary TriNyte® Corrosion Control System provides unprecedented corrosion resistance*
- *Stock features patented rubber overmolding technology from Hogue® on grip and fore-end areas*
- *Barrel features a 24" standard and magnum, 26" Rem Ultra Mag, and 24" 375 H&H / 375 Rem Ultra Mag with rifle sights*
- *Hinged floorplate magazine*
- *Drilled and tapped for scope mounts*
- *X-Mark Pro® externally adjustable trigger system set at 3 ½ lbs.*
- *Patented SuperCell™ recoil pad provides up to 54% recoil reduction*

MODEL 700™ BIG-GAME RIFLES

The Remington® Model 700™ is a rifle with no equal – a superior performer in every way. Its accuracy and dependability are the standard by which all other centerfire rifles are measured and continually fall short. Still the most accurate out-of-the-box rifle made, the Model 700™ brings its famous action and renowned consistency to this diverse family of guns. All cataloged models are now equipped with our X-Mark Pro® externally adjustable trigger system. | **Model 700™ CDL** is available in a high-polish blued finish and our ever-popular satin finish. | **NEW Model 700™ CDL DM** with satin finish offers the convenience of a detachable box magazine. | **Model 700™ CDL SF** rifles, offered in a wide range of chamberings and a stainless fluted barrel, have become extremely popular. | **NEW Model 700™ CDL SF Limited Edition** is the sixth model in the LTD series chambered in flat shooting 6mm Remington. • Stainless steel 24" fluted barrel. | **Model 700™ Mountain LSS** rifle offers sleek lines, classic looks and lightweight carrying ease. | **Model 700™ BDL** has been the hunter's favorite for nearly 50 years because its strong, smooth action, consistent accuracy and classic beauty make it an unequaled value. • Receiver machined from solid-steel bar stock resulting in uniformity and strength. • Integral extractor is set in a groove inside the rim of the bolt face, uniformly supporting the cartridge head. • X-Mark Pro® externally adjustable trigger system. ***For complete model listings and specifications, see pages 98–99.***

NEW

MODEL 700™ CDL DM
Scope, base and rings not included.

NEW

MODEL 700™ CDL DM
Available in: 243 Win. (Order No. 84074), 7mm-08 Remington (Order No. 84075), 270 Win. (Order No. 84076), 30-06 Springfield (Order No. 84077), 7mm Remington Mag (Order No. 84078), 300 Win. Mag (Order No. 84079)

MODEL 700™ BDL
Available in: 243 Win. (Order No. 25787), 270 Win. (Order No. 25791), 7mm Remington Mag (Order No. 25803), 30-06 Springfield (Order No. 25793), 300 Rem Ultra Mag™ (Order No. 26410)

MODEL 700™ CDL
Available in: 243 Win. (Order No. 27007), 25-06 Remington (Order No. 27009), 270 Win. (Order No. 27011), 7mm-08 Remington (Order No. 27015), 7mm Remington Mag (Order No. 27047), 7mm Rem Ultra Mag™ (Order No. 27051), 30-06 Springfield (Order No. 27017), 300 Win. Mag (Order No. 27049), 300 Rem Ultra Mag™ (Order No. 27053)
(Left-hand models also available, see pages 42–43)

NEW

MODEL 700™ CDL SF LIMITED EDITION
Stainless Fluted
Available in: 6mm Remington (Order No. 84022)

MODEL 700™ MOUNTAIN LSS
Laminated Stock, Stainless
Available in: 270 Win., 280 Remington, 7mm-08 Remington, 30-06 Springfield

FEATURES

- *Receiver machined from solid-steel bar stock, resulting in uniformity and strength*
- *Cylindrical receiver design provides a solid bedding area in the stock for consistent shot placement*
- *Recessed bolt face locks up inside the counter-bored breech of the barrel, which is surrounded by the receiver, forming "three rings of steel" that enclose the cartridge case head for unparalleled strength*
- *Integral extractor is set in a groove inside the rim of the bolt face, uniformly supporting the cartridge head*
- *X-Mark Pro® externally adjustable trigger system – features super-tight tolerances and mirror-like surface finishes. It breaks like glass and is adjustable for trigger pull weight*

Remington is proud to support the Rocky Mountain Elk Foundation. The RMEF is dedicated to ensuring the future of elk, other wildlife and their habitat. To learn more, visit rmef.org.

Premier® Core-Lokt® Ultra Bonded® is the only high-performance bullet worthy of the Core-Lokt® name. Developed and designed by the industry-leading Remington® R & D staff, and manufactured to our exacting process standards, this bullet delivers exceptional on-game terminal performance. Premier® Core-Lokt® Ultra Bonded® loads use the finest components and represent the most meticulous quality control in the industry. See page 64.

MODEL 700™ SPS CAMO

NEW Model 700™ SPS (Special Purpose Synthetic) Camo puts legendary Model 700™ accuracy and reliability within reach of the most avid enthusiasts. • Hammer-forged barrel. • X-Mark Pro® externally adjustable trigger system. • SuperCell™ recoil pad. • Hair-splitting precision straight out of the box. • Ultra-rugged, ergonomically designed synthetic stock for superior weather resistance and handling. • Dressed in Mossy Oak® Break-Up™ Infinity™ pattern. • Hogue® over-molded grips. • 22" clean barrel standard calibers. • 24" magnum and 20" compact. | **Model 700™ SPS (Special Purpose Synthetic)** offers the same out-of-the-box accuracy and high-end performance as its camo counterpart. • Ergonomically designed synthetic stock for better handling. • Carbon steel barrels are clean without sights, and receivers are drilled and tapped for scope mounts. • 24" standard, 26" magnum and 20" compact. ***For complete model listings and specifications, see page 99.***

MODEL 700™ SPS STAINLESS

There is a cost that comes with high performance, but in this case, it's a lot less than you may think. **Model 700™ SPS (Special Purpose Synthetic) Stainless** offers everything you love about the legendary Model 700,™ all at an extremely affordable price. From a rock-solid receiver design to the famous "three rings of steel," Model 700™ SPS Stainless offers the unrivaled accuracy and high-end performance you've come to expect from America's most popular bolt-action centerfire rifle. It features improved, ergonomically designed synthetic stock. • 24" clean barrel – Magnum and Ultra Mag offerings feature a 26" barrel. • Drilled and tapped for scope mounts. • Equipped with swivel studs. ***For complete model listings and specifications, see page 99.***

NEW

MODEL 700™ SPS CAMO

Available in: 243 Win. (Order No. 84183), 7mm-08 Remington(Order No. 84184), 270 Win. (Order No. 84185), 30-06 Springfield (Order No. 84186), 7mm Remington Mag (Order No. 84187), 300 Win. Mag (Order No. 84188), 223 Remington (Order No. 84189), 243 Win. Compact (Order No. 84190), 7mm-08 Remington Compact (Order No. 84191)

Compact model also available:
MODEL 700™ SPS CAMO COMPACT

Available in: 223 Remington (84370), 243 Win. (84368), 308 Win. (84371)

MODEL 700™ SPS

Available in: 17 Remington Fireball (Order No. 84200), 223 Remington (Order No. 27351), 243 Win. (Order No. 27355), 270 Win. (27361), 270 WSM (Order No. 27331), 7mm-08 Remington (Order No. 27357), 7mm Remington Mag (Order No. 27385), 7mm Remington Ultra Mag™ (Order No. 84152), 30-06 Springfield (Order No. 27363), 300 WSM (Order No. 27333), 300 Win. Mag (Order No. 27387), 308 Win. (Order No. 27359), 300 Rem Ultra Mag™ (Order No. 27389)

Left-hand models also available, see pages 42–43.

Available with detachable magazine; see page 87.

MODEL 700™ SPS CAMO

FEATURES

- *Calibers: 223 Remington (compact), 243 Win. (full and compact), 7mm-08 Remington (full and compact), 270 Win., 30-06 Springfield, 7mm Remington Magnum and 300 Win. Mag*
- *Hogue® overmold grips*
- *20" clean barrel on compact version, 22" standard, 24" magnums*
- *Mossy Oak® Break-Up™ Infinity™*

MODEL 700™ SPS

FEATURES

- *X-Mark Pro® externally adjustable trigger system at 3 ½ lbs.*
- *SuperCell™ recoil pad for up to 54% recoil reduction*
- *Compact version includes LOP spacer kit*

MODEL 700™ SPS STAINLESS

Available in: 204 Ruger (Order No. 27131), 223 Remington (Order No. 27133), 22-250 Remington (Order No. 27135), 243 Win. (Order No. 27263), 25-06 Remington (Order No. 27251), 270 Win. (Order No. 27267), 270 WSM (Order No. 27253), 7mm-08 Remington (Order No. 27265), 7mm Remington Mag (Order No. 27271), 7mm Remington Ultra Mag™ (Order No. 84300), 30-06 Springfield (Order No. 27269), 300 WSM (Order No. 27255), 300 Win. Mag (Order No. 27273), 308 Win. (Order No. 27136), 300 Rem Ultra Mag™ (Order No. 27140)

Premier® A-Frame bullets reliably expand at long-range decreased velocities, yet do not over-expand at short-range high velocities. A-Frame will mushroom to a devastating 2x caliber diameter with nearly 95% weight retention. Suitable for all big or dangerous game – the best choice from Alaska to Africa and everywhere in between. See page 62.

MODEL 700™ SPS STAINLESS

FEATURES

- *24" clean barrel - Magnum and Ultra Mag offerings feature a 26" barrel*
- *416 stainless steel for durability*
- *X-Mark Pro® externally adjustable trigger system at 3 ½ lbs.*
- *Industry leading SuperCell™ recoil pad*

MODEL 700™ LONG RANGE

Model 700™ Target Tactical rifle is a confluence of family traits borrowed from our world-class Model 700™ tactical, target and varmint rifles. • Triangular VTR barrel configuration. • Bell & Carlson Medalist stock • 26" barrel has a ¼" counterbored muzzle to protect the crown. • 5-R hammer-forged with tactical/target-style rifling. • X-Mark Pro® externally adjustable trigger system. • Stock has an adjustable comb. • Adjustable length of pull. • Tapered fore-end for minute elevation adjustments on a rest. | **Model 700™ Sendero® SF II** is chambered for long-action magnum cartridges for extended-range and big-game performance. • Composite stock reinforced with aramid fibers. • Contoured beavertail fore-end. • Ambidextrous palm swell. • Full-length aluminum bedding block. • 26" heavy-contour barrel features six longitudinal flutes for rapid cooling and reduced weight. | **Model 700™ XCR Tactical Long Range Rifle** and **Model 700™ XCR Compact Tactical Rifle** both feature diamond-hard TriNyte® PVD coating and the externally adjustable 40-X™ trigger. **New 338 Lapua Magnum** offered with a 5-round detachable magazine box. • All-steel trigger guard. • AAC® muzzle brake. ***For complete model listings and specifications, see page 100.***

MODEL 700™ SPS TACTICAL FAMILY

NEW MODEL 700™ SPS TACTICAL AAC®-SD™ • 308 Win. with 20" heavy barrel with ⅝"-24 threaded muzzle. • Shipped with thread protector installed. • Accepts AAC® and other ⅝"-24 threaded flash hiders, muzzle brake and suppressors. • One in 10" rate of twist for increased bullet stability. • Hogue® over-molded Ghillie Green™ pillar bedded stock. • X-Mark Pro® externally adjustable trigger system set at 3 ½ pounds. | **Model 700™ SPS Tactical** is a highly maneuverable member of the family. • 20" heavy-contour target-style barrel. • Pillar bedded stock for accuracy. • X-Mark Pro® externally adjustable trigger system. • Durable satin black oxide metal finish. • Black Hogue® over-molded stock. • Semi-beavertail fore-end. • Chamberings include 223 Remington and 308 Win. • Hinged floorplate magazine. ***For complete model listings and specifications, see page 99.***

MODEL 700™ TARGET TACTICAL
(Scope, base and rings not included.)

MODEL 700™ TARGET TACTICAL
Available in: 308 Win. (Order No. 84456)

MODEL 700™ SENDERO® SF II
Available in: 264 Win. Mag (Order No. 27307), 7mm Remington Mag (Order No. 27311), 7mm Rem Ultra Mag (Order No. 27315), 300 Win. Mag (Order No. 27313), 300 Rem Ultra Mag (Order No. 27318)

MODEL 700™ XCR TACTICAL LONG RANGE RIFLE
Available in: 223 Remington (Order No. 84460), 300 Win. Mag (Order No. 84462), 308 Win. (Order No. 84461),
New 338 Lapua (Order No. 84463)

MODEL 700™ XCR COMPACT TACTICAL RIFLE
Available in: 223 Remington (Order No. 84466), 308 Win. (Order No. 84467)

MODEL 700™ TARGET TACTICAL

FEATURES

- *26" VTR triangular barrel profile with ¼" counter-bore*
- *5-R hammer-forged tactical target rifling (based on M-24 rifling)*
- *Bell & Carlson Medalist Varmint/Tactical stock with adjustable comb and length of pull*
- *Tactical-style bolt knob*
- *All-steel hinged floorplate*
- *X-Mark Pro® externally adjustable trigger system*

MODEL 700™ SPS TACTICAL
Available in: 223 Remington (Order No. 84206), 308 Win. (Order No. 84207)

NEW

MODEL 700™ SPS TACTICAL AAC®-SD™
(Scope and silencer not included.)
Available in: 308 Win. (Order No. 84203)
Works with all AAC® silencers and flash suppressors.
For more information, visit www.advanced-armament.com

MODEL 700™ SPS TACTICAL AAC®-SD™

FEATURES

- *308 Win. with 20" heavy barrel with ½"-28 threaded muzzle*
- *Shipped with thread protector installed*
- *Accepts AAC® and other ½"-28 threaded flash hiders, muzzle brake and suppressors*
- *X-Mark Pro® externally adjustable trigger system*
- *Hogue® Ghillie Green™ over-molded stock*

If you're shopping for a Model 700™ SPS Tactical AAC®-SD,™ you might like MODEL 597™ AAC®-SD™ with 22 LR blued 16 ½" barrel. See pages 40–41 for more information.

MODEL 700™ VARMINT RIFLES

Built on the famous **Model 700™** cylindrical action, Remington® Varmint rifles are the most accurate factory-built models we produce. | **Model 700™ VTR A-TACS®** has a patent-pending triangular barrel design. • A-TACS® camo pattern on its stock is formulated with a digitized pattern that absorbs surrounding light for chameleon-like versatility. • 22" triangular barrel weighs less than traditional heavy barrels yet delivers the same degree of heat dissipation and rigidity. • Integral muzzle brake reduces muzzle rise. • Vents in the fore-end quicken barrel cooling. • X-Mark Pro® externally adjustable trigger system. • Chamberings are 223 Rem and 308 Win. • Dual front swivel studs. | **Model 700™ VTR** has identical features with an OD green synthetic stock and four varmint chamberings.

Model 700™ Varmint Stainless Fluted (SF) is great for tiny groupings. • Concave target-style barrel crown. • Synthetic stock with overmolding. • Six longitudinal flutes reduce barrel weight and increase heat dissipation. • Tactical-style dual front swivel stud system for convenient mounting of bipod and sling. | **Model 700™ VL SS** is equipped with a laminated thumbhole stock for enhanced stability, comfort and durability. • Drilled and tapped for scope mount. • X-Mark Pro® externally adjustable trigger system. | **Model 700™ VS SF II** has a cylindrical receiver design that provides a solid bedding area in the stock for consistent shot placement. • "Three rings of steel" enclose the cartridge case head for unparalleled strength. | **Model 700™ SPS Varmint** is big-time weather-resistant stainless steel and synthetic. • Innovative SPS Varmint stock with vented beavertail fore-end. • Sling swivel studs included. • 26" heavy-contour barrel (0.820" muzzle OD). • Legendary Model 700™ action. • Drilled and tapped for scope mounts.
For complete model listings and specifications, see pages 100-101.

MODEL 700™ VTR A-TACS®
Available in: 223 Remington (Order No. 84362), 308 Win. (Order No. 84364) (Scope, base and rings not included)

A-TACS®

MODEL 700™ SPS VARMINT
Available in: 17 Remington Fireball (Order No. 84213), 204 Ruger (Order No. 84214), 22-250 Remington (Order No. 84216), 223 Remington (Order No. 84215), 243 Win. (Order No. 84217), 308 Win. (Order No. 84218)

SuperCell™ RECOIL PAD

MODEL 700™ VARMINT SF
Available in: 22-250 Remington (Order No. 84342), 223 Remington (Order No. 84343), 220 Swift (Order No. 84344), 308 Win. (Order No. 84345)

MODEL 700™ VTR
Available in: 22-250 Remington (Order No. 84373), 223 Remington (Order No. 84370), 243 Win. (Order No. 84368), 308 Win. (Order No. 84371)

VTR integral muzzle brake

Hogue® over-molded grips on stock

VTR triangular barrel contour

MODEL 700™ VL SS THUMBHOLE
Available in: 204 Ruger (Order No. 27443), 223 Remington (Order No. 27445), 22-250 Remington (Order No. 27447)

MODEL 700™ VLS
Varmint Laminated Stock
Available in: 204 Ruger (Order No. 27467), 223 Remington (Order No. 27491), 22-250 Remington (Order No. 27489), 243 Win. (Order No. 27495), 308 Win. (Order No. 27499)

MODEL 700™ VS SF II
Varmint Synthetic, Stainless Fluted
Available in: 220 Swift (Order No. 26339), 223 Remington (Order No. 26337), 22-250 Remington (Order No. 26335)

MODEL 700™ VARMINT

FEATURES

***All the features of the lege**ndary Model 700,™ plus:*

- ***26" heavy contour barrel** (0.820" Muzzle OD) on most **models, for the ultimate** in long-range accuracy **(22" barrel on VTR model**s)*
- ***Concave target-style barr**el crown*
- ***Composite or laminate st**ocks*
- ***Stock features full-length** aluminum bedding block for **enhanced stability and s**hot-to-shot consistency **(VS SF II only)***
- ***Six longitudinal flutes re**duce barrel weight and increase **heat dissipation (Varmin**t SF and VS SF II)*
- ***Tactical-style dual front s**wivel stud system for convenient **mounting of bipod and s**ling (on synthetic models)*

Bipod and Sling Swivel Studs

MODEL SEVEN™ SHORT-ACTION RIFLES

The first time you carry a Model Seven in the field, you'll understand why it's considered one of the finest dense-cover rifles in America. Lightning-fast in close quarters. Superbly accurate for the long shot. When you use the hardest-hitting caliber known to big game with short-action magnum cartridges, you need a longer barrel. So Model Seven rifles in these chamberings have a 22" magnum contour barrel. | **Model Seven™ CDL** is the quintessential short-action hunting rifle. • 2 ⅜" shorter overall length than Model 700 counterparts. • Features legendary strength: "Three rings of steel" with the bolt face, barrel and receiver encasing the cartridge head. • Available in Winchester Short Magnum calibers • Weighs just 7 lbs. | **Model Seven™ Predator** is every predator and varmint's worst nightmare. • Mossy Oak® Brush® camo. • Fluted – Magnum contour 22" barrel. • X-Mark Pro® externally adjustable trigger system for superior shooting time after time. | **NEW Model Seven™ Synthetic** features a black synthetic stock. • Calibers include 223 Remington, 243 Win. (full size and compact), 7mm-08 Remington (full size and compact), 260 Remington and 308 Win. ***For complete model listings and specifications, see page 101.***

MODEL 770™

Model 770™ is the perfect choice for any hunter looking to fast-forward through the process of selecting a scope and components. • Premounted and boresighted 3-9x40mm rifle scope. Built to our rigorous standards for accuracy and reliability. Just choose your ammo and you're ready to shoot. | **Model 770™ Stainless Camo** has a Realtree AP™ camo synthetic stock design with molded sling swivel studs on the stainless model. | **Model 770™ Synthetic** comes in black stock design with molded sling swivel studs on the stainless model. ***For complete model listings and specifications, see page 101.***

NEW

MODEL SEVEN™ SYNTHETIC
Scope, base and rings not included.
Available in: 223 Remington (Order No. 85910), 243 Win. (Order No. 85911), 260 Win. (Order No. 85912), 7mm-08 Remington (Order No. 85913), 208 Win. (Order No. 85914), 243 Win. Compact (Order No. 85915), 7mm-08 Remington (Order No. 85916)

MODEL SEVEN™ CDL
Available in: 243 Win. (Order No. 26417), 260 Remington (Order No. 26419), 270 WSM (Order No. 26361), 7mm-08 Remington (Order No. 26421), 308 Win. (Order No. 26423)

MODEL SEVEN™ PREDATOR
Available in: 22-250 Remington (Order No. 85953), 223 Remington (Order No. 85952), 243 Win. (Order No. 85954)

MODEL SEVEN™ SHORT-ACTION

FEATURES

- *2 3/8" shorter overall length than Model 700™ counterparts makes the Model Seven perfectly sized for small-statured shooters and dense-cover hunting situations*
- *Compact design for fast handling*
- *Features the same legendary strength as the Model 700™ action: "Three rings of steel" with the bolt face, barrel and receiver encasing the cartridge head*
- *Cylindrical receiver design provides a consistent bedding area in the stock*

TRIGGER IS NOW EXTERNALLY ADJUSTABLE.

It breaks like glass, has virtually zero creep and offers a level of shot control unmatched by any factory trigger today. The X-Mark Pro® externally adjustable trigger system delivers true custom-grade performance in a production trigger, and for 2011 is user-adjustable with readily available tools. Not that you'll feel the need. It comes from the factory with a lighter average pull weight – 3 ½ lbs. While others use gadgets and add-ons to hide inconsistencies, Remington® eliminates them with state-of-the-art manufacturing techniques and the tightest possible production tolerances.

MODEL 770™ STAINLESS CAMO
Available in: 270 Win. (Order No. 85655), 7mm Remington Mag (Order No. 85657), 30-06 Springfield (Order No. 85656), 300 Win. Mag (Order No. 85658)

MODEL 770™
Available in: 243 Win. (Order No. 85630), 270 Win. (Order No. 85632), 7mm-08 Remington (Order No. 85631), 7mm Remington Mag (Order No. 85635), 30-06 Springfield (Order No. 85633), 300 Win. Mag (Order No. 85636), 308 Win. (Order No. 85634)

MODEL 770™ COMPACT
Available in: 243 Win. (Order No. 85637)

MODEL 770™

FEATURES

- *Black or Realtree AP™ camo synthetic stock design with molded sling swivel studs*
- *Blued or stainless barrel with nickel-plated action and bolt*
- *Factory mounted and bore-sighted 3-9x40mm scope*
- *Smooth-camming 60 degree bolt*
- *Detachable magazine holds four standard cartridges and three magnum cartridges*
- *Six-groove, button-rifled, ordnance-grade steel barrel (22" standard calibers and 24" magnum calibers).*

Ergonomic Stock Design

MODEL 7600™

You can't find a big-game rifle with a better combination of practical shooting features: twin action bars that provide slick, smooth operation for rapid repeat shots; a quick-release, drop-out four-round magazine that loads and unloads instantly; and a free-floated barrel that matches the accuracy of the best bolt guns. **Model 7600™** is one of the most proven deerslayers in the woods. • Robust slide-action design allows for fast follow-up shots in the harshest conditions. • Action, slide release and safety based on the design of the Model 870,™ America's most popular pump shotgun, for instantaneous user familiarity. • Weight distribution and slimline design result in shotgun-like balance and pointability. • 22" barrel with iron sights and receiver drilled and tapped for scope mounts allow for multiple sighting options. • Rotary-bolt lockup provides rock-solid action strength. ***For complete model listings and specifications, see page 101.***

MODEL 750™ AUTOLOADING RIFLES

Model 750™ offers you the speed you may need in the field. Its gas system provides faster, smoother cycling. The balanced, low-profile design handles like lightning. Rapid follow-ups are its specialty, but famed Remington one-shot accuracy comes standard. | **Model 750™ Woodsmaster®** features a stylish American walnut or black synthetic stock and fore-end. • Stellar balance and a streamlined design for fast target acquisition. • Receiver drilled and tapped for Model 7400™ scope mounts. • Exceptional action strength – rotary-bolt lockup. • Sling swivel studs. | For added durability in all conditions, **Model 750™ Synthetic** features all the Model 750 improvements only with a synthetic stock and fore-end ***For complete model listings and specifications, see page 102.***

MODEL 7600™

MODEL 7600™
Available in: 243 Win. (Order No. 24653), 270 Win. (Order No. 24655), 270 Win. High Gloss (Order No. 24667), 30-06 Springfield Carbine (Order No. 24661), 30-06 Springfield (Order No. 24657), 30-06 Springfield High Gloss (Order No. 24671), 308 Win. (Order No. 24659)

MODEL 7600™ SYNTHETIC
Available in: 243 Win. (Order No. 25143), 270 Win. (Order No. 25145), 30-06 Springfield Carbine (Order No. 25153), 30-06 Springfield (Order No. 25149), 308 Win. (Order No. 25151)

MODEL 7600™

FEATURES

- *Action, slide release and safety based on the design of the Model 870,™ America's most popular pump shotgun, for instantaneous user familiarity*
- *Weight distribution and slimline design result in shotgun-like balance and pointability*

MODEL 750™ WOODSMASTER®

MODEL 750™ WOODSMASTER®
Available in: 243 Win. (Order No. 27055), 308 Win. (Order No. 27057), 308 Win. Carbine (Order No. 27075), 270 Win. (Order No. 27059), 30-06 Springfield Carbine (Order No. 27077), 30-06 Springfield (Order No. 27061), 35 Whelen (Order No. 27063), 35 Whelen Carbine (Order No. 27079)

MODEL 750™ SYNTHETIC
Available in: 243 Win. (Order No. 85682), 270 Win. (Order No. 85685), 30-06 Springfield Carbine (Order No. 85687), 30-06 Springfield (Order No. 85686), 308 Win. (Order No. 85683), 308 Win. Carbine (Order No. 85684)

Fore-end Design

MODEL 750™

FEATURES

- *Improved gas-operated action for slick, super-fast cycling*
- *Stylish American walnut or black synthetic stock and fore-end*
- *Stellar balance and a streamlined design for fast target acquisition*
- *22" barrel with iron sights (18 ½" on the Carbine)*
- *Receiver drilled and tapped for Model 7400™ scope mounts*
- *Exceptional action strength – rotary-bolt lockup*
- *Now with sling swivel studs*

MODEL R-15 MODULAR REPEATING RIFLE

With precision accuracy, blazing-fast follow-ups and hunt-specific features, the Remington® modular repeating rifle revolution is taking North America by storm. | **Model R-15 in 450 Bushmaster** features full Mossy Oak® New Break-Up™ coverage. • Equipped with a semi-automatic gas action. • Free-floated barrel. • Clean-breaking single-stage trigger. • Receiver-length Picatinny rail makes adding optics a cinch. • Uppers and lowers machined from aluminum forgings for featherweight durability. | **Model R-15 in 30 Rem AR** is chambered for the revolutionary 30 Remington AR cartridge. • 22" velocity-enhancing fluted barrel. | **Model R-15 VTR Stainless** utilizes our patent-pending triangular fluted barrel. • 24" barrel optimizes repeat-shot accuracy with less weight than traditional heavy varmint-style designs. | **R-15 VTR Predator Carbine** and **R-15 Predator Carbine CS* (Collapsible Stock)** handle like lightning with their 18" barrels and weigh a mere 6 3/4 lbs. – perfect for high-speed hunting scenarios. The Predator Carbine CS features a telescoping stock with a fully adjustable length of pull for a custom fit. • Free-floating button-rifled 0.680" Muzzle OD ChroMoly barrels with recessed hunting crown for superior accuracy • Fluted barrel design reduces weight and promotes rapid barrel cooling. • Clean-breaking single-stage hunting trigger. • Receiver-length Picatinny. • Ergonomic pistol grip. • Fore-end tube drilled and tapped for accessory rails. • Includes 5-round magazine. ***For complete model listings and specifications, see page 101.***

The 450 Bushmaster is loaded with the most accurate 45-caliber bullet ever devised. This 260-grain AccuTip bonded projectile featuring our Power Port tip delivers exceptional flight characteristics. For details, see page 66.

MODEL R-15
Available in: 450 Bushmaster
(Order No. 60102)
(Scope and mount not included.)

Aftermarket 4-shot magazine available; see page 87.

MODEL R-15
Available in: 30 Remington AR (Order No. 60100)
(Scope and mount not included.)

MODEL R-15 VTR SS VARMINT
Available in: 223 Remington (Order No. 60007)

MODEL R-15 VTR PREDATOR RIFLE
Available in: 204 Ruger (Order No. 60000), 223 Remington (Order No. 60001)

MODEL R-15 VTR PREDATOR CARBINE
Available in: 223 Remington (Order No. 60003)

MODEL R-15 VTR PREDATOR CARBINE CS*
Available in: 223 Remington (Order No. 60005)

MODEL R-15 VTR PREDATOR
BYRON SOUTH SIGNATURE EDITION
Available in: 223 Remington (Order No. 60009)

**Pre-Ban configurations not legal in all states.*

MODEL R-15
MODULAR REPEATING RIFLE

FEATURES

- *Semi-automatic AR15-type rifle developed in conjunction with the industry leader in AR platforms*
- *Free-floating button-rifled 0.680" Muzzle OD ChroMoly barrels with recessed hunting crown for superior accuracy*
- *Fluted barrel design reduces weight and promotes rapid barrel cooling*
- *Clean-breaking, single-stage hunting trigger*
- *Receiver-length Picatinny rail for adding optics*
- *Ergonomic pistol grip*
- *Fore-end tube drilled and tapped for accessory rails*
- *Full Mossy Oak® Break-Up™ coverage (R-15 450 Bushmaster)*
- *Full Advantage® MAX-1 HD™ coverage (on select R-15 VTR models)*
- *Includes 5-round magazine (R-15 450 Bushmaster and 30 REM AR include 4-round magazine)*
- *Legal for hunting in most states*
- *Compatible with aftermarket AR15-type magazines*
- *Lockable hard case included*

30 Remington AR features 308 bolt head in compact R-15 upper.

Barrel with 0.680" OD, recessed hunting crown, fluting.



MODEL R-25 MODULAR REPEATING RIFLE

Remington® brought the hunting-rifle prowess. A leading manufacturer of modular repeating rifles introduced us to the 308 Win. platform. What emerged is a masterwork of game-dropping performance and hunt-specific features that will load any camp's meat pole with unrivaled efficiency – **Model R-25.** This repeating rifle is designed for big-game hunters. • Available in 243 Win., 7mm-08 Remington and 308 Win. • Precision-crafted 20" ChroMoly barrel is free-floated within the machined-aluminum fore-end tube. • Six longitudinal flutes forward of the gas block keep weight to a minimum and facilitate rapid heat dissipation. • Barrel also features a recessed hunting crown to protect the rifling and aid in more consistent bullet flight. • Ergonomic pistol-grip gives you unmatched control and rock-steady aim. Model R-25 has a balanced, stable design that makes it deadly from the offhand position. • Crisp, single-stage trigger comes from the factory set at 4 ½ to 5 lbs. • Upper and lower are machined from rugged aluminum forgings. • Dressed in Mossy Oak® Treestand™ camo. • 4-round magazine included. • R-25 is compatible with DPMS 308 Win.-type magazines and accessories. • Front and rear sling swivel studs are installed. ***For complete model listings and specifications, see page 102.***

The remarkable Premier® Scirocco Bonded bullet maintains its status as the industry leader in bonded tipped bullets by delivering the highest ballistic coefficient of any bullet of its kind for the flattest trajectory and maximum retained energy. See page 63 for more information on the toughest polymer-tipped bullet available. See page 63.

MODEL R-25 RIFLE

MODEL R-25 RIFLE

Available in: 243 Win. (Order No. 60030), 7mm-08 Remington (Order No. 60031), 308 Win. (Order No. 60032)

MODEL R-25
MODULAR REPEATING RIFLE

FEATURES

- *Semi-automatic AR10-type rifle developed in conjunction with an industry leader in the category*
- *20" free-floated ChroMoly barrel with a recessed hunting crown for superior accuracy*
- *Fluted barrel design reduces weight and promotes rapid cooling*
- *Clean-breaking single-stage hunting trigger*
- *Receiver-length Picatinny rail for adding optics*
- *Ergonomic pistol grip*
- *Full Mossy Oak® Treestand™ coverage*
- *Includes 4-round magazine*
- *Legal for hunting in most states*
- *Lockable hard case included*

Picatinny gas block



Fluted barrel 0.680" OD, with recessed hunting crown

Single-stage hunting trigger

Includes 4-round magazine (accepts DPMS 308 Win.-type magazines).

MODEL 597™ VTR

Model 597™ VTR is fully equipped to accept modular repeating rifle accessories, and provides more semi-auto plinking and hunting fun than you can shake its 16" barrel at. Reliability and supreme accuracy are hallmarks of the Model 597™ action – proudly hailed as the most advanced semi-automatic rimfire available today. | **Model 597™ VTR A-TACS®** offers revolutionary A-TACS® digital camouflage. • Pardus A2-style pistol-grip stock. • Collapsible stock. • Receiver-mounted Picatinny-style rail. • 10-round magazine. | **Model 597™ VTR CS** has all the same features with a matte-blued finish and black synthetic stock. | **Model 597™ VTR CS Quad Rail** has a quad-rail free-floated tube that gives you ample space to trick it out with accessories. | **Model 597™ VTR A-2** has a fixed A-2 style pistol-grip stock. • Receiver-mounted accessory rail. • Available with 10- and 30-round magazines. ***For complete model listings and specifications, see page 102.***

MODEL 597™

Easily the most advanced rimfire rifle ever built, **Model 597™** represents the first technological breakthrough in the category in nearly 40 years. Our Model 597 action is number one in autoloading rimfire reliability and out-of-the-box accuracy. | **Model 597™ TVP (Target-Varmint Plinker)** takes full advantage of the superior design. • Ultimate 22 target-rifle platform. • 20" stainless heavy barrel. • Ambidextrous laminated thumbhole. | **Model 597™ FLX** has a digital camo stock that assumes the detail and definition of the surroundings for near invisibility. | **Model 597™ Mossy Oak® Blaze Orange camo** and **Mossy Oak® Pink camo** both offer 20" carbon steel barrels. • TruGlo® fiber-optic front sights. | **Model 597™ Magnum Synthetic** features a stagger-stacked eight-round capacity magazine. | **NEW Model 597™ AAC®-SD™** accepts AAC® and other ½"-28 threaded flash hiders, muzzle brake and suppressors. ***For complete model listings and specifications, see page 102.***

MODEL 597™ TVP
Available in: 22 LR (Order No. 80852)

MODEL 597™ MAGNUM SYNTHETIC
Available in: 22 Win. Mag (Order No. 26560)

MODEL 597™ VTR A-TACS®
(COLLAPSIBLE STOCK)
Available in: 22 LR (Order No. 80888)

MODEL 597™ VTR
QUAD RAIL FREE-FLOAT TUBE
(COLLAPSIBLE STOCK)
Available in: 22 LR (Order No. 80882)

MODEL 597™ VTR
(A-2 FIXED STOCK)
Available in: 22 LR
(Order No. 80896 - 30 rd., 80900 - 10 rd.)

MODEL 597™ VTR
(COLLAPSIBLE STOCK)
Available in: 22 LR (Order No. 80901)

NEW

MODEL 597™ AAC®-SD™
Available in: 22LR (Order No. 80910)

MODEL 597™ FLX
Available in: 22 LR (Order No. 80864)

MODEL 597™
BLAZE ORANGE CAMO
Available in: 22 LR (Order No. 80853)

MODEL 597™
PINK CAMO
Available in: 22 LR (Order No. 80854)

MODEL 597™ SYNTHETIC
SCOPE COMBO (3-9X32MM)
Available in: 22 LR (Order No. 26513)

MODEL 597™ VTR A-TACS®

FEATURES

- *Equipped to accept modular repeating rifle accessories*
- *Built on Model 597™ 22 rimfire action*
- *16" barrel*
- *Pardus Collapsible stock*
- *Receiver-mounted Picatinny-style rail*
- *Revolutionary A-TACS® digital camouflage*

MODEL 597™ AAC®-SD™

FEATURES

- *22" LR blued*
- *308 Win. with 16 ½" barrel with ½"-28 threaded muzzle*
- *Shipped with thread protector installed*
- *Accepts AAC® and other ½"-28 threaded flash hiders, muzzle brake and suppressors*

MODEL 597™ VTR A-TACS®

FEATURES

- *Bolt-guidance system features twin tool-steel guide rails*
- *Offered in both textured finish synthetic or laminated wood stocks*
- *Non-glare matte finish*
- *Patented, 10-shot metal detachable magazine, 8-shot for magnum*
- *Last-shot, hold-open bolt for added safety*
- *TruGlo® fiber-optic sights on camo models*
- *Scope rail included on Model 597™ TVP*

Model 597™ bolt travels on twin tool-steel guide rails for flawless functioning

Unique attachment system rigidly joins barrel to receiver for perfect alignment and enhanced accuracy

Last-shot hold-open for positive identification of empty chamber

Sear and hammer are Teflon®/ nickel-plated for crisp, smooth trigger pull

Patented drop-out style staggered-stack box magazine assures reliable feeding and fast, easy reloading

MODEL 552™/572™

For those who still love the look and feel of a classic rimfire rifle, our **Model 572™ BDL Fieldmaster®** and **Model 552™ BDL Speedmaster®** may be the finest available today. They combine richly blued carbon steel barrels with generously checkered high-gloss American walnut. But their beauty truly shines through a five-shot cluster. Their tack-driving accuracy has made them an enduring customer favorite. | **Model 572™ BDL Fieldmaster®** is the most popular pump-action 22 rimfire made in America today. • Handles 22 short, 22 long and 22 long rifle cartridges interchangeably. • Big-game sights. • Positive cross-bolt safety. • Grooved receiver for scope mounts. | **Model 552™ BDL Speedmaster®** is the only American-made 22 autoloader that handles 22 short, long and long rifles interchangeably. • Equipped with iron sights. • Positive crossbolt safety. • Receiver grooved for scope mounts. ***For complete model listings and specifications, see page 102.***

LEFT-HANDED RIFLES

Nowhere will you find as broad a selection of left-handed centerfires. Remington® is proud to offer these specially configured Model 700™ rifles so everyone can experience the legendary accuracy and dependability of our flagship bolt action. | **Model 700™ SPS Left-Hand** features a black matte finish. • Rugged synthetic stock. | **Model 700™ SPS Compact Synthetic Left-Hand** is the industry's first and only left-handed rifle made specifically for youth and small-stature shooters. All include the X-Mark Pro® externally adjustable trigger system for the highest degree of crispness and shot control you can get from the factory. • 1" shorter length of pull. • Swift-handling 20" barrel. • Two calibers: 243 Win. and 7mm-08 Remington. | **Model 700™ SPS Varmint Left-Hand** sports 26" heavy-contour barrel. • Vented beavertail fore-end. • Five short-action calibers, including the hot 4000-fps 17 Remington Fireball. • Non-reflective black matte finish. • Hinged floorplate magazine. • Sling swivel studs and a drilled and tapped receiver. | **Model 700™ CDL Left-Hand** offers the best in traditional good looks, as well as leading-edge standards for precision, durability and cartridge chamberings. ***For complete model listings and specifications, see pages 98–100.***

MODEL 552™ BDL SPEEDMASTER®

MODEL 552™ BDL SPEEDMASTER®
Shoots: 22 Short, 22 Long , 22 LR (Order No. 25594)

MODEL 572™ BDL FIELDMASTER®
Shoots: 22 Short, 22 Long, 22 LR (Order No. 25624)

MODEL 552™/572™

FEATURES

- *Handles 22 short, 22 long and 22 long rifle cartridges*
- *High-gloss American walnut stock and fore-end with cut checkering*
- *Tubular magazine fed*
- *Richly blued carbon-steel barrel*
- *Adjustable iron sights for open sight plinking*
- *Receiver grooved for scope mounts for precision shooting with optics*
- *Model 572™ Fieldmaster® features a smooth classic slide action*
- *Model 552™ Speedmaster® features an autoloading action for serious plinking*

MODEL 700™ SPS VARMINT ***(Left-Hand)***
Available in: 17 Remington Fireball (Order No. 84225), 22-250 Remington (Order No. 84226), 223 Remington (Order No. 84227), 243 Win. (Order No. 84228), 308 Win. (Order No. 84229)

MODEL 700™ SPS SYNTHETIC ***(Left-Hand)***
Available in: 270 Win. (Order No. 84177), 30-06 Springfield (Order No. 84178), 7mm Remington Mag (Order No. 84179), 300 Win. Mag (Order No. 84180)

MODEL 700™ CDL ***(Left-Hand)***
Available in: 223 Remington (Order No. 27101), 243 Win. (Order No. 27103), 270 Win. (Order No. 27105), 30-06 Springfield (Order No. 27107), 7mm Remington Mag (Order No. 27109), 300 Remington Ultra Mag (Order No. 27111)

MODEL 700™ SPS COMPACT SYNTHETIC ***(Left-Hand)***
Available in: 243 Win. (Order No. 84150), 7mm-08 Remington (Order No. 84151)

MODEL 700™ SPS VARMINT LEFT-HAND

FEATURES

- *SPS Varmint stock with vented beavertail fore-end*
- *Dual front sling swivel studs included (one rear stud)*
- *26" heavy-contour barrel (0.820" muzzle OD)*
- *Legendary Model 700™ action*
- *Drilled and tapped for scope mounts*
- *X-Mark Pro® externally adjustable trigger system*



LEGENDS AREN'T MASS PRODUCED; THEY'RE MADE ONE AT A TIME.

HUNTER SERIES

Turn your dreams into cold, hard, handcrafted reality with three of the finest big-game rifles in the world today. **Model 700™ Custom Sendero,® Model 700™ Alaskan/African Wilderness Rifle II (AWR II)** and **Model 700™ North American Custom.** They take the world-renowned accuracy of the Model 700™ to a level that can only be achieved through personal attention. Expect sub-MOA groups and every component and contour optimized to perform flawlessly. For a lifetime and more. **| Model 700™ Custom Sendero®** is built for the long-range hunter. • The Custom Shop barrel is mated to "blueprinted" actions to achieve our guaranteed accuracy standards. • Premium custom design synthetic stocks have full-length aluminum bedding blocks, providing precise support for the action. • Positioning and harmonics are highly regulated to achieve impeccable shot-to-shot consistency. • At the squeeze, you'll experience the pinnacle of crispness and control with our Model 40-X™ adjustable trigger that's tuned and set in the Custom Shop at a breaks-like-glass 3 lbs.

10 MILLIONTH REMINGTON 870 SHOTGUN

When your quest for fine equipment is surpassed only by your love for the sport, you owe it to yourself to visit the Remington® Custom Shop. We singularly craft long arms to meet – and exceed – the most elevated standards for excellence. Our group of gun artisans hone components, engrave and accurize to a benchmark fittingly described as perfection. Centerfire, rimfire or shotgun, the Remington Custom Shop can make your dream firearm a reality. We also create special, one-off commemorative firearms such as the 10 millionth Remington 870. Built in 2010, its unique, rich engraving honors the best-selling line of shotguns ever produced.

For more information, visit remingtoncustom.com.

PERFORMANCE

Engineered Accurate.

Custom-turned and chambered barrels, blueprinted actions and bolt lugs lapped to ensure full contact and deliver pinpoint accuracy.

Engineered Reliable.

The extreme precision that a Custom Shop rifle is built with creates a flawless meshing of components and a piece of machinery that will go the distance. Everlasting? You be the judge.

Engineered to Fit.

Your firearm is designed and crafted by serious shooters. From our hands to yours, a Custom Shop rifle is a finely tuned instrument.

Engineered Tough.

A Remington Custom rifle is the true shooter's tool, designed and built to weather even the harshest conditions.

MODEL 700™
CUSTOM SENDERO®

MODEL 700™
AWR II

MODEL 700™
NORTH AMERICAN

MODEL 700™
NORTH AMERICAN STAINLESS

Hunter Series firearms are available in 56 calibers.

HUNTER SERIES

FEATURES

- *"Blueprinted" Model 700™ stainless or carbon steel action and bolt ensure receiver face, bolt face and lug squareness, and uniform locking lug contact*
- *Satin-blued barrel assembly and jeweled bolt body (North American model)*
- *Satin stainless barrel assembly and jeweled bolt body (North American Stainless model)*
- *Custom-turned and chambered, button-rifled 40-X™ barrel (Custom Sendero® Model)*
- *Custom-turned and chambered, hammer-forged fluted barrels (AWR II and North American Custom models)*
- *Machined steel trigger guard and engraved floorplate assembly*
- *Recessed crown*
- *Model 40-X™ adjustable trigger tuned and set by Custom Shop at 3 lbs.*
- *All rifles 30 caliber and smaller must deliver sub-MOA accuracy or better prior to shipment*

TACTICAL/TARGET SERIES

The **Model 40-XS™ Rifle System** is the ultimate instrument of accuracy. • Rock-solid, 416 stainless steel Model 40-X™ action. • Coated with Remington's proprietary non-reflective black polymer. • Bedded with custom titanium compound in a McMillan® A5 series stock. • Adjustable length of pull and comb height. • Custom shop button rifled and hand-lapped 40-X™ barrel. • Chambered in 308 Win. (1:12" Twist), 300 Win. Mag and 338 LM (1:10" twist). • 40-X™ trigger is externally adjustable • Harris® Bipod. • Leupold® Mark 4 3.5 -10x40mm long range M1 scope with Mil Dot reticle. • Badger Ordnance® all-steel 8-40mm Picatinny scope rail and heavy tactical rings. • Turner® AWS tactical sling with swivels. • Pelican® hard case. • Magazine box welded to receiver. • Bolt handle is double pinned to bolt. | The **Model XM3 Rifle System** is ready to launch sub-MOA strikes out to 1,000 yards. • Designed by Lt. Col. USMC Ret. Norman A. Chandler II of IBA. • 18 ½" stainless steel (mil-gauged) Hart barrel. • 1:10" twist with six grooves. • Stock custom designed by IBA and McMillan (A1-3). • Accommodates UNS Mount designed for night vision. • Man-O-War metal finish is available in black and OD green. | **Model 40-X™ TIR (Target Interdiction Rifle)** features a black H-S PST25 tactical/adjustable stock. • Integral mounting system and built-in threaded muzzle brake/silencer adaptor. • 3-shot half-MOA precision is guaranteed at 100 yards. | **Model 40-X™ TDR (Target Deployment Rifle)** offers a match, hand-lapped stainless steel barrel mated to our legendary 40-X™ action. • Picatinny mounting system with 20 MOA built-in, threaded AAC silencer adaptor/muzzle brake. | **Model 40-XB™ Tactical** features a 27 ¼" stainless steel barrel. • Rifled with 1:12" twist. • Three longitudinal flutes for weight reduction and rapid cooling. • Coated to protect from corrosion/abuse. • Green and black stock and pistol grip.

MODEL 40-X™ SERIES

When you have a lifelong passion for precision, nothing says you've arrived like a grouping you can cover with a dime. The Model 40-X™ series is built on our world-famous Model 40-X™ action. • Handcrafted in the Remington® Custom Shop. • Action is impeccably squared to the barrel. • Barreled action is hand-fitted and epoxy-bedded into the stock. • Adjustable 40-X™ trigger gives you an adjustable range. • Special 2-oz. trigger available on Benchrest models. • Button rifled and hand-lapped stainless steel barrels. | The **Model 40-XB™ Rangemaster®** is satin-finished American walnut stock. • Front swivel block • Fore-end guide rail. | **Model 40-XB™ Rangemaster® Thumbhole** has a two-tone satin brown laminated hardwood stock. • Rock-steady thumbhole grip stock. • Aramid-fiber-reinforced fiberglass forms the stock of the **Model 40-XB™ KS.** • Right-handed Model 40-XB™ Rangemaster® and Model 40-XB™ KS are all stainless steel. • Left-handed model has a blued carbon steel receiver.

MODEL 40-XS™*
TACTICAL RIFLE SYSTEM

MODEL XM3 TACTICAL RIFLE SYSTEM

MODEL 40-X™ TIR

MODEL 40-X™ TDR

MODEL 40-XB™ TACTICAL

All Target/Tactical Firearms available in 308 Winchester (Match)/7.62mm Nato
** Model 40-XS™ available in 338 Lapua® and 300 Win. Mag*

MODEL 40-X™ TACTICAL RIFLES

FEATURES

- *Guaranteed 1/2" MOA accuracy (308 Win/ 300 Win Mag.)*
- *All 40-X™ actions are trued (blueprinted) to ensure receiver face and barrel are perfectly squared; this ensures uniform locking lug contact with the bolt*
- *Bolt face and lugs are trued and bolt lugs are hand-capped to receiver lugs*
- *Custom match grade button-rifled 40-X™ barrels are hand lapped and air gauged*
- *Hand-built and custom-tuned 40-X™ triggers are adjustable.*
- *All steel machined steel trigger guards*
- *40-X™ receivers are stripper clip slotted and are drilled and tapped to accept on open rear sight*

MODEL 40-XB™ KS

MODEL 40-XB™ BR-KS

MODEL 40-XB™ RANGEMASTER® THUMBHOLE

MODEL 40-XB™ RANGEMASTER®

These are just a sample of what is available.
Call the Custom Shop or visit remingtoncustom.com to see all 40-X™ models.

MODEL 40-X™ CUSTOM RIFLE

FEATURES

- *Custom button-rifled barrels produced from stainless steel bar stock in the Remington® Custom Shop*
- *All barrels are hand-lapped and air-gauged*
- *Receivers are trued (blueprinted) for precise cartridge alignment*
- *Custom-tuned externally adjustable target triggers (40-X™ triggers)*
- *All actions are glass-bedded and hand fit to the stock*
- *Each rifle undergoes a rigorous evaluation and inspection process including targeting*
- *All rifles 30 caliber and smaller must deliver ½-MOA accuracy or better prior to shipment*

RIMFIRE SERIES

Model 547™ Custom rifles deliver guaranteed 5-shot ½" groups or better at 50 yards. • Available in 22LR and 17HMR or, by special request, 22 magnum and 17 Mach 2. • A button-rifled Shilen barrel provides astounding accuracy. • Hand-lapped barrels start with a high-precision chamber (match-grade in 22LR offering) and are finished with a concave dish or target crown to protect the rifling and better stabilize bullets. • Barrels are locked to the solid-steel receiver with an advanced clamp design for the utmost in strength and stability. • Bolt has been expertly configured to mirror our legendary Model 700.™• Triggers are hand-tuned to a crisp 3-lb. pull. | **Model 547™ "C" Grade** has a sleek, C-grade contoured barrel with highly refined C-grade woodwork adorned with traditional cut checkering, then finished and polished by hand. It is complemented by a rich, high-polish blued receiver and barrel. | **Model 547™ Target** has an 18 ¼" stainless steel barrel with a heavy target contour. It has a target-style walnut stock built with pain-staking attention to detail. | **Model 547™ Classic** has a fine-quality American walnut stock virtually identical to **Model 700™ CDL,** with a straight comb, elegant black grip cap and fore-end tip, and cut checkering. • Model 547™ Custom is truly the rifle of a lifetime and untold thousands of rounds.



For nearly a century and a half, the Parker® Gun has been a fixture in the landscape of American firearms. Today, the legacy continues. The AAHE 28 Gauge is built to your specifications using the original Charles Parker Co. blueprints and drawings. We're proud to say the very few of these shotguns that will be offered are available exclusively from the Remington Arms Co. Visit our website at www.parkergunmakers.com or e-mail us at parker@remington.com.

IF YOU DREAM IT, WE CAN BUILD IT

When your vision for a custom firearm extends well beyond the blueprint, you can enlist our elite group of highly skilled craftsmen to bring the dream to fruition. A Remington® Custom Shop High Grade rifle or shotgun is anything you want it to be. Our in-house master engraver will work with you to produce all desired patterns and degrees of coverage, from standard to full customization. The stock can be crafted to any dimension and hand-checkered to your specifications.

MODEL 547™
CUSTOM "C" GRADE

MODEL 547™
CUSTOM TARGET

MODEL 547™
CUSTOM CLASSIC

All Rimfire Series Firearms available in 22LR and 17HMR. Special request in 22 magnum and 17 Mach 2.

MODEL 547™ CUSTOM RIFLE

FEATURES

- *"Buffed" high-polish blued action and button-rifled 22" Shilen barrel*
- *Match chamber (22LR) with concave "dish" crown*
- *Stylish bolt-handle modeled after the popular Model 700™ bolt-handle*
- *Integrated one piece bolt-handle and cocking piece*
- *Redesigned stock with black fore-end tip and grip cap and "CDL Style" checkering*
- *Custom Shop tuned trigger set at 3 lbs.*
- *Guaranteed accuracy: ½" 5-shot group at 50 yards with gallery-tested target included*

Model 547™ Target Muzzle Crown

Choose from the world's finest selection of wood. We will finish and polish it by hand to match your desired sheen and colorization. How about an intricate design you'd like placed in 24 karat gold inlay? Nothing is out of reach. At Remington® Custom Shop, precision engineering and artistry are perfectly blended to exhibit guncraft at its highest form.

Build your dream gun today at remingtoncustom.com.

Don Talbot
Master Engraver

AMMO HISTORY

ELIPHALET REMINGTON

In 1816, farmer and blacksmith Eliphalet Remington needed a new rifle but could not afford to purchase one, so he made his own rifle from scrap iron in his smithing shop. It was equal, if not superior, to store-bought weaponry, and Remington was soon hired by neighbors as a riflemaker. By the 1820s, Remington's rifles were sold throughout New England.

1867

THE BEGINNING

On August 9, 1867, the Union Metallic Cartridge Company was incorporated. and in 1912 merged with Remington Arms Company and became Remington U.M.C.

1906

MEETING THE NEEDS

The 25 Remington, 30 Remington, 32 Remington, 35 Remington were all introduced to meet the changing and multiple needs of shooters.

1939

A LEGEND IS BORN

Core-Lokt® technology is introduced to the hunting world. With its controlled expansion and weight retention, Core-Lokt® cartridges have been the leader for over seven decades.

1960

NOT YOUR FATHER'S SHELL

Remington takes full advantage of manufacturing and new materials and introduces the plastic shell to the public for better precision and reloading capability.

1999

NO BELT NEEDED

Remington produces the first new centerfire magnum case in 87 years — the 300 Remington Ultra Mag. It's also the first commercially available non-belted magnum.

2002

GREEN MEANS GOOD

High-density tungsten-based shot is introduced to the market. It improves performance and meets game and fish regulations for waterfowl hunting.

2010

TERMINAL PERFORMANCE

HyperSonic Steel™ is the world's fastest, hardest-hitting steel at 1700 FPS for the ultimate in lethality.

AMMUNITION

DRIVEN.

A firearm is only as good as the ammunition that comes out of it. Remington® is the only firearms maker to design and engineer a full line of ammo for optimum performance no matter what kind of firearm you're shooting.



From the 1700 FPS speed of HyperSonic Steel™ to Home Defense P&R or UMC® Target, Remington® has the right loads for your firearm.

THE WORLD'S FASTEST, HARDEST-HITTING STEEL

1700 FPS

THE HYPERSONIC STEEL™ ADVANTAGE

SHORTENS LEAD BY UP TO 11 PERCENT.

Most ducks are missed from behind, but the unprecedented velocity of HyperSonic Steel™ compensates for this by reducing required lead by 8" at 40 yards (about a full body length) on a duck flying at average speed. It puts more pellets in the head and neck for quicker kills and fewer misses – without changing the way you shoot. With unprecedented velocity and the highest downrange pattern energies ever achieved, new Remington® HyperSonic Steel™ takes lethality to new heights and lengths. To a level of terminal performance where more birds drop with fewer shots at the farthest reaches of your abilities. And only Remington® has harnessed the wad technology to do it.



HYPERSONIC STEEL™
(1700 fps, 1¼ oz.) @ 40 YDS

HIGH VELOCITY STEEL
(1450 fps, 1¼ oz.) @ 40 YDS

At 1700 fps, HyperSonic Steel™ gives you an 8" lead difference at 40 yards.

For more on HyperSonic Steel™ go to remington.com/hypersonic ***or scan this QR code with your smartphone.***

HYPERSONIC STEEL™ — ZINC-PLATED STEEL SHOT IGNITION CHAMBER TECHNOLOGY						
Index/ EDI No.	Gauge	Length (in.)	Velocity (ft/sec @ 3 ft.)	Ounces of Shot	Shot Size	Shotshells (per box)
NEW HSS10C	10	3 ½	TBD	TBD	BBB	25
NEW HSS10B	10	3 ½	TBD	TBD	BB	25
NEW HSS102	10	3 ½	TBD	TBD	2	25
HSS12B	12	3	1700	1 1/8	BB	25
HSS122	12	3	1700	1 1/8	2	25
HSS124	12	3	1700	1 1/8	4	25
HSS12MB	12	3	1700	1 ¼	BB	25
HSS12M1	12	3	1700	1 ¼	1	25
HSS12M2	12	3	1700	1 ¼	2	25
HSS12M4	12	3	1700	1 ¼	4	25
HSS1235B	12	3 ½	1700	1 3/8	BB	25
HSS12352	12	3 ½	1700	1 3/8	2	25
HSS12354	12	3 ½	1700	1 3/8	4	25
NEW HSS20M2	20	3	TBD	TBD	2	25
NEW HSS20M3	20	3	TBD	TBD	3	25
NEW HSS20M4	20	3	TBD	TBD	4	25

WINGMASTER HD®

DROP-DEAD BETTER®

Absolutely no shotshell on the market can touch Wingmaster HD® at long range. All of its revolutionary characteristics – optimized density, choke responsiveness and consistent roundness – come together on game with an unmatched level of deadly force. Patterns with Wingmaster HD® will put a Drop-Dead Better® 60 percent of its pellets in a 30" circle at 60 yards!

At 12.0 g/cc, it's 10 percent denser than lead and 56 percent denser than steel. Most important, it's the scientifically proven most lethal combination of bone-crushing energy and pellets on-bird. Wingmaster HD® is also nearly as soft as steel shot, which makes it easier on your barrel than most high-density loads. It's also more responsive to chokes, allowing you to open up the pattern for close range hunting or stretch your shotgun range to its farthest reach. Dramatically stretch your kill zone with the most deadly extended-range payload you can buy.

More uniform weight. Wingmaster HD® smooth, round pellets are extremely aerodynamic. They are uniform in weight and true to listed shot size.

WINGMASTER HD® WATERFOWL PAYLOADS 10 ROUNDS PER BOX					
Index/ EDI No.	Gauge	Length (in.)	Velocity (ft/sec @ 3 ft.)	Ounces of Shot	Shot Sizes
RW10B					BB
RW102	10	3 ½	1300	1 ¾	2
RW104					4
RW12S4					4
RW12S6	12	2 ¾	1325	1 ¼	6
RW122					2
RW124	12	3	1450	1 ¼	4
RW126					6
RW12M2					2
RW12M4	12	3	1450	1 3/8	4
RW12M6					6
RW12HMB					BB
RW12HM2	12	3	1300	1 ½	2
RW12HM4					4
RW1235MB					BB
RW1235M2	12	3 ½	1300	1 ¾	2
RW1235M4					4
RW1235M6					6
RW20SM4					4
RW20SM6	20	2 ¾	1300	1	6
RW20M4					4
RW20M6	20	3	1300	1 1/8	6
WINGMASTER HD® MAGNUM TURKEY PAYLOADS 5 ROUNDS PER BOX					
RW12HMH4					4
RW12HMH6	12	3	1225	1 5/8	6
RW1235HM4	12	3 ½	1225	1 7/8	4
RW20HM4	20	3	1185	1 ¼	4
WINGMASTER HD® PREDATOR PAYLOADS 10 ROUNDS PER BOX					
RW12VT	12	3	1300	1 1/2	T
RW1235VT	12	3 ½	1350	1 5/8	T

NITRO-STEEL®

THE MIGRATION'S STEEL WALL.

Short range or long distances, Nitro-Steel® stops 'em dead with tight, consistent patterns and premium zinc-plated steel pellets, providing premium performance at a very reasonable price. Available in a wide range of loads to suit any hunt – 10 to 20 gauge, maximum payloads and high velocities. Trust your dollar to a legend – Remington.®

Zinc-plated loads prevent corrosion.

NITRO-STEEL® HIGH VELOCITY MAGNUM LOADS

Index/ EDI No.	Gauge	Length (in.)	Velocity (ft/sec @ 3 ft.)	Ounces of Shot	Shot Sizes
NS10M	10	3 ½	1260	1 ¾	T, BB, 2
NS12HVS	12	2 ¾	1390	1 1/8	2, 4
NS12S	12	2 ¾	1275	1 ¼	BB, 2, 4
NS12M	12	3	1450	1 ¼	BBB, BB, 1, 2, 3, 4
NS12HM	12	3	1300	1 3/8	T, BB, 2, 4
NS1235	12	3 ½	1300	1 9/16	BB, 2
NS16HV	16	2 ¾	1300	15/16	2, 4
NS20HVS	20	2 ¾	1425	¾	2, 4
NS20M	20	3	1330	1	2, 4

SPORTSMAN® HI-SPEED® STEEL LOADS

HIGH VELOCITY, HIGH VALUE.

- Economical, Hi-Speed® steel loads
- Waterfowl loads for every hunting situation
- Upland loads for use in non-toxic zones and for practice shooting
- Shot size selection to match your game

SPORTSMAN® HI-SPEED® STEEL LOADS

Index/ EDI No.	Gauge	Length (in.)	Velocity (ft/sec @ 3 ft.)	Ounces of Shot	Shot Sizes
SSTHV10	10	3 1/2	1500	1 3/8	BB, 2
SST12	12	2 3/4	1365	1	6, 7
SST12S	12	2 3/4	1375	1 1/8	2, 4
SSTHV12H	12	3	1550	1 1/8	BB, 2, 4
SSTHV12HM	12	3	1400	1 1/4	BB, 1, 2, 3, 4
SST12HM	12	3	1300	1 3/8	BB, 2
SSTHV1235	12	3 1/2	1550	1 3/8	BB, 2
SST20	20	2 3/4	1425	3/4	7

LEAD MAGNUMS

PREMIER® HIGH VELOCITY MAGNUM COPPER-PLATED BUFFERED TURKEY LOADS.

The high-performance lead load for avid turkey hunters. 3" and 3½" 12 gauge payload leaves the muzzle at 1300 fps. Delivers hard-hitting knockdown power. Loaded with our Power Piston® one-piece wad and magnum-grade Copper-Lokt® lead shot for dense patterns and deep penetration.

PREMIER® MAGNUM COPPER-PLATED BUFFERED TURKEY LOADS.

Our original magnum turkey loads. As fine a lead shotshell as you can carry in the woods. Magnum-grade Copper-Lokt® shot is cushioned with special polymer buffering and further protected by our Power Piston® one-piece wad for dense, even patterns. Delivers superb performance and knockdown power out of tightly constricted turkey chokes.

PREMIER® DUPLEX® MAGNUM COPPER-PLATED BUFFERED LOADS.

A specialized layering of magnum-grade Copper-Lokt® No. 4 shot over No. 6 shot. Larger pellets deliver excellent retained energy and penetration, while smaller pellets enhance pattern density. Awesome versatility for uncertain shooting distances on turkeys and late-season pheasants.

NITRO MAG® BUFFERED MAGNUMS.

Excellent for turkey or long-range pheasants. Heavy payloads of magnum-grade shot are packed with polymer buffering and enclosed in our patented Power Piston® one-piece wad to provide dense, even patterns and uniform shot strings.

PREMIER® HIGH VELOCITY MAGNUM COPPER-PLATED TURKEY LOADS – BUFFERED					
Index/ EDI No.	Gauge	Length (in.)	Velocity (ft/sec @ 3 ft.)	Ounces of Shot	Shot Sizes
PHV12M	12	3	1300	1 ¾	4, 5
PHV1235M	12	3 ½	1300	2	4, 5
PREMIER® MAGNUM COPPER-PLATED LEAD TURKEY LOADS – BUFFERED					
Index/ EDI No.	Gauge	Length (in.)	Velocity (ft/sec @ 3 ft.)	Ounces of Shot	Shot Sizes
P10HM	10	3 ½	1210	2 ¼	4
P12SM	12	2 ¾	1260	1 ½	4, 5
P12XHM	12	3	1175	2	4, 5, 6
P1235M	12	3 ½	1150	2 ¼	4
P20XHM	20	3	1185	1 ¼	6
PREMIER® DUPLEX® MAGNUM COPPER-PLATED LOADS – BUFFERED					
Index/ EDI No.	Gauge	Length (in.)	Velocity (ft/sec @ 3 ft.)	Ounces of Shot	Shot Sizes
MP12S	12	2 ¾	1260	1 ½	4x6
MP12H	12	3	1210	1 ⅞	4x6
NITRO MAG® LOADS – BUFFERED					
Index/ EDI No.	Gauge	Length (in.)	Velocity (ft/sec @ 3 ft.)	Ounces of Shot	Shot Sizes
NM12S	12	2 ¾	1260	1 ½	2, 4, 6
NM12	12	3	1280	1 ⅝	4, 6
NM12H	12	3	1210	1 ⅞	2, 4, 6
NM20S	20	2 ¾	1175	1 ⅛	4, 6
NM20H	20	3	1185	1 ¼	4, 6
NITRO TURKEY® MAGNUM LOADS – BUFFERED					
Index/ EDI No.	Gauge	Length (in.)	Velocity (ft/sec @ 3 ft.)	Ounces of Shot	Shot Sizes
NT12H	12	3	1210	1 ⅞	4, 5, 6
NT1235	12	3 ½	1300	2	4, 5, 6
NT20M	20	3	1185	1 ¼	5

NITRO TURKEY®

NITRO TURKEY® EXTENDED RANGE BUFFERED MAGNUMS.

- Nitro Mag® extra-hard lead shot
- Patterns over 80% with Super Full choke
- Patterns like copper-plated shot
- Value priced

AMMUNITION

UPLAND

NITRO PHEASANT® LOADS.

For pattern, energy and performance, nobody beats Nitro Pheasant.® It uses the Remington® Copper-Lokt® copper-plated lead shot with high antimony content – the hardest lead we make for hunting. Hard shot stays rounder for truer flight, tighter patterns and greater penetration. So when it comes to bringing down tough birds like pheasant, you need a load that delivers maximum pattern density and lethal energy – you need Nitro Pheasant.® Available in both high velocity and magnum loadings in both 12 and 20 gauge.

PHEASANT LOADS.

For the broadest selection in game-specific upland lead shotshells, Remington® Pheasant Loads are the perfect choice. Their high velocity and long-range performance are just right for any pheasant hunting situation. Standard high-base payloads include 12, 16, and 20 gauge.

EXPRESS® EXTRA LONG RANGE LOADS.

Time-proven performance for all upland game. The choice of experienced small game hunters across the country, the Express® line offers the best balance of payload and performance. Available in a broad selection of loadings – 12 gauge to 410 bore – with shot sizes ranging from two all the way down to nine.

LEAD GAME LOADS.

Budget-stretching shotshells for a wide variety of hunting. Available in 410 bore, 20, 16, and 12 gauge loadings



HEAVY DOVE LOADS.

The hunter's choice for doves and a wide variety of game-bird applications, available in 12 and 20 gauge with shot size options of 6, 7½ and 8.



SPORT LOADS.

Economical, multi-purpose loads. Built with our premium Power Piston® wad and plastic Unibody hulls. Loaded with No. 8 shot. Ideal for skeet, trap and sporting clays, as well as quail, doves and woodcock.

STEEL GAME AND TARGET LOADS.

Specifically designed for upland birds and clay target shooting where mandated. One ounce of steel No. 7 has nearly the same pellet count as 1 ⅛ oz. of lead No. 8. Perfect combination of velocity and pattern density at normal distances.

NEW

NITRO PHEASANT® LOADS – COPPER-PLATED					
Index/ EDI No.	Gauge/ Bore	Length (in.)	Velocity (ft/sec @ 3 ft.)	Ounces of Shot	Shot Sizes
NP12	12	2 ¾	1400	1 ¼	4, 5, 6
NP12M	12	2 ¾	1300	1 ⅜	4, 5, 6
NP12HV	12	2 ¾	1450	1 ⅜	4, 5, 6
NP12HM	12	3	1350	1 ⅝	4, 5
NP20	20	2 ¾	1300	1	5, 6
NP20M	20	3	1185	1 ¼	5, 6
PHEASANT LOADS					
Index/ EDI No.	Gauge/ Bore	Length (in.)	Velocity (ft/sec @ 3 ft.)	Ounces of Shot	Shot Sizes
PL12	12	2 ¾	1330	1 ¼	4, 5, 6, 7 ½
PL16	16	2 ¾	1295	1 ⅛	6
PL20	20	2 ¾	1220	1	4, 5, 6, 7 ½
EXPRESS® EXTRA LONG RANGE LOADS					
Index/ EDI No.	Gauge/ Bore	Length (in.)	Velocity (ft/sec @ 3 ft.)	Ounces of Shot	Shot Sizes
SP12	12	2 ¾	1330	1 ¼	BB, 2, 4, 5, 6, 7 ½, 9
SP16	16	2 ¾	1295	1 ⅛	4, 6, 7 ½
SP20	20	2 ¾	1220	1	4, 5, 6, 7 ½, 9
SP28	28	2 ¾	1295	¾	6, 7 ½
SP410	410	2 ½	1250	½	4, 6, 7 ½
SP413	410	3	1135	11/16	4, 6, 7 ½
LEAD GAME LOADS					
Index/ EDI No.	Gauge/ Bore	Length (in.)	Velocity (ft/sec @ 3 ft.)	Ounces of Shot	Shot Sizes
GL12	12	2 ¾	1290	1	6, 7 ½, 8
GL16	16	2 ¾	1200	1	6, 7 ½, 8
GL20	20	2 ¾	1225	⅞	6, 7 ½, 8
GL410*	410	2 ½	1200	½	6
HEAVY DOVE LOADS					
Index/ EDI No.	Gauge/ Bore	Length (in.)	Velocity (ft/sec @ 3 ft.)	Ounces of Shot	Shot Sizes
R12HD	12	2 ¾	1255	1 ⅛	6, 7 ½, 8
R20HD	20	2 ¾	1165	1	6, 7 ½, 8
SPORT LOADS					
Index/ EDI No.	Gauge/ Bore	Length (in.)	Velocity (ft/sec @ 3 ft.)	Ounces of Shot	Shot Sizes
R12SL	12	2 ¾	1290	1	8
R20SL	20	2 ¾	1200	⅞	8
STEEL GAME AND TARGET LOADS					
Index/ EDI No.	Gauge/ Bore	Length (in.)	Velocity (ft/sec @ 3 ft.)	Ounces of Shot	Shot Sizes
GLSTL12	12	2 ¾	1325	1	7
GLSTL20	20	2 ¾	1325	¾	7

**20-round box.*

AMMUNITION

TARGET LOADS

PREMIER® STS® TARGET.

The standard in target shooting reliability. Absolutely consistent from shot to shot. Bar none, the most reliable, most reloadable shells you can shoot. Available in 12, 20 and 28 gauge and 410 bore.

PREMIER® NITRO 27® HANDICAP TRAP LOADS.

Designed for long-yardage trapshooting and long-range sporting clays, our custom powder blend, Power Piston® wad and Premier® STS® primer mix have improved the Nitro 27 performance allowing more consistent velocities, 15 percent better pattern performance and softer recoil.

PREMIER® NITRO SPORTING CLAYS.

Smoke targets and all competitors with the finest sporting clays load in the world today. The Premier® Nitro performance that's dominated trap and skeet competitions for years is now available in high-velocity, 1-oz. loads specially formulated for the sporting clays enthusiast.

MANAGED-RECOIL® STS® TARGET.

Dramatically reduced recoil – 40 percent less in the 12 gauge load – with target-grinding STS® consistency and pattern density. Ideal for new shooters and recoil-sensitive shooters.

GUN CLUB® TARGET LOAD LINE.

An excellent choice for economical shooting, these high-quality shells are loaded with the same care as our top-of-the-line STS® loads and feature a Power Piston® wad and the reliable STS® Primer mix. Many shooters are discovering that they can get acceptable reloading life while stretching their shooting dollar.

PREMIER® STS® TARGET LOADS – EXTRA HARD STS® TARGET SHOT

Index/ EDI No.	Gauge /Bore	Load Type	Length (in.)	Powder Dr. Eq.	Velocity (ft/sec @ 3 ft.)	Ounces of Shot	Shot Sizes
STS121	12	Premier STS Target	2 ¾	2 ¾	1185	1	7 ½, 8, 8 ½
STS12LR	12	Premier STS Low Recoil	2 ¾	2 ½	1100	1 ⅛	8
STS12L	12	Premier STS Light Target	2 ¾	2 ¾	1145	1 ⅛	7 ½, 8, 8 ½, 9
STS12LH	12	Premier STS Light Handicap	2 ¾	3	1200	1 ⅛	7 ½, 8
STS12NH1	12	Premier Nitro 27 Handicap	2 ¾	HDCP	1290	1	7 ½, 8
STS12NH	12	Premier Nitro 27 Handicap	2 ¾	HDCP	1235	1 ⅛	7 ½, 8
STS12NSC	12	Premier STS Nitro Sporting Clays	2 ¾	Max	1300	1 ⅛	7 ½, 8
STS12NSC1	12	Premier STS Nitro Sporting Clays	2 ¾	Max	1350	1	7 ½, 8
STS12P	12	Premier STS Pigeon	2 ¾	3 ¼	1235	1 ¼	7 ½
STS20SC	20	Premier STS Target	2 ¾	2 ½	1200	⅞	8
STS20	20	Premier STS Target	2 ¾	2 ½	1200	⅞	9
STS28NSC	28	Premier STS Nitro Sporting Clays	2 ¾	2 ¼	1300	¾	7 ½
STS28SC	28	Premier STS Target	2 ¾	2	1200	¾	8
STS28	28	Premier STS Target	2 ¾	2	1200	¾	9
STS410NSC	410	Premier STS Nitro Sporting Clays	2 ½	Max	1300	½	8
STS410SC	410	Premier STS Target	2 ½	Max	1200	½	8 ½
STS410	410	Premier STS Target	2 ½	Max	1200	½	9

MANAGED-RECOIL® STS® TARGET LOADS

Index/ EDI No.	Gauge /Bore	Load Type	Length (in.)	Powder Dr. Eq.	Velocity (ft/sec @ 3 ft.)	Ounces of Shot	Shot Sizes
RLSTS12	12	Managed-Recoil® STS Target	2 ¾	—	1100	⅞	8 ½
RLSTS20	20	Managed-Recoil® STS Target	2 ¾	—	1100	⅞	8 ½

GUN CLUB® TARGET LOADS

Index/ EDI No.	Gauge /Bore	Load Type	Length (in.)	Powder Dr. Eq.	Velocity (ft/sec @ 3 ft.)	Ounces of Shot	Shot Sizes
GC121	12	Gun Club	2 ¾	2 ¾	1185	1	7 ½, 8
GCHV121	12	Gun Club	2 ¾	3 ¼	1290	1	7 ½, 8
GC12L	12	Gun Club	2 ¾	2 ¾	1145	1 ⅛	7 ½, 8, 9
GC12	12	Gun Club	2 ¾	3	1200	1 ⅛	7 ½, 8
GC20	20	Gun Club	2 ¾	2 ½	1200	⅞	7 ½, 8, 9

PREMIER® ACCUTIP BONDED SABOT SLUG

THEY PUNCH HUGE HOLES WITH PINPOINT ACCURACY, AND IT'S ALL ABOUT THE TIP.

The AccuTip doesn't just look intimidating, it's flattening whitetails and competitors in the tipped-slug market with devastating ferocity. Guided by our Power Port Tip, these bonded sabot slugs hit with a degree of accuracy and terminal performance unmatched by any other we've tested. It is a true masterpiece of aerodynamics that consistently transfers tremendous knockdown force to the farthest reaches of shotgun range. At 58-cal, our 12 gauge version is the largest tipped slug you'll find anywhere. In field testing, both the 12 and 20 gauge versions produced huge wound channels and crumpled every deer they touched with a single shot. Spiral nose cuts, bonded construction and a high-strength cartridge-brass jacket come together on game to create large, perfect mushrooms with over 95 percent weight retention from 5 to 200 yards. Available in 2 ¾" or 3" 12 gauge and 20 gauge versions.

CONTROLLED EXPANSION – another deadly mushroom (12 gauge)

FEATURES	12 GAUGE	20 GAUGE
Power Port Tip delivers dramatically superior **ACCURACY**	Yes	Yes
Spiral nose cuts and proprietary bonding technology **CONTROL EXPANSION** at all ranges	5–200 yards	5–150 yards
High **WEIGHT RETENTION** at all distances	98% @ 100 yards	98% @ 100 yards
Slug jacket made from **HIGH-STRENGTH** cartridge brass	Yes	Yes
Designed for use in **FULLY RIFLED** barrels only	Yes	Yes



The Premier® AccuTip slug exhibits impressive accuracy at all ranges. (5-shot @ 100 yds. with 1.2" groups)



20 gauge, 260 grain, 45 caliber

PREMIER® ACCUTIP BONDED SABOT SLUGS

Index/EDI No.	Gauge	Length	Slug Wt.	Velocity (ft/sec) Muz.	50 yds.	100 yds.	Energy (ft.-lbs.) Muz.	50 yds.	100 yds.	Trajectory 50 yds.	100 yds.	150 yds.
PRA12	12	2 ¾"	385-gr.	1850	1611	1401	2925	2218	1677	2.7"	3.6"	0.0"*
PRA12M	12	3"	385-gr.	1900	1656	1439	3086	2344	1771	2.5"	3.4"	0.0"*
PRA20	20	2 ¾"	260-gr.	1850	1610	1399	1976	1496	1130	2.7"	3.6"	0.0"*
PRA20M	20	3"	260-gr.	1900	1655	1438	2084	1581	1193	2.5"	3.4"	0.0"*

** 0.0 indicates yardage at which shotgun was sighted in.*

HIGH-PERFORMANCE SABOT SLUGS

PREMIER® CORE-LOKT® ULTRA BONDED® SABOT SLUGS.

This is one slug that's anything but sluggish when it comes to performance. The Premier® Core-Lokt® Ultra Bonded® is a sleek, ultra-fast, flat-shooting shotgun sabot slug that's virtually in a class of its own. With incredible accuracy, it delivers a 385-grain, 50-caliber jacketed, bonded bullet that yields near 100 percent weight retention and expands to 2x in diameter. Designed for use in fully rifled barrels only, the Core-Lokt® Ultra Bonded® offers a high-tech blend of sabot power and surgical precision that could be just what the doctor ordered.

MANAGED-RECOIL® COPPER SOLID® SABOT SLUGS.

The best-selling terminal performance and accuracy of our Copper Solid® Slug is now available with 40 percent less recoil. They're perfect for anyone who wants outstanding on-game results without the rearward punch. Or use them to sight in, then step up to full loads. There's no finer slug load for young or recoil-sensitive hunters.

PREMIER® CORE-LOKT® ULTRA BONDED® SABOT SLUGS												
				Velocity (ft/sec)			Energy (ft.-lbs.)			Trajectory		
Index/EDI No.	Gauge	Length	Slug Wt.	Muz.	50 yds.	100 yds.	Muz.	50 yds.	100 yds.	50 yds.	100 yds.	150 yds.
PR12CLU	12	2 ¾"	385-gr.	1900	1770	1648	3086	2682	2325	1.8"	2.4"	0.0*
PR20CLU	20	2 ¾"	260-gr.	1900	1750	1615	2084	1774	1506	2.0"	2.7"	0.0*
MANAGED-RECOIL® COPPER SOLID® SABOT SLUGS												
				Velocity (ft/sec)			Energy (ft.-lbs.)			Trajectory		
Index/EDI No.	Gauge	Length	Slug Wt.	Muz.	50 yds.	100 yds.	Muz.	50 yds.	100 yds.	50 yds.	100 yds.	150 yds.
RL12CS	12	2 ¾"	1 oz.	1200	113	1046	1400	1204	1063	0.0*	-5.5"	–
PREMIER® COPPER SOLID® SABOT SLUGS												
				Velocity (ft/sec)			Energy (ft.-lbs.)			Trajectory		
Index/EDI No.	Gauge	Length	Slug Wt.	Muz.	50 yds.	100 yds.	Muz.	50 yds.	100 yds.	50 yds.	100 yds.	150 yds.
PR12CS	12	2 ¾"	1 oz.	1450	1320	1208	2040	1689	1417	0.0*	-3.5"	–
PR12MCS	12	3"	1 oz.	1550	1408	1283	2331	1923	1597	0.0*	-2.9"	–
PR20CS	20	2 ¾"	5/8 oz.	1500	1360	1240	1444	1187	986	0.0*	-3.1"	–

** 0.0 indicates yardage at which shotgun was sighted in.*

PREMIER® COPPER SOLID® SABOT SLUGS.

The unique, all-copper shotgun deer load designed specifically for use in fully rifled barrels. Outstanding on-game performance with 2x caliber expansion and virtually 100 percent weight retention. Consistently delivers 2 ½", 5-shot groups at 100 yards.

SuperCell RECOIL PAD · SharpShot Stock · MOSSY OAK Treestand · SUPER SLUG

MODEL 870™ SUPER SLUG.

The Model 870™ Super Slug offers the ultimate in accuracy potential. The extra-heavy 1" diameter, 25 ½" barrel features the revolutionary Ultragon™ rifling. This gives the gun the capability to produce MOA groups at 100 yards using Premier® AccuTip slug ammunition.

For more information on the Model 870,™ see pages 12–13.

HIGH-PERFORMANCE LEAD SLUGS

BUCKHAMMER® LEAD SLUGS.

When it's time to put the hammer down, this lead slug delivers a devastating one-two punch of precision and explosive power. Specifically designed for rifled barrels and rifled choke tubes, it has an attached stabilizer that optimizes flight to produce 3", 100-yard groups. And weight retention at impact is consistently 100 percent. Choices include 12 and 20 gauge full-power and Managed-Recoil® versions. This season, put that big buck down for the count with the hardest-hitting, most accurate lead slug in the woods. BuckHammer.®

The BuckHammer® lead slug offers near 100% weight retention with full 12 gauge (.73 cal.) diameter.

The innovative design of the stabilizer allows the BuckHammer® to deliver 3" groups at 100 yards with 13% more energy than any other lead slug on the market. (3", 1 3/8 oz. 12 gauge)

The BuckHammer® Lead Slug exhibits impressive accuracy by putting 100 shots inside an amazing 3 ½"group at 100 yards. (2 ¾", 1 oz. 20 gauge)

BUCKHAMMER® LEAD SLUGS											
				Velocity (ft/sec)			Energy (ft.-lbs.)			Trajectory	
Index/EDI No.	Gauge	Length	Slug Wt.	Muz.	50 yds.	100 yds.	Muz.	50 yds.	100 yds.	50 yds.	100 yds.
SP12LSS	12	2 ¾"	1 1/4 oz.	1550	1320	1145	2935	2177	1600	0.0*	-3.6"
SL12MLSS	12	3"	1 3/8 oz.	1500	1234	1059	3232	2281	1710	0.0*	-4.0"
SP20LSS	20	2 ¾"	1 oz.	1500	1159	995	2236	1461	1074	0.0*	-4.6"
SP20MLSS	20	3"	1 oz.	1550	1245	1051	2470	1592	1135	0.0*	-4.1"
MANAGED-RECOIL® BUCKHAMMER® LEAD SLUGS											
				Velocity (ft/sec)			Energy (ft.-lbs.)			Trajectory	
Index/EDI No.	Gauge	Length	Slug Wt.	Muz.	50 yds.	100 yds.	Muz.	50 yds.	100 yds.	50 yds.	100 yds.
RL12LSS	12	2 ¾"	1 1/8 oz.	1350	1107	972	1991	1340	1032	0.0*	-5.5"
RL20LSS	20	2 ¾"	7/8 oz.	1275	1057	938	1379	948	746	0.0*	-6.2"



SLUGGER® HIGH VELOCITY RIFLED SLUGS.

This higher velocity slug exits the barrel at 1800 fps, 13 percent faster than standard 1-oz. slugs. The 7/8-oz. Slugger® High Velocity delivers more energy at 50 yards with flatter trajectory on deer than standard 1 oz. slugs. Produced in most popular slug loadings – 2 ¾" and 3" 12 gauge and 2 ¾" 20 gauge. Designed for the avid deer hunter using smooth bore guns.

SLUGGER® HIGH VELOCITY RIFLED SLUGS											
				Velocity (ft/sec)			Energy (ft.-lbs.)			Trajectory	
Index/EDI No.	Gauge	Length	Slug Wt.	Muz.	50 yds.	100 yds.	Muz.	50 yds.	100 yds.	50 yds.	100 yds.
SPHV12RS	12	2 ¾"	7/8 oz.	1800	1252	978	2751	1517	813	0.0*	-4.1"
SPHV12MRS	12	3"	7/8 oz.	1875	1302	998	2989	1442	847	0.0*	-3.7"
SPHV20RS	20	2 ¾"	1/2 oz.	1800	1321	1037	1575	848	523	0.0*	-3.6"
SLUGGER® RIFLED SLUGS											
	Gauge/			Velocity (ft/sec)			Energy (ft.-lbs.)			Trajectory	
Index/EDI No.	Bore	Length	Slug Wt.	Muz.	50 yds.	100 yds.	Muz.	50 yds.	100 yds.	50 yds.	100 yds.
SP12RS	12	2 ¾"	1 oz.	1560	1175	977	2361	1340	926	0.0*	-4.8"
S12SRS	12	2 ¾"	1 oz.	1680	1285	1045	2738	1605	1059	0.0*	-3.8"
S12MRS	12	3"	1 oz.	1760	1345	1075	3005	1753	1121	0.0*	-3.4"
SP16RS	16	2 ¾"	4/5 oz.	1600	1175	965	1989	1072	724	0.0*	-4.8"
SP20RS	20	2 ¾"	5/8 oz.	1580	1240	1034	1513	931	648	0.0*	-4.2"
SP41RS	410	2 1/2"	1/5 oz.	1830	1335	1040	654	348	211	0.0*	-3.5"
MANAGED-RECOIL® SLUGGER® RIFLED SLUGS											
				Velocity (ft/sec)			Energy (ft.-lbs.)			Trajectory	
Index/EDI No.	Gauge	Length	Slug Wt.	Muz.	50 yds.	100 yds.	Muz.	50 yds.	100 yds.	50 yds.	100 yds.
RL12RS	12	2 ¾"	1 oz.	1200	988	873	1397	948	739	0.0*	-7.4"

**0.0 indicates yardage at which shotgun was sighted in.*

SLUGGER® RIFLED SLUGS.

Our most popular, accurate, hard-hitting slug. Slightly oversized for great smooth-bore shotgun performance, resulting in better sealing against the barrel wall for greater accuracy.

EXPRESS® MAGNUM AND EXPRESS® BUCKSHOT.

One of the great values in shotgun deer loads. A combination of heavy cushioning behind the shot column and a granulated polymer buffering helps maintain pellet roundness for tight, even patterns.

EXPRESS® MAGNUM BUCKSHOT LOADS – BUFFERED					
Index/EDI No.	Gauge	Length	Velocity (ft/sec @ 3 ft.)	Buckshot Size	Pellet Count
12SB00	12	2 ¾"	1290	00	12
12HB000	12	3"	1225	000	10
12HB00	12	3"	1225	00	15
12HB4	12	3"	1225	4	41
1235B00*	12	3 1/2"	1125	00	18
EXPRESS® BUCKSHOT LOADS – BUFFERED					
Index/EDI No.	Gauge	Length	Velocity (ft/sec @ 3 ft.)	Buckshot Size	Pellet Count
12B000	12	2 ¾"	1325	000	8
12B00*	12	2 ¾"	1325	00	9
12B0	12	2 ¾"	1275	1250	12
12B1	12	2 ¾"	1250	1	16
12B4	12	2 ¾"	1325	4	27
20B3	20	2 ¾"	1220	00	20
MANAGED-RECOIL® BUCKSHOT					
Index/EDI No.	Gauge	Length	Velocity (ft/sec @ 3 ft.)	Buckshot Size	Pellet Count
RL12BK00	12	2 ¾"	1200	00	8

** Utilizes Remington® Power-Piston one-piece wad.*

BIG-GAME HUNTING DEMANDS BULLETS WITHOUT EQUAL

REMINGTON AND SWIFT ARE PROUD TO BRING YOU THE BEST BONDED BULLETS AVAILABLE.

PREMIER® A-FRAME

THE MOST RELIABLE BONDED DUAL CORE BULLET ON THE PLANET.

Premier® A-Frame bullets by Swift provide totally reliable performance for the world's toughest big game. A-Frame will mushroom to a devastating 2x caliber diameter with nearly 95 percent weight retention. Suitable for all big or dangerous game – the best choice from Alaska to Africa and everywhere in between.

PREMIER® A-FRAME

Caliber	Index/ EDI no.	Bullet Wt. (grs.)	Bullet Type
270 Win	RS270WA	140	A-Frame PSP
NEW 7mm Remington Mag	RSTMMA	160	A-Frame PSP
7mm Remington Ultra Mag	PR7UM5	175	A-Frame PSP
NEW 30-06 Springfield	RS3006A	180	A-Frame PSP
300 Win Mag	RS300WMB	180	A-Frame PSP
300 Win Mag	RS300WA	200	A-Frame PSP
8mm Remington Mag	RS8MMRA	200	A-Frame PSP
300 Remington Ultra Mag	RS300UM2	200	A-Frame PSP
NEW 300 Remington Ultra Mag	RS300VM1	180	A-Frame PSP
338 Win Mag	RS338WA	225	A-Frame PSP
338 Remington Ultra Mag	PR338UM1	250	A-Frame PSP
375 H&H Mag	RS375MA	300	A-Frame PSP
375 Remington Ultra Mag	PR375UM3	300	A-Frame PSP
416 Remington Mag	RS416RA	400	A-Frame PSP

Note: For more information on ballistics, see pages 105–108.

A-Frame construction and bonding process produces controlled expansion and 2x caliber diameter with nearly 95% weight retention.

400 Yards 300 Yards 200 Yards 100 Yards



PREMIER® SCIROCCO BONDED

THE TOUGHEST POLYMER-TIPPED BULLET ... PERIOD.

The remarkable Premier® Scirocco Bonded bullet by Swift maintains its status as the industry leader in bonded tipped bullets by delivering the highest ballistic coefficient of any bullet of its kind for the flattest trajectory and maximum retained energy. Combine that with unsurpassed accuracy and superior weight retention, and Premier® Scirocco is unquestionably the most effective bonded, tipped bullet to sit atop a factory load. When a tougher tipped bullet is needed, turn to Scirocco.



30-06, 180-gr. Premier® Scirocco Bonded 5 shots, .8", 100 yds.

Premier® Scirocco Bonded bullets expand reliably over a wide range of terminal velocities.

400 Yards 300 Yards 200 Yards 100 Yards

PREMIER® SCIROCCO BONDED

Caliber	Index/EDI No.	Bullet Wt. (grs.)	Bullet Type
243 Win	PRSC243WA	90	Scirocco Bonded
270 Win	PRSC270WA	130	Scirocco Bonded
7mm Remington Mag	PRSC7MMB	150	Scirocco Bonded
7mm Remington Ultra Mag	PRSC7UM1	150	Scirocco Bonded
30-06 Springfield	PRSC3006C	150	Scirocco Bonded
30-06 Springfield	PRSC3006B	180	Scirocco Bonded
300 Win Mag	PRSC300WB	180	Scirocco Bonded
300 WSM	PRSC300WSMB	180	Scirocco Bonded
308 Win	PRSC308WB	165	Scirocco Bonded
300 Remington Ultra Mag	PR300UM5	150	Scirocco Bonded
300 Remington Ultra Mag	PR300UM3	180	Scirocco Bonded
300 Remington Ultra Mag	PR300UM3-P2	180	Scirocco Bonded

Note: For more information on ballistics, see pages 105–108.

PREMIER® CORE-LOKT® ULTRA BONDED®

THE NEW STANDARD OF ACCURACY IN BONDED HUNTING BULLETS.

Premier® Core-Lokt® Ultra Bonded® is a bullet in a class of its own. It is the first and only bullet to successfully maximize the best features of two great types of hunting bullet construction. It delivers the extreme accuracy and retained energy you would expect from a tipped bullet, in combination with the outstanding penetration and weight retention that only a bonded, non-tipped bullet could deliver. This unique design provides the hunter a Premier bullet that yields devastating on-game performance from 50 to 500 yards. Premier® Core-Lokt® Ultra Bonded® – the new standard in high-performance hunting bullets.

More accurate. Near-perfect wall thickness results in better flight stability.

More versatile. A 20% heavier jacket provides better expansion and penetration at all ranges.

More reliable. 50% thicker Core-Lokt® section better controls expansion at higher velocities.

More deadly. Bonded jacket/core design with 2x diameter expansion and up to 95% weight retention for ultimate on-game performance.

30-06 Springfield, 150-gr. Premier® Core-Lokt® Ultra Bonded,® 5 shots, .6", 100 yds.

PREMIER® CORE-LOKT® ULTRA BONDED®			
Caliber	Index/ EDI no.	Bullet Wt. (grs.)	Bullet Type
223 Remington	PRC223R4	62	Core-Lokt® Ultra Bonded®
243 Win	PRC243WC	100	Core-Lokt® Ultra Bonded®
25-06 Remington	PRC2506RA	115	Core-Lokt® Ultra Bonded®
260 Remington	PRC260RB	140	Core-Lokt® Ultra Bonded®
270 Win	PRC270WC	140	Core-Lokt® Ultra Bonded®
6.8mm Rem SPC	PRC68R4	115	Core-Lokt® Ultra Bonded®
7mm Rem. Mag	PRC7MMRA	140	Core-Lokt® Ultra Bonded®
7mm Rem. Mag	PRC7MMRC	160	Core-Lokt® Ultra Bonded®
7mm Rem. SA UM	PR7SM4	160	Core-Lokt® Ultra Bonded®
7mm Remington Ultra Mag	PR7UM1	140	Core-Lokt® Ultra Bonded®
7mm Remington Ultra Mag	PR7UM2-P2	160	Core-Lokt® Ultra Bonded®
30-06 Springfield	PRC3006A	150	Core-Lokt® Ultra Bonded®
30-06 Springfield	PRC3006C	180	Core-Lokt® Ultra Bonded®
300 Win Mag	PRC300WA	150	Core-Lokt® Ultra Bonded®
300 Win Mag	PRC300WC	180	Core-Lokt® Ultra Bonded®
308 Win	PRC308WA	150	Core-Lokt® Ultra Bonded®
308 Win	PRC308WC	180	Core-Lokt® Ultra Bonded®
300 Rem. SA UM	PR300SM4	180	Core-Lokt® Ultra Bonded®
300 Rem. Ultra Mag	PR300UM4	180	Core-Lokt® Ultra Bonded®
300 Rem. Ultra Mag	PR300UM3-P2	180	Core-Lokt® Ultra Bonded®
338 Win Mag	PRC338WA	225	Core-Lokt® Ultra Bonded®

Note: For more information on ballistics, see pages 105–108.

The finest big-game bullet in the world is now available to handloaders. (See page 78 for complete listings.)

CORE-LOKT® ULTRA BONDED® EXPANDS RELIABLY AT ALL REASONABLE HUNTI

50 Yards

100 Yards

200 Yards

300 Yards

400 Yards

PREMIER® ACCUTIP

PRECISELY THE BIG-GAME BULLET OF YOUR DREAMS.

It's the most accurate polymer-tipped big-game bullet available today. Along with match-grade precision, it delivers an unprecedented combination of laser-flat trajectory and devastating terminal performance. AccuTip bullets expand quickly – producing an awesome level of transferred energy – to dispatch medium and big game with lightning authority. A thicker jacket and harder lead core regulate weight retention and optimize penetration. Make the switch and, trust us, big game won't know what hit 'em.

PREMIER® ACCUTIP			
Caliber	**Index/ EDI no.**	**Bullet Wt. (grs.)**	**Bullet Type**
243 Win	PRA243WA	95	AccuTip
260 Remington	PRA260RA	120	AccuTip Boat Tail
270 Win	PRA270WA	130	AccuTip Boat Tail
280 Remington	PRA280RA	140	AccuTip Boat Tail
7mm-08 Remington	PRA7M08RB	140	AccuTip Boat Tail
7mm Remington Mag	PRA7MMRB	150	AccuTip Boat Tail
30 Remington AR	PRA30RAR1	125	AccuTip
300 WSM	PRA300WSMC	180	AccuTip Boat Tail
30-06 Springfield	PRA3006A	150	AccuTip Boat Tail
30-06 Springfield	PRA3006B	165	AccuTip Boat Tail
30-06 Springfield	PRA3006C	180	AccuTip Boat Tail
300 Win Mag	PRA300WC	180	AccuTip Boat Tail
300 Remington Ultra Mag	PRA300UM1-P1	150	AccuTip Boat Tail
308 Win	PRA308WB	165	AccuTip Boat Tail

Note: For more information on ballistics, see pages 105–108.

PREMIER® MATCH

IF THERE WERE A STRONGER WORD THAN ACCURATE, WE'D USE IT HERE.

Ever hear the phrase, "you could drive tacks with 'em?" Well, they're probably talking about Remington® Premier® Match ammunition. Using only match-grade bullets, Premier® Match ammunition employs special loading practices to ensure world-class performance and accuracy with every shot. Maybe some day there will be a stronger word than accurate to describe Premier® Match. Until then we'll continue to prove it on paper.

PREMIER® MATCH			
Caliber	**Index/ EDI no.**	**Bullet Wt. (grs.)**	**Bullet Type**
223 Remington	R223R6	62	Hollow Point Match
223 Remington	RM223R1	69	MatchKing® BTHP
223 Remington	RM223R3	77	MatchKing® BTHP
6.8mm Remington SPC	RM68R1	115	MatchKing® BTHP
308 Win	RM308W7	168	MatchKing® BTHP
308 Win	RM308W8	175	MatchKing® BTHP

Note: For more information on ballistics, see pages 105–108.

PREMIER® COPPER SOLID®

PURE ACCURACY AND DEVASTATING TERMINAL RESULTS – UNLEADED.

Experience the game-leveling advantage of the finest lead-free bullet design on the market today. Copper Solid® delivers extremely deep penetration with nearly 100 percent weight retention. Its sleek profile, polymer tip and boat tail base give it outstanding flight characteristics. In fact, it's one of the finest extended-range hunting bullets we've ever offered due to its extremely high ballistic coefficient. At impact, the polymer tip acts as a wedge, plowing through a built-in expansion chamber and initiating a mushroom that's consistently 1.8x bullet diameter – creating a large terminal wound channel from close range to the farthest reaches of your shooting ability. For the pinnacle of shot-to-shot consistency, these rounds are loaded using our industry-leading manufacturing processes and Remington® Premier® Gold Box components.

PREMIER® COPPER SOLID®			
Caliber	**Index/ EDI no.**	**Bullet Wt. (grs.)**	**Bullet Type**
243 Win	PCS243WB	80	Copper Solid Tipped
270 Win	PCS270WA	130	Copper Solid Tipped
7mm Remington Mag	PCS7MMA	140	Copper Solid Tipped
30-30 Win	PCS3030WA	150	Copper Solid Tipped
30-06 Springfield	PCS3006A	150	Copper Solid Tipped
30-06 Springfield	PCS3006B	165	Copper Solid Tipped
300 Win Mag	PCS300WA	150	Copper Solid Tipped
300 Win Mag	PCS300WB	165	Copper Solid Tipped
308 Win	PCS308WA	150	Copper Solid Tipped
300 Remington Ultra Mag	PCS300UMB	165	Copper Solid Tipped

Note: For more information on ballistics, see pages 105–108.

30 REMINGTON® AR			
Caliber	**Index/EDI No.**	**Bullet Wt. (grs.)**	**Bullet Type**
30 Remington AR	PRA30RAR1	125	AccuTip™
30 Remington AR	R30RAR1	125	Core-Lokt,® PSP
30 Remington AR	L30RAR2	150	Core-Lokt,® PSP
30 Remington AR	L30RAR1	123	MC UMC

Note: For more information on ballistics, see pages 105–108.

MODEL R-15
(Scope and mount not included)

30 REMINGTON® AR HITS LIKE A 308, CARRIES LIKE A 223.

THE WORLD'S ONLY 30-CAL. BIG-GAME CARTRIDGE FOR THE LIGHTWEIGHT R-15 PLATFORM.

ONLY FROM REMINGTON.®

Remington® now brings you 30-caliber hunting performance in a lightweight R-15 modular repeating rifle. Our 30 Remington AR cartridge produces big-game-dropping ballistics similar to the venerable 308 Win. with pressures perfectly suited to our lightweight R-15 platform. Comparable terminal power was once only available in the heavier AR10 platform. This cartridge is the ultimate synergy of our ammunition and firearms expertise, as its development forever changes the shape of both categories, creating a revolutionary new big-game hunting system. Our lightweight R-15 platform – its minimal recoil, rapid follow-ups, easy maintenance and inherent accuracy – is now chambered for a cartridge that will put down deer-sized game with gusto. This year's offerings include the most trusted big-game bullet of all time, Core-Lokt,® the pinnacle of polymer-tipped accuracy, AccuTip and an economical UMC loading. As a cartridge, the 30 Remington AR breaks new ground. In conjunction with our R-15 modular repeating rifle, it marks the beginning of a new era in the deer woods of North America.

PREMIER® ACCUTIP 450 BUSHMASTER

The "big thumper" gets a big dose of aerodynamics and devastating expansion. In honor of the debut of 450 Bushmaster on our supremely accurate R-15 platform, we're loading it with perhaps the most accurate 45-caliber bullet ever devised. Featuring our Power Port tip, this 260-grain AccuTip bonded projectile delivers exceptional flight characteristics for ultimate downrange precision and sustained energy. Its bonded construction, high-strength cartridge-brass jacket and spiral nose cuts combine to drive huge, uniform mushrooms through the toughest game with ease.

PREMIER® ACCUTIP			
Caliber	**Index/ EDI no.**	**Bullet Wt. (grs.)**	**Bullet Type**
450 Bushmaster	PRA450B1	260	AccuTip

Note: For more information on ballistics, see pages 105–108.

PREMIER® ACCUTIP-V

PINPOINT DETONATION.

Expect dynamite results. In varmint calibers, AccuTip-V combines superb flight characteristics and match-grade accuracy with a design optimized for explosive on-game results. At impact, AccuTip's gold polymer tip is driven rearward, causing the thin jacket and soft lead core to fragment violently. First and foremost, though, it gets there precisely shot after shot – it's the most accurate varmint bullet you can shoot.

PREMIER® ACCUTIP

Caliber	Index/ EDI no.	Bullet Wt. (grs.)	Bullet Type
17 Remington Fireball	PRA17FB	20	AccuTip-V
17 Remington	PRA17RA	20	AccuTip-V
204 Ruger	PRA204A	32	AccuTip-V
204 Ruger	PRA204B	40	AccuTip-V Boat Tail
221 Remington Fireball	PRA221FB	50	AccuTip-V Boat Tail
22 Hornet	PRA22HNA	35	AccuTip-V
222 Remington	PRA222RB	50	AccuTip-V Boat Tail
223 Remington	PRA223RB	50	AccuTip-V Boat Tail
223 Remington	PRA223RC	55	AccuTip-V
22-250 Remington	PRA2250RB	50	AccuTip-V Boat Tail
243 Win	PRA243WB	75	AccuTip-V Boat Tail

Note: For more information on ballistics, see pages 105–108.
AccuTip-V: Varmint-Specific Cartridges

PREMIER® DISINTEGRATOR® VARMINT

FRANGIBLE AND LEAD-FREE. EXPLOSIVELY VOLATILE ON GAME.

Now you see him. Now you don't. Disintegrator® Varmint. Loaded with lead-free frangible bullets that meet the requirements of non-toxic hunting areas, this ammunition delivers radical, explosive expansion that shatters the capabilities of conventional lead core/copper jacketed bullets. Because they break into tiny fragments at impact, Disintegrator® Varmint bullets will not ricochet, offering added peace of mind wherever you shoot. Extremely tight manufacturing tolerances combined with our industry-leading components produce tiny groups on paper as well. Get the supreme accuracy you expect from Remington® with spectacular on-game results in two popular calibers: 223 Remington and 22-250 Remington, both with 45 gr. JHP bullets.

DISINTEGRATOR® VARMINT

Caliber	Index/ EDI no.	Bullet Wt. (grs.)	Bullet Type
223 Remington	DV223RA	45	Jacketed Iron Core HP
22-250 Remington	DV22250RA	45	Jacketed Iron Core HP

Note: For more information on ballistics, see pages 105–108.

POWER LEVEL® AMMUNITION

ONE GUN. ONE CARTRIDGE. THREE PERFORMANCE LEVELS.

Power Level® Ammunition allows you to incrementally tailor the performance of your rifle and ammunition to match your intended game species and hunting range, similar to the way shotgunners use 2 ¾", 3" and 3 ½" loads. The point of impact between Power Level loads stays within 2" out to 200 yards, so you'll have little to no scope adjustment when changing Power Levels. Now when you choose the 7mm or 300 Remington Ultra Mag, you're getting three guns in one. Simply put, never before has one cartridge offered this kind of versatility.

MODEL 700™ CDL, see page 25.

POWER LEVEL® I
30-06 Springfield Performance Equivalent

POWER LEVEL® II
300 Win Mag/300 WSM Performance Equivalent

POWER LEVEL® III
300 Remington Ultra Mag

Point of impact across all Power Levels within 2", out to 200 yards.



POWER LEVEL® AMMUNITION

Index/EDI No.	Caliber	Power Level	Performance Equivalent	Bullet Wt. (gr)	Bullet Type
PR7UM1	7mm Ultra Mag	III	7mm Ultra Mag	140	Core-Lokt® Ultra Bonded®
PRSC7UM1	7mm Ultra Mag	III	7mm Ultra Mag	150	Scirocco Bonded
PR7UM5	7mm Ultra Mag	III	7mm Ultra Mag	175	A-Frame
PR300UM5	300 Ultra Mag	III	300 Ultra Mag	150	Scirocco Bonded
PR300UM3	300 Ultra Mag	III	300 Ultra Mag	180	Scirocco Bonded
PR300UM4	300 Ultra Mag	III	300 Ultra Mag	180	Core-Lokt® Ultra Bonded®
RS300UM2	300 Ultra Mag	III	300 Ultra Mag	200	A-Frame
PR7UM2-P2	7mm Ultra Mag	II	7mm Remington Mag	160	Core-Lokt® Ultra Bonded®
PR300UM2-P2	300 Ultra Mag	II	300 Win/300 WSM	180	Core-Lokt® Ultra Bonded®
PR300UM3-P2	300 Ultra Mag	II	300 Win/300 WSM	180	Scirocco Bonded
R7UM1-P1	7mm Ultra Mag	I	270 Win	140	Core-Lokt®
PRA300UM1-P1	300 Ultra Mag	I	30-06 Springfield	150	AccuTip
R300UM1-P1	300 Ultra Mag	I	30-06 Springfield	150	Core-Lokt®

Note: For more information on ballistics, see pages 105–108.

POWER LEVEL® I

TERMINAL ENERGY — LONG RANGE

- ***30-06 Springfield performance***
- ***Whitetail-sized game out to long range***

Performs identically to the 30-06, the caliber that's dropped more big game than any other. The optimum deer hunting Power Level® – coast to coast.

POWER LEVEL® II

MAGNUM ENERGY — EXTENDED RANGE

- ***300 Win Mag, 300 WSM performance***
- ***Medium and large big game at extended ranges***

With velocity and downrange ballistics that mirror the 300 Win Mag and 300 WSM, Level II is ideal for elk, muleys or whitetails at extended range.

POWER LEVEL® III

MAXIMUM ENERGY — EXTREME RANGE

- ***300 Remington Ultra Mag performance***
- ***The biggest, toughest game at extreme ranges***

Simply the biggest, baddest, flattest-shooting 30 caliber in production today. At 200 yards, it delivers 485 ft.-lb. more energy than the 300 Wby Mag and 28% more energy than the 300 Win Mag or 300 WSM.

REMINGTON® ULTRA MAG®

A revolution in high-performance big-game ammunition. In each of its calibers, the Remington® Ultra Mag® cartridges produce the highest velocities, the flattest trajectories and the highest energy levels available to big-game hunters today. This is due to their large case capacities and innovative, non-belted magnum case designs. These cases hold dramatically more powder and align with unmatched precision within the bore, making the world's most lethal family of cartridges the most accurate, as well. Available in the most trusted bolt-action rifle of all time – the Model 700™ – the Ultra Mag® family is a truly superior gun and ammunition system geared for today's most discriminating hunters.

Innovative case design results in a "non-belted magnum" with a larger case diameter, which allows for dramatically increased powder capacity.

SHORT-ACTION ULTRA MAG.®

Magnum performance in a lightweight, short-action firearm and ammunition package. Premier® Short-Action Ultra Mag® cartridges offer ballistic performance equivalent to the two most popular belted magnums – 300 Win Mag and 7mm Remington Mag – in a fast-handling short-action rifle. They feature a highly efficient case design that duplicates or exceeds belted magnum ballistics with less powder, in turn, generating less felt recoil. Plus, they're inherently more accurate. The cartridge headspaces off the shoulder of the case, rather than a belt, promoting more precise bore alignment. It's big-time performance in a little package.

REMINGTON® ULTRA MAG®

Caliber	Index/EDI No.	Bullet Wt. (grs.)	Bullet Type
7mm Remington Ultra Mag	PR7UM1	140	Core-Lokt® Ultra Bonded®
7mm Remington Ultra Mag	PR7UM5	175	A-Frame PSP
300 Remington Ultra Mag	PR300UM5	150	Scirocco Bonded
300 Remington Ultra Mag	PR300UM3	180	Scirocco Bonded
300 Remington Ultra Mag	PR300UM4	180	Core-Lokt® Ultra Bonded®
300 Remington Ultra Mag	RS300UM2	200	A-Frame PSP
338 Remington Ultra Mag	PR338UM1	250	A-Frame PSP
338 Remington Ultra Mag	PR338UM2	250	Core-Lokt® PSP
375 Remington Ultra Mag	PR375UM2	270	Soft Point Hornady®
375 Remington Ultra Mag	PR375UM3	300	A-Frame PSP

PREMIER® SHORT-ACTION ULTRA MAG®

Caliber	Index/EDI No.	Bullet Wt. (grs.)	Bullet Type
7mm Remington SA UM	PR7SM1	140	Core-Lokt® Ultra Bonded®
7mm Remington SA UM	PR7SM2	150	Core-Lokt® PSP
7mm Remington SA UM	PR7SM4	160	Core-Lokt® Ultra Bonded®
300 Remington SA UM	PR300SM1	150	Core-Lokt® Ultra Bonded®
300 Remington SA UM	PR300SM2	165	Core-Lokt® PSP
300 Remington SA UM	PR300SM4	180	Core-Lokt® Ultra Bonded®

Note: For more information on ballistics, see pages 105–108.

CORE-LOKT:® THE BIG-GAME AMMUNITION

CHOSEN 2 TO 1 OVER THE COMPETITION

THE WORLD'S BEST-SELLING CENTERFIRE HUNTING AMMUNITION.

Remington® Core-Lokt® – a reputation deserved. Hunters with a knack for filling their deer tag tend to have more than success in common. They trust their hunt to Remington® Core-Lokt.® For more than six decades, it has remained the leader in centerfire deer ammunition. And deservedly so. The Core-Lokt® bullet design is the original controlled-expansion bullet – and one of the most effective ever developed. Its tapered copper jacket is locked to a solid lead core, promoting reliable expansion and high weight retention for absolutely dependable on-game results. You'll find its time-proven performance in both soft point and pointed soft point versions – and in a range of bullet weights for virtually every centerfire hunting caliber made.

CORE-LOKT® SOFT POINT



Soft point shape provides broad frontal area for high-energy impact and rapid expansion

Bullet cores are "Lokt" in place to provide deep penetration

Jackets designed for progressive, reliable expansion to almost twice the original diameter

CORE-LOKT® POINTED SOFT POINT

Spitzer shape profile for improved velocity and flatter trajectory

REMINGTON® CORE-LOKT®

CORE-LOKT® POINTED SOFT POINT

Caliber	Index/EDI No.	Bullet Wt. (grs.)	Bullet Type
6mm Remington	R6MM4	100	Pointed Soft Point
243 Win	R243W3	100	Pointed Soft Point
25-06 Remington	R25062	100	Pointed Soft Point
25-06 Remington	R25063	120	Pointed Soft Point
6.5x55 Swedish	R65SWE1	140	Pointed Soft Point
6.5mm Remington Mag	R65MM2	120	Pointed Soft Point
260 Remington	R260R1	140	Pointed Soft Point
264 Win Mag	R264W2	140	Pointed Soft Point
270 Win	R270W2	130	Pointed Soft Point
270 WSM	R270WSM1	130	Pointed Soft Point
280 Remington	R280R3	140	Pointed Soft Point
280 Remington	R280R1	150	Pointed Soft Point
7mm-08 Remington	R7M081	140	Pointed Soft Point
7mm Remington Mag	R7MM4	140	Pointed Soft Point
7mm Remington Mag	R7MM2	150	Pointed Soft Point
7mm Remington Mag	R7MM3	175	Pointed Soft Point
NEW 7x64 Brenneke	R7x641	140	Pointed Soft Point
NEW 7x64 Brenneke	R7x642	175	Pointed Soft Point
7mm Mauser (7x57)	R7MSR1	140	Pointed Soft Point
7mm Remington SA Ultra Mag	PR7SM2	150	Pointed Soft Point
30-40 Krag	R30402	180	Pointed Soft Point
30-06 Springfield	R30062	150	Pointed Soft Point
30-06 Springfield	R3006B	165	Pointed Soft Point
30-06 Springfield	R30065	180	Pointed Soft Point
300 Savage	R30SV2	150	Pointed Soft Point
30 Remington AR	R30RAR1	125	Pointed Soft Point
300 Win Mag	R300W1	150	Pointed Soft Point
300 Win Mag	R300W2	180	Pointed Soft Point
300 WSM	R300WSM1	150	Pointed Soft Point
308 Win	R308W1	150	Pointed Soft Point
308 Win	R308W3	180	Pointed Soft Point
300 Wby Mag	R300WB1	180	Pointed Soft Point
300 Remington SA Ultra Mag	PR300SM2	165	Pointed Soft Point
300 Remington Ultra Mag	R300UM1-P1	150	Pointed Soft Point
338 Win Mag	R338W1	225	Pointed Soft Point
338 Win Mag	R338W2	250	Pointed Soft Point
338 Remington Ultra Mag	PR338UM2	250	Pointed Soft Point
35 Remington	R35R1	150	Pointed Soft Point
35 Whelen	R35WH1	200	Pointed Soft Point
350 Remington Mag	R350M1	200	Pointed Soft Point
NEW 9.3x62mm	R93x621	286	Pointed Soft Point

CORE-LOKT® SOFT POINT

Caliber	Index/EDI No.	Bullet Wt. (grs.)	Bullet Type
257 Roberts	R257	117	Soft Point
270 Win	R270W4	150	Soft Point
280 Remington	R280R2	165	Soft Point
30-30 Win	R30301	150	Soft Point
30-30 Win	R30302	170	Soft Point
30-06 Springfield	R30064	180	Soft Point
30-06 Springfield	R30067	220	Soft Point
308 Marlin® Express	R308ME1	150	Soft Point
308 Win	R308W2	180	Soft Point
303 British	R303B1	180	Soft Point
32 Win Special	R32WS2	170	Soft Point
8mm Mauser	R8MSR	170	Soft Point
35 Remington	R35R2	200	Soft Point
450 Bushmaster	R450B1	250	Soft Point

CORE-LOKT® HOLLOW POINT

Caliber	Index/EDI No.	Bullet Wt. (grs.)	Bullet Type
30-30 Win	R30303	170	Hollow Point

Note: For more information on ballistics, see pages 105–108.

AMMUNITION

MANAGED-RECOIL®

50% LESS RECOIL — DEADLY ON DEER.

At some point, all shooters feel the negative effects of recoil. Some hunters experience the frustration of missing a target because of flinching. Others know the aggravation of losing the opportunity for a second shot because of the time it takes for scope recovery. Then there's the shoulder pain after a day of hunting or practicing, which may deter future practice sessions. To fight these effects of recoil, Remington® developed Managed-Recoil® ammunition.

The Managed-Recoil® ammunition succeeds where other recoil-control ammunition fails. Past attempts at curbing recoil have focused solely on the amount of gunpowder in the ammunition. Remington® Managed-Recoil® focuses on the entire cartridge by incorporating a specially designed bullet built to perform at lower velocities.

50% LESS RECOIL.

Remington® Managed-Recoil® centerfire cartridges deliver 50% less recoil than standard velocity ammunition. Managed-Recoil® 270 Win, 308 Win and 30-06 actually deliver less recoil than a standard velocity 243 Win!



LETHAL PUNCH OUT TO 200 YARDS.

Managed-Recoil® rounds pack a lethal punch at the most common deer-hunting ranges. In fact, their energy levels exceed 1100 ft.-lb. at 200 yards. Managed-Recoil® 30-30 delivers 919 ft.-lb. at 100 yards and is fully effective on deer-sized animals out to 125 yards.



Fully effective energy and expansion out to 200 yards:

50 yards | 100 yards | 150 yards | 200 yards

MANAGED-RECOIL® APPLICATIONS

Youth and Women. *Managed-Recoil® allows youth and women to practice and hunt effectively and comfortably with half the recoil. It even lets you use an existing gun without readjusting the scope because "point of aim – point of impact" is nearly identical to standard cartridges at 100 yards.*



Practice makes perfect. *For target shooters and hunters who target shoot to improve their performance, Managed-Recoil® cartridges provide more time on the range, without the bruises to prove it. After your practice session, you can switch to full-power ammunition without scope adjustment.*

Recoil-sensitive hunters. *For shooters who are unable or unwilling to tolerate the recoil of a standard cartridge on the range or in the field, Managed-Recoil® cartridges are the perfect solution. Effective performance with half the recoil.*



No scope readjustment necessary. Remington® Managed-Recoil® point of impact is nearly identical to full velocity loads.

Point of impact comparison at 100 yards.

- *30-06 Springfield 125-grain Managed-Recoil®*
- *30-06 Springfield 150-grain PSP Core-Lokt®*

May not operate in all recoil or gas-operated firearms.

REMINGTON® RIFLE

Proof of our dedication to providing you with the widest selection of centerfire ammunition in the industry, our Rifle series consists of a multitude of calibers and popular bullet styles to match your specialized hunting and shooting pursuits. All assembled with premium components and the ultra-tight tolerances that put more home reloading presses on the back shelf than any other brand. Remington® Rifle.

REMINGTON® RIFLE			
Caliber	**Index/EDI No.**	**Bullet Wt. (grs.)**	**Bullet Type**
17 Remington	R17R2	25	Hollow Point
22 Hornet	R22HN1	45	Pointed Soft Point
22 Hornet	R22HN2	45	Hollow Point
220 Swift	R220S1	50	Pointed Soft Point
222 Remington	R222R1	50	Pointed Soft Point
223 Remington	R223R1	55	Pointed Soft Point
223 Remington	R223R3	55	Metal Case
22-250 Remington	R22501	55	Pointed Soft Point
243 Win	R243W1	80	Pointed Soft Point
25-20 Win	R25202	86	Soft Point
250 Savage	R250SV	100	Pointed Soft Point
6.8mm Remington SPC	R68R1	115	Open Tip Match (OTM)
6.8mm Remington SPC	R68R2	115	Metal Case
270 Win	R270W1	100	Pointed Soft Point
7mm-08 Remington	R7M082	120	Hollow Point
30 Carbine	R30CAR	110	Soft Point
30 Remington AR	R30RAR2	150	Pointed Soft Point
30-06 Springfield	R30069	55	Pointed Soft Point
30-06 Springfield	R30061	125	Pointed Soft Point
7.62x39mm	R762391	125	Pointed Soft Point
7mm Rem SA Ultra Mag	PR7SM3	160	Pointed Soft Point
32-20 Win	R32201	100	Lead
338 Lapua Mag	RM338LMR1	250	Scenar
338 Marlin Express	R338ME1	250	Soft Point
35 Whelen	R35WH3	250	Pointed Soft Point
375 H&H Mag	R375MI	270	Soft Point
375 Remington Ultra Mag	PR375UM2	270	Soft Point
444 Marlin	R444M	240	Soft Point
450 Bushmaster	PRA450B1	260	AccuTip
45-70 Government	R457OL	300	Semi-Jacketed Hollow Point
45-70 Government	R457OG	405	Soft Point

Note: For more information on ballistics, see pages 105–108.

Aerodynamic tip for superior long-range ballistics and rapid expansion

BRONZE POINT TIPPED

Introduced by Remington® over 80 years ago, these were the first bullets to utilize a tipped design. Today Bronze Point still delivers exceptional long-range performance on medium-sized game. Sleek profile generates flat trajectory. On impact, the bronze tip is driven backward to create rapid but controlled expansion.

BRONZE POINT TIPPED			
Caliber	**Index/EDI No.**	**Bullet Wt. (grs.)**	**Bullet Type**
270 Win	R270W3	130	Bronze Point Tipped
30-06 Springfield	R30063	150	Bronze Point Tipped
30-06 Springfield	R30066	180	Bronze Point Tipped

Note: For more information on ballistics, see pages 105–108.

Plated copper jacket for superior accuracy and instant fragmentation on impact

POWER-LOKT® HOLLOW POINT

Remington® Power-Lokt® delivers unmatched performance for small game and varmint hunting. The thin copper jacket is electrolytically plated to the lead core for near-perfect concentricity and gyroscopic balance. The result? Dead-on, benchrest-type accuracy with instant fragmentation on impact.

POWER-LOKT® HOLLOW POINT			
Caliber	**Index/EDI No.**	**Bullet Wt. (grs.)**	**Bullet Type**
222 Remington	R222R3	50	Power-Lokt Hollow Point
223 Remington	R223R3	55	Power-Lokt Hollow Point
243 Win	R243W2	80	Power-Lokt Hollow Point

Note: For more information on ballistics, see pages 105–108.

AMMUNITION

PREMIER® GOLDEN SABER® HPJ (HIGH PERFORMANCE JACKET)		
Caliber	**Index / EDI No.**	**Wt. (grs.)**
357 Magnum	GS357MA	125
9mm Luger	GS9MMB	124
	GS9MMC	147
9mm Luger (+P)	GS9MMD	124
380 Auto.	GS380B	102
38 Special (+P)	GS38SB	125
40 S&W	GS40SWA	165
	GS40SWB	180
45 Auto.	GS45APA	185
	GS45APB	230
45 Auto. (+P)	GS45APC	185

+P: Ammunition with "+P" on the headstamp is loaded to higher pressure. Use only in firearms designated for this cartridge and so recommended by the gun manufacturer.
Note: For more information on ballistics, see page 105–108.



The bullet diameter directly ahead of the Driving Band is reduced from groove to bore diameter, so the bullet is precisely aligned before the Driving Band engages the rifling. The result: match-grade accuracy and reduced barrel friction that conserves velocity.

The high-performance jacket expands to a larger diameter than lead core – over 1.6x diameter. Minimal lead deformation retains energy for deeper penetration.

GOLDEN SABER® HPJ

DEAD-SERIOUS BULLET INNOVATION.

A superior bullet for when the stakes are at their highest. Designed for law enforcement and personal defense, the Golden Saber® High Performance Jacket successfully combines match-type accuracy, deep penetration, maximum expansion and near 100 percent weight retention.

PISTOL & REVOLVER

EVERY APPLICATION, ONE BRAND.

Remington® has been making centerfire handgun ammunition longer than anyone. It should come as no surprise then that we offer the broadest line of pistol and revolver ammunition available. With loadings tailored to virtually every potential shooting application, our line includes vast choices of calibers, bullet weights, bullet styles and combinations of all these. Choose from a complete range of traditional bullet styles, as well as from some of the most sophisticated handgun bullets made. All cartridges are assembled from the highest-quality components – with meticulous quality control – to ensure reliability in all handgun actions.

REMINGTON® P&R AMMUNITION			
Caliber	**Index/EDI No.**	**Wt. (grs.)**	**Bullet Style**
25 (6.35mm) Auto.	R25AP	50	Metal Case
32 S&W	R32SW	88	Lead Round Nose
32 S&W Long	R32SWL	98	Lead Round Nose
32 (7.65mm) Auto.	R32AP	71	Metal Case
357 Mag.	R357M7	110	Semi-Jacketed Hollow Point
	R357M1	125	Semi-Jacketed Hollow Point
	R357M2	158	Semi-Jacketed Hollow Point
	R357M3	158	Soft Point
	R357M5	158	Semi-Wadcutter
	R357M10	180	Semi-Jacketed Hollow Point
9mm Luger	R9MM1	115	Jacketed Hollow Point
	R9MM3	115	Metal Case
	R9MM6	115	Jacketed Hollow Point +P
	R9MM2	124	Metal Case
	R9MM8	147	Jacketed Hollow Point (Subsonic)
380 Auto.	R380A1	88	Jacketed Hollow Point
	R380AP	95	Metal Case
38 S&W	R38SW	146	Lead Round Nose
38 Special	R38S10	110	Semi-Jacketed Hollow Point +P
	R38S16	110	Semi-Jacketed Hollow Point
	R38S2	125	Semi-Jacketed Hollow Point +P
	R38S3	148	Targetmaster® Lead WC Match
	R38S5	158	Lead Round Nose
	R38S6	158	Semi-Wadcutter
	R38S12	158	Lead Hollow Point +P
38 Short Colt	R38SC	125	Lead Round Nose
40 S&W	R40SW1	155	Jacketed Hollow Point
	R40SW2	180	Jacketed Hollow Point
41 Rem. Mag.	R41MG1	210	Soft Point
44 Rem. Mag.	R44MG2	240	Soft Point
	R44MG3	240	Semi-Jacketed Hollow Point
44 S&W Special	R44SW	246	Lead Round Nose
45 Colt	R45C1	225	Semi-Wadcutter
	R45C	250	Lead Round Nose
45 Auto.	R45AP2	185	Jacketed Hollow Point
	R45AP4	230	Metal Case
	R45AP7	230	Jacketed Hollow Point (Subsonic)

+P: Ammunition with "+P" on the headstamp is loaded to higher pressure. Use only in firearms designated for this cartridge and so recommended by the gun manufacturer.
Note: For more information on ballistics, see pages 105–108.

HD ULTIMATE HOME DEFENSE

DON'T TRUST YOUR FAMILY'S SAFETY TO ANYTHING ELSE.

PISTOL & REVOLVER. Based on the same platform trusted by law enforcement professionals to protect the American way of life, now available to defend your family and home. Loaded with our high-performance Brass Jacket Hollow Point (BJHP), these new rounds deliver massive expansion and deep penetration for ultimate stopping power. Premium nickel-plated cases resist corrosion and cycle dependably through extended storage. Available in the most popular pistol and revolver calibers.

HD ULTIMATE HOME DEFENSE PISTOL & REVOLVER

Caliber	Index/ EDI No.	Wt. (grs)	Bullet Style
9mm Luger	HD9MMB	124	BJHP
380 Auto	HD308B	102	BJHP
38 Special (+P)	HD38SB	125	BJHP
40S&W	HD40SWB	180	BJHP
45 Auto	HD45APB	230	BJHP

Note: For more information on ballistics, see pages 105–108.

SHOTGUN.

Featuring Remington® Heavy Density (HD) tungsten-bronze-iron pellets that are heavier than standard lead, these rounds deliver dense, devastating patterns and massive terminal knockdown when the stakes are at their highest. Short-range patterns in smoothbore barrels are tight and effective for one-shot confidence. Choose from two hard-hitting 12 gauge loads – BB for highest energy and Duplex for most pellets on target. Our 410 load packs four lead 000 buckshot pellets to maximize effectiveness of the **Taurus® Judge® handgun.**

HD ULTIMATE HOME DEFENSE SHOTSHELL LOADS – LEAD BUCKSHOT

Index/EDI No.	Gauge	Length (in.)	Velocity (ft/ sec @ 3 ft.)	Ounces of Shot	Shot Sizes
410B00HD	410	2 1/2	1300	4 pel	000BK

HD ULTIMATE HOME DEFENSE SHOTSHELL LOADS – TUNGSTEN-BRONZE-IRON

RW12CHDB	12	2 3/4	1250	1 1/4	BB
NS12MC	12	2 3/4	1250	1 1/4	2x4

Three devastating shots at 15 feet with our new 2 ½" 410 HD Ultimate Home Defense shotshell featuring four 000 buckshot pellets each. Test fired through Taurus® Judge® revolver.

NEW

UMC® TARGET

OFFERED TO AUTHORIZED SHOOTING RANGES ONLY.

Remington® understands the importance of smooth and reliable gun functioning to shooters visiting their favorite range. That's why we've added nickel-plated shell cases, a feature normally found in high-end product lines, in our new UMC® Target product. We've selected the most popular handgun cartridges in the most popular bullet weights, utilizing proven traditional metal case bullets for the ultimate in reliable feed and function.

Features include:

- Nickel-plated shell cases for smooth and reliable function
- Offered in convenient 50-round and money-saving 250-round packaging
- Available in the most popular handgun cartridges
- Assembled using first-quality factory nickel-plated brass shell cases and clean-shooting Kleanbore® primers
- Made in the USA

CENTERFIRE UMC® TARGET

Caliber	Index/ EDI No.	Wt. (grs.)	Bullet Style
9mm Luger (50 pack)	LN9MM2	124	Metal Case
9mm Luger (50 pack)	LN9MM3	115	Metal Case
380 Auto (50 pack)	LN380AP	95	Metal Case
38 Special (50 pack)	LN38S11	130	Metal Case
40 S&W (50 pack)	LN40SW3	180	Metal Case
40 S&W (50 pack)	LN40SW4	165	Metal Case
45 Auto (50 pack)	LN45AP1	185	Metal Case
45 Auto (50 pack)	LN45AP4	230	Metal Case
9 mm Luger (250 pack)	LN9MM3A	115	Metal Case
380 Auto (250 pack)	LN380APA	95	Metal Case
38 special (250 pack)	LN38S11A	130	Metal Case
40 S&W (250 pack)	LN40SW3A	180	Metal Case
40 S&W (250 pack)	LN40SW4A	165	Metal Case
380 Auto (250 pack)	LN45AP4A	230	Metal Case

Note: For more information on ballistics, see pages 105–108.

AMMUNITION

UMC® AMMUNITION

UMC® HANDGUN CARTRIDGES.

All UMC® ammunition is American-made in Lonoke, Arkansas, using first-quality, factory-fresh brass and clean-shooting Kleanbore® primers to provide the best value for practice, personal defense and hunting.

UMC® RIFLE CARTRIDGES.

Made in the USA, value-priced and ideal for high-volume shooting, our UMC centerfire rifle ammunition is loaded in seven popular calibers, including the 30-06 Springfield, 308 Win, 7.62x39mm, 30 Carbine and 303 British. The 45- and 50-grain jacketed hollow point loads in 223 Remington and 22-250 Remington are perfect for varmint hunters. Available in 17 Remington Fireball and 30 Remington AR.

Nose profile designed to function smoothly in all action types

UMC® HANDGUN CARTRIDGES			
Caliber	**Index/EDI No.**	**Wt. (grs)**	**Bullet Style**
9mm Luger	L9MM1	115	JHP
	L9MM2	124	MC
	L9MM3	115	MC
	L9MM9	147	MC
10mm Auto	L10MM6	180	MC
25 Auto (6.35mm)	L25AP	50	MC
32 Auto	L32AP	71	MC
357 Magnum	L357M12	125	JSP
357 Sig.	L357S1	125	MC
	L357S2	125	JHP
38 Super Auto (+P)	L38SUP	130	MC
38 Special (+P)	L38S2	125	JHP
38 Special	L38S5	158	LRN
	L38S11	130	MC
380 Auto	L380AP	95	MC
40 S & W	L40SW2	180	JHP
	L40SW3	180	MC
	L40SW4	165	MC
44 Remington Mag	L44MG7	180	JSP
45 Auto	L45AP1	185	MC
	L45AP4	230	MC
	L45AP7	230	JHP
45 GAP	L45GAP4	230	MC

UMC® CENTERFIRE RIFLE CARTRIDGES			
Caliber	**Index/EDI No.**	**Wt. (grs)**	**Bullet Style**
17 Remington Fireball	L17FBV	25	JHP
223 Remington	L223R3	55	MC
	L223R7	45	JHP
	L223R8	50	JHP
	L223R9	62	CTFB
22-250 Remington	L22503	45	JHP
	L22504	50	JHP
NEW 6.8 Remington SPC	L68R1	115	MC
7.62x39mm	L762391	123	MC
30 Carbine	L30CR1	110	MC
30 Remington AR	L30RAR1	123	MC
308 Win.	L308W4	150	MC
308 Win.	L308W4B	150	MC
30-06 Springfield	L30062	150	MC
303 British	L303B1	174	MC

UMC® LEADLESS™ HANDGUN CARTRIDGES			
Caliber	**Index/EDI No.**	**Wt. (grs)**	**Bullet Style**
9mm Luger	LL9MM11	115	FNEB
	LL9MM2	124	FNEB
	LL9MM9	147	FNEB
38 Special	LL38S17	125	FNEB
38 Special+P	LL38S2	125	FNEB
380 Auto	LL380AP2	95	FNEB
40 S & W	LL40SW5	180	FNEB
45 Auto	LL45AP8	230	FNEB

CTFB=Closed Tip Flat Base / MC=Metal Case / FNEB=Flat Nose Enclosed Base / JHP=Jacketed Hollow Point / JSP = Jacketed Soft Point / LRN=Lead Round Nose

+P: Ammunition with "+P" on the headstamp is loaded to higher pressure. Use only in firearms designated for this cartridge and so recommended by the gun manufacturer.

Note: For more information on ballistics, see pages 105–108.

UMC® LEADLESS HANDGUN CARTRIDGES.

A must-have for shooters who frequent indoor ranges, economical UMC® LeadLess cartridges virtually eliminate lead exposure at the firing line. Specially designed bullet actually prevents the vaporization of lead from the bullet's base upon firing. Standard bullet weights duplicate the ballistics of conventional loads.



RIMFIRE

Prairie dogs. Tin cans. Or a bulls-eye. No matter what you put in your sights, Remington® offers the perfect 22 rimfire ammunition for any occasion. Remington rimfire ammunition delivers the quality you expect. That's because we put the same level of care into making our rimfire ammunition as we do our centerfire ammunition, so you'll get the maximum performance from every shot.

Caliber/Velocity	Index/ EDI No.	Wt. (grs.)	Bullet Style	Velocity (ft/sec) Muz.	50 yds.	100 yds.	Energy (ft.-lbs.) Muz.	50 yds.	100 yds.	Trajectory (in.)* Muz.	50 yds.	100 yds.
22 RIMFIRE MAGNUM												
Remington 22 Magnum	R22M1	40	Jacketed Hollow Point	1910	1610	1350	324	230	162	0.9	0.0	-5.7
Remington 22 Magnum	R22M2	40	Pointed Soft Point	1910	1600	1340	324	227	159	1.0	0.0	-5.8
Caliber/Velocity	**Index/ EDI No.**	**Wt. (grs.)**	**Bullet Style**	**Velocity (ft/sec) Muz.**	**50 yds.**	**100 yds.**	**Energy (ft.-lbs.) Muz.**	**50 yds.**	**100 yds.**	**Trajectory (in.)* 25-50**	**50 yds.**	**100 yds.**
22 LR HYPER VELOCITY												
Yellow Jacket®	1722/1700 †	33	Truncated Cone Hollow Point	1500	1247	1075	165	114	85	-0.2	0.0	-4.1
Viper®	1922/1900 †	36	Truncated Cone Solid	1410	1198	1056	159	115	89	-0.1	0.0	-4.7
22 LR SHORT HIGH VELOCITY												
Remington Golden Bullet	1022/1000 †	29	Plated Lead Round Nose	1095	982	903	77	62	52	0.3	0.0	-7.4
22 LR HIGH VELOCITY												
Remington Golden Bullet	1522/1500 †	40	Plated Lead Round Nose	1255	1113	1017	140	110	92	0.0	0.0	-5.6
Remington Golden Bullet	1622+/1600 ††	36	Plated Hollow Point	1280	1117	1010	131	100	82	0.0	0.0	-5.6
Thunderbolt®	TB-22A †††	40	Round Nose	1255	1113	1017	140	110	92	0.0	0.0	-5.6
Cyclone®	CY-22HP †††	36	Hollow Point	1280	1117	1010	131	100	82	0.0	0.0	-5.6
Game Load	GL-22HP	36	Hollow Point	1280	1117	1010	131	100	82	0.0	0.0	-5.6
22 LR STANDARD VELOCITY												
Target	6122/6100 †††	40	Round Nose	1150	1048	976	117	98	85	0.2	0.0	-6.4
22 LR SUBSONIC												
Subsonic	SUB22HP/ SUB22HP1 †	38	Hollow Point	1050	965	901	93	79	69	0.3	0.0	-7.7
22 LR LOW NOISE												
CBee	CB-22LI00 †	33	Hollow Point	740	687	638	40	35	30	-1.5	0.0	-16.9

**Sight height 1.5" above axis of bore. †These 22s available in slide-open plastic packs of 100. ††Available in 525-round and 550-round bulk packs. †††Available in 500-round bulk pack.*

PREMIER® GOLD BOX RIMFIRE.

Premium rimfire cartridges super-tuned for accuracy and terminal performance. Available in 17 HMR and 22 Win Mag, Premier® Gold Box Rimfire Ammunition is loaded with AccuTip-V polymer-tipped bullets for incredible shot-to-shot consistency, flat trajectory and explosive expansion. Upgrading your rimfire rifle or handgun is as easy as shooting the right ammo. Think Premier® Gold Box.

COMPETITION/TARGET RIMFIRE.

When it comes to competition-grade rimfire ammunition, there's only one name good enough to share the Remington® brand – Eley. A company with a reputation for the world's most accurate and reliable rimfire ammunition, Eley Ltd. has teamed up with Remington to offer three grades of their premier 22 long rifle ammunition for the serious target shooter: Target Rifle, Club XTRA and the elite Match EPS.

Caliber	Index/ EDI No.	Wt. (grs)	Bullet Style	Velocity (ft/sec) Muz.	50 yds.	100 yds.	Energy (ft.-lbs.) Muz.	50 yds.	100 yds.	Trajectory (in.)* 50 yds.	100 yds.	150 yds.
PREMIER® GOLD BOX RIMFIRE RIMFIRE MAGNUM												
Premier® 17HMR	PR17HM1	17	AccuTip-V	2550	2212	1901	245	185	136	0.1	0.0	-2.6
Premier® 22 Win Mag	PR22M1	33	AccuTip-V	2000	1730	1495	293	219	164	0.6	0.0	-4.5
COMPETITION/TARGET RIMFIRE 22 LR REMINGTON/ELEY												
Caliber	**Index/ EDI No.**	**Wt. (grs)**	**Bullet Style**	**Velocity (ft/sec) Muz.**	**50 yds.**	**100 yds.**	**Energy (ft.-lbs.) Muz.**	**50 yds.**	**100 yds.**	**Trajectory (in.)** 25 yds.**	**50 yds.**	**100 yds.**
Match EPS	RE22EPS	40	Lead Flat Nose	1085	1006	941	105	90	79	0.3	0.0	-7.1
Club Xtra	RE22CX	40	Lead Round Nose	1085	1006	941	105	90	79	0.3	0.0	-7.1
Target Rifle	RE22T	40	Lead Round Nose	1085	1006	941	105	90	79	0.3	0.0	-7.1

**Sight height 1.5" above axis of bore.*

COMPONENTS

REMINGTON® RELOADING COMPONENTS. If you reload your own cartridges, then you shouldn't settle for anything but the best reloading components in the business – Remington.® We offer industry-leading products that are changing the way sportsmen think about reloading.

PREMIER® CORE-LOKT® ULTRA BONDED® BULLETS. Combine world-class accuracy with bonded bullet toughness to give unmatched on-game performance. Core-Lokt® Ultra Bonded® – the new performance standard for your big-game hunting handloads.

PREMIER® ACCUTIP BULLETS. Top off your handloads with the most accurate polymer-tipped bullet available today. Near-perfect concentricity and an overall ballistically superior design make it one of the flattest-shooting bullets in the world. Choose AccuTip for big-game hunting or AccuTip-V for awesome performance on varmints.

CORE-LOKT® BULLETS. "The Deadliest Mushroom in the Woods,™" now a handloading component. It's the original controlled-expansion big-game bullet, delivering massive energy transfer as it expands to nearly 2x original diameter. For dead-sure reliability, choose Core-Lokt® bullets for your hunting handloads.

CENTERFIRE PRIMERS

Index/EDI No.	Description
X22600	1 1/2 Small Pistol
X22604	2 1/2 Large Pistol
X22626	5 1/2 Small Pistol
X22606	6 1/2 Small Rifle
X22628	7 1/2 Small Rifle BR
X22608	9 1/2 Large Rifle
X22622	9 1/2 M Magnum Rifle

ETRONX™ ELECTRIC CENTERFIRE PRIMERS

XEL22610	9 1/2 Large Rifle (Electric)

CONSUMER PACK BAGGED RIFLE BULLETS

Index/EDI No.	Caliber	Wt. (gr.)	Bullet Type
RB2241	224	45	HP
RB2242	224	50	PSP
RB224P1	224	50	PLHP
RB2244	224	55	MC
RB2243	224	55	PSP
RB224P2	224	55	PLHP
RB2247	224	62	HP MATCH
RB2243P1	243	80	PLHP
RB2432	243	80	PSP
RB2682	6.8mm	115	MC
RB3085	308	150	MC
RB303B	310 (303 Brit.)	180	SP Core-Lokt
RB3231	8mm	185	PSP Core-Lokt
RB4571	457	300	SJHP

CONSUMER PACK BAGGED PISTOL BULLETS

RB9MM3	9mm	115	MC
RB9MM11	9mm	115	FNEB
RB9MM5	9mm	115	JHP
RB9MM2	9mm	124	MC
RB9MM8	9mm	147	JHP
RB380AP	356 380 Auto	95	MC
RB38S11	356 38 Special	130	MC
RB357M7	357/38	110	SJHP
RB357M1	357/38	125	SJHP
RB357M2	357/38	158	SJHP
RB40SW1	40/10mm	155	JHP
RB40SW3	40/10mm	180	MC
RB40SW5	40/10mm	180	FNEB
RB40SW2	40/10mm	180	JHP
RB41MG1	41	200	SJHP
RB44MG6	44	210	SJHP
RB44MG3	44	240	SJHP
RB45AP4	45 Automatic	230	MC
RB45AP8	45 Automatic	230	FNEB
RB45AP7	45 Automatic	230	JHP

CONSUMER PACK RIFLE BRASS

Index/EDI No.	Description
RC17FB	17 Remington Fireball
RC17R	17 Remington
RC204R	204 Ruger
RC22H	22 Hornet
RC221FB	221 Remington Fireball
RC222R	222 Remington
RC223R	223 Remington
RC2250R	22-250 Remington
RC220S	220 Swift
RC243W	243 Win
RC6MMR	6mm Remington
RC2506R	25-06 Remington
RC2520W	25-20 Win
RC257R	257 Roberts
RC65S	6.5x55 Swedish Mauser
RC260R	260 Remington
RC68SPCR	6.8mm Remington SPC
RC270W	270 Win
RC270WSM	270 WSM
RC7M08R	7mm-08 Remington
RC7MMG	7mm Remington Magnum
RC7MMRS	7mm Remington SA Ultra Magnum
RC7MMRA	7mm Remington Ultra Magnum
RC280R	280 Remington
RC3030W	30-30 Win
RC300RS	300 Remington SA Ultra Magnum
RC300RA	300 Remington Ultra Magnum
RC3006	30-06 Springfield
RC300WM	300 Win Mag
RC300WSM	300 WSM
RC303B	303 British
RC308W	308 Win
RC3220W	32-20 Win
RC8MSR	8mm Mauser
RC8MMG	8mm Remington Magnum
RC338W	338 Win Mag
RC338RA	338 Remington Ultra Magnum
RC35W	35 Welen
RC375H	375 H&H Magnum
RC375RA	375 Remington Ultra Magnum
RC4440W	44-40 Win
RC4570G	45-70 Government

CONSUMER PACK PISTOL BRASS

RC357MG	357 Magnum
RC357X	357 Maximum
RC9MM	9mm Luger
RC38AS	38 Super Auto+P
RC38SP	38 Special

CONSUMER PACK PISTOL BRASS (CONT.)

Index/EDI No.	Description
RC40SW	40 S&W
RC41RA	41 Remington Magnum
RC44RA	44 Remington Magnum
RC44SW	44 S&W
RC45C	45 Colt
RC45A	45 Automatic
RC454C	454 Casull
XEL22610	9 1/2 Large Rifle (Electric)

PREMIER® CORE-LOKT® ULTRA BONDED® BULLETS

Index/EDI No.	Caliber	Wt. (gr.)	Bullet Type
RBC2433	243/6mm	100	PSP
RBC2571	25	115	PSP
RCB2642	26/6.5mm	140	PSP
RBC2682	27/6.8mm	115	PSP
RCB2772	27/6.8mm	140	PSP
RCB2841	28/7mm	140	PSP
RCB2843	28/7mm	160	PSP
RC3081	30	150	PSP
RBC3082	30	168	PSP
RBC3083	30	180	PSP
RBC3381	338	225	PSP

PREMIER® ACCUTIP BULLETS

RBA1771	17	20	AccuTip-V
RBA2042	20	40	AccuTip-V
RBA2241	22	50	AccuTip-V
RBA2242	22	55	AccuTip-V
RBA2431	24/6mm	75	AccuTip-V
RBA2432	24/6mm	95	AccuTip
RBA2642	26/6.5mm	140	AccuTip
RBA2771	27	130	AccuTip
RBA2841	28/7mm	140	AccuTip
RBA2842	28/7mm	150	AccuTip
RBA3081	30	150	AccuTip
RBA3082	30	165	AccuTip
RBA3083	30	180	AccuTip

CORE-LOKT® BULLETS

B2432	24/6mm	100	PSP
B2571	25	100	PSP
B2462	26/6.5mm	140	PSP
B2772	27	130	PSP
B2842	28/7mm	150	PSP
B3081	30	150	PSP
B3083	30	180	PSP
B30301	30	150	SP

BR = Bench Rest / FNEB = Flat Nose Enclosed Base / HP = Hollow Point / JHP = Jacketed Hollow Point / MC = Metal Case / PLHP = Power Lokt Hollow Point / PSP = Pointed Soft Point / SJHP = Semi-Jacketed Hollow Point / SP = Soft Point

Note: For more information on ballistics, see pages 105–108.

ACCESSORIES

PREPARED

You never know what the woods and field might throw at you — that's why we've anticipated everything you may need.



From the Fast Snap Cleaning System to the Rem® Squeeg-E to the Rem Choke Upgrade Kit, Remington has the goods for the woods.

GUN CARE PRODUCTS FROM THE NAME YOU TRUST — REMINGTON

CLEANING KITS

NEW

UNIVERSAL FAST SNAP 2.0

All you need to clean any firearm, from a 22 pistol or revolver to a 12-gauge shotgun.

- Contains 38 pieces plus 75 patches
- Version 2.0 upgrade includes Brite Bore™
- Flex Rod System with patented T-handle for quick adaptability
- Cleaner and lubricant included

FAST SNAP 2.0 SHOTGUN

- Flex Rod with patented T-handle
- Lubricant and cleaner included
- For shotguns 410 bore through 12 gauge

FAST SNAP 2.0 RIFLE

- Flex Rod with patented T-handle
- Lubricant and cleaner included
- For rifles 17 through 45 calibers

FAST SNAP 2.0 PISTOL/ REVOLVER

- Flex Rod with patented T-handle
- Lubricant and cleaner included
- For handguns 22 through 45 calibers

www.remington.com/accessories

Remington® cleaning kits readily accept standard #8-32 cleaning brushes, mops, jags and standard shotgun brushes/mops. (The Rimfire rod in the Targetmaster accepts .17 components and has an adapter for #8-32 accessories.)

NEW

ALL-A-ROUND 2.0 UNIVERSAL KIT

- Cleans all your shotguns, rifles and pistols (22 caliber to 12 gauge)
- Contains an assortment of brushes, 3-piece brass rod, patches, patch puller and waterproof-/stain-resistant Rem® Pad
- Bore light
- Portable cleaning station with carry sack for easy transporting wherever you need it

BORE LIGHT INCLUDED!

TARGETMASTER DELUXE KIT

- 52-piece (true count) kit – includes 100 patches
- Sturdy aluminum case with positive latches
- 3 sets of 3-piece rods: rimfire rod (17-22), centerfire rod (22 and up) and shotgun/muzzleloader rod
- Adapters allow for cleaning of handguns (17-50)

AR STARTER KIT

NEW

- 1-oz. Rem® Oil
- 100 cleaning patches
- Receiver push pin
- AR A2 sight adjustment tool
- .223 Cal bore brush
- .223 Cal chamber brush
- AR/M16 cleaning kit case
- M16 5-piece rod set

SPORTSMAN® UNIVERSAL KIT

- 27-piece (true count) cleaning kit – includes 50 patches (22 caliber to 12 gauge)
- 3-piece brass rod accepts standard #8-32

ACCESSORIES

CLEANING ACCESSORIES

REM® SQUEEG-E

NEW

- Designed for pull-through flex rods
- Eliminates need for mops and patches
- Exclusive product made from modern polymers
- Patented design allows cleaning of lands and grooves with one pull

REM® MOP

NEW

- 100% cotton
- Thick nap
- #8-32 standard threads

REM® BRUSH

NEW

- #8-32 standard threads
- Bronze bristles resist corrosion
- Cleans without excessive abrasion

REM® RACK 2.0

NEW

- Suction feet for added stability
- Compact stabilizing bar with in-cradle storage
- Rubber-coated cradle bracket
- For use with most long guns

REM® PAD GUN CLEANING MATS

- Surface material won't scratch guns or tabletops
- Absorbent top material traps and holds up to eight times its weight in fluids

Available sizes:
12" x 28" or 16" x 54"

MOISTUREGUARD REM® CLOTH

- Uses Volatile Corrosion Inhibitor Technology
- 10" x 10" multipurpose cloth wipe
- Instantly protects all metals from rust and corrosion

BORE LIGHT

- Ideal for inspecting used firearms, cleaning firearms and inspecting bore for obstructions
- Includes both curved and straight light tubes
- LED light eliminates intense glare

CLEANING PATCHES AND REM® PATCH PULLER

- For all shotguns, black powder guns, rifles and rimfire rifles
- 100% cotton
- Enclosed in polybag for easy carrying in the field
- Presized for optimum cleaning
- Rem® Patch Puller
- #8-32 standard threads

GUN CARE CHEMICALS

LUBRICANTS

REM® OIL WIPES

- 6" x 8" wipe cloth saturated with Rem® Oil
- Available in: 12-Count Clampack and 60-Count Pop-up Canister (with large 7" x 8" wipes)

MOISTUREGUARD GREASE

- Uses Volatile Corrosion Inhibitor Technology
- 6cc multipurpose grease syringe
- Safe on all metal surfaces
- Instantly provides superior long-lasting lubrication and protection
- Penetrates into smallest cracks and crevices

REM® DRILUBE

- Teflon®-based lubricant provides a tough, non-congealing film without the residue of dry graphite lubes
- Keeps firearms functioning dependably to -40°F
- Available in: 4-oz. aerosol can

REM® OIL

- Cleans dirt and grime from exposed metal surfaces while displacing non-visible moisture from metal pores
- Protects internal and external metal parts from rust and corrosion
- Exclusive Teflon® formula provides a thin, long-lasting film that keeps actions working smoothly by reducing metal-to-metal wear
- Available in: 10-oz. aerosol can, 6-oz. spray pump (MoistureGuard™), 4-oz. aerosol can, 2-oz. bottle with child-resistant cap and 1-oz. squeeze bottle with child-resistant cap

VCI TECHNOLOGY

CLEANERS

REM® ACTION CLEANER

- Easily cleans dirt, powder residue and caked-on lubricants from disassembled actions and fire-control mechanisms
- Dries quickly and leaves no residue
- Available in: 10.5-oz. can, 4-oz. aerosol can and 2-oz. squeeze bottle

40-X™ BORE CLEANER

- Formerly Remington® Bore Cleaner
- 40-X name ties into the product's origins in Precision Benchrest Shooting
- Formulated for rifles to improve cleaning, accuracy and performance
- Fast and easy to use – no soaking or foul odors
- Contains polishing compounds to make your bore mirror-clean
- Available in: 2-oz. white oval bottle with child-resistant cap and 4-oz. squeeze bottle

REM® SHOTGUN CLEANER

- Cleans trigger groups, gas ports, choke tube threading, receivers, chambers, barrels and magazine tubes
- Dissolves powder residue, fouled lubricants, burnt carbon deposits and gunk
- Blasts away gummy caked-on grime from hard-to-reach areas such as ejectors, firing pin assemblies, trigger components and bolt recesses
- Available in: 18-oz. aerosol can

SOLVENTS

BRITE BORE SOLVENT

- Dissolves carbon and powder fouling, removes copper, lead and plastic deposits
- Handy size for field range use
- Low odor – contains no CFCs
- Available in: 6-oz. can, 4-oz. jar and 2-oz. bottle

www.remington.com/accessories

ACCESSORIES

GUN STORAGE

NEW

MODEL 500 DEHUMIDIFIER

- Works in a 500-cubic-foot area
- No battery or cord needed
- Works up to 10 years
- Non-toxic, child and pet safe
- Eco-friendly

TESTIMONIALS

"Finally, a product that you do not need to have a hole in your gun safe to plug in. I would definitely recommend this product to all gun owners."
- EUGENE, CLARKSBURG, WV 04/02/2010

"I love this thing! I just bought my second so I can keep one in the gun safe while the other is recharging. Say goodbye to the can of desiccant... it's 2010, folks!"
- JONATHAN, CENTEREACH, NY 07/18/2010

"Got four of them now and they work well in both ammo storage and gun storage."
- JAMES/MALINDA, HERNDON, KY 07/16/2010

MODEL 365 MINI DEHUMIDIFIER

- Protects up to 60 days before recharging is necessary
- Self-contained unit requires no wiring or extension cords
- Protects 333 cubic feet

MOISTUREGUARD SUPER-SAFE PLUG

- Uses Volatile Corrosion Inhibitor Technology
- Protects all metals from rust and corrosion
- Place or hang in gun cabinet/safe
- Superior storage protection
- Leaves no scent residue
- 216 cubic feet of protection for up to one year

MOISTUREGUARD GUN PLUGS

- Uses Volatile Corrosion Inhibitor Technology
- Protects all metals from rust and corrosion
- Place in chamber or mount in gun cabinet/safe to protect guns
- Leaves no scent or residue
- 30 cubic feet of protection
- Use as a snap cap
- Available in: 12 gauge, 20 gauge, Centerfire and Handgun Plugs (offered in Universal and 22 caliber)

REM DRI® 35 DESICCANT

- Removes moisture to prevent rust corrosion and eliminates odors in gun safes and cabinets
- No electricity required
- Rechargeable for multiple uses

CABLE LOCK

- Fits most shotguns, rifles and handguns
- California-approved versions available

GUN SACK

- Thick 100% polyester fabric protects against dirt and scratches
- Drawstring closure
- Treated with silicon to help protect from rust
- One size fits most – with or without scope (52" long)

FIREARM PARTS
SCOPE MOUNTS

597 SCOPE RAIL

- One-piece scope mount rail
- Allows use of Weaver-type rings
- Lightweight and easy to install
- Made in the USA

INTEGRAL SCOPE MOUNTS – HIGH

Exclusive:
- Fits all Remington® Model 700™ rifles
- Fits 30mm scope tube without inserts or 1" with inserts
- Z-2 alloy construction – 50% stronger than aluminum
- Super strong design – base & lower ring all in one
- Available in black and silver
- Made in the USA



SHOTGUN MOUNT

- Saddle style mount allows use for Remington® Model 870™, 1100™ and 11-87™
- Made in the USA

INTEGRAL SCOPE MOUNTS – MEDIUM

Exclusive:
- Fits all Remington® Model 700™ rifles
- Fits 1" scope tube only
- Z-2 alloy construction – 50% stronger than aluminum
- Available in black and silver
- Made in the USA

AR MINI RISER

- Full Advantage Max-1 HD
- Fits any Picatinny rail
- Larger screw for more clamping power
- Made from aircraft-quality aluminum and hardcoated to mil. specs.
- 1.3" long
- Available in black and camo
- Made in the USA

AR ½" PICATINNY RISER

- Full Advantage Max-1 HD
- ¾" long
- Available in black and camo
- Made in the USA

AR 4" PICATINNY RAIL

- Full Advantage Max-1 HD
- Made from aircraft-quality aluminum and hardcoated to mil. specs.
- Co-witness with flat-top upper receiver
- Mounting screws included
- ¼" tall
- Available in black and camo
- Made in the USA

ACCESSORIES

STOCKS

Model 11-87™ and Model 1100™ ShurShot®

Model 1100™ and Model 11-87™ Mossy Oak® Break-Up™ and Black

Model 700™ BDL

Stocks	Type	Color	Materials
Rifle - 700™ ADL	Long Action Stock	Black	Synthetic
Rifle - 700™ ADL	Long Action Stock	Black	Synthetic
Rifle - 700™ ADL	Long Action Magnum Stock	Black	Synthetic
Rifle - Seven™	Short Action Stock	Black	Synthetic
Rifle -7400™	Monte Carlo Stock & Fore-end	Black	Synthetic
Rifle - 7600™	Monte Carlo Stock & Fore-end	Black	Synthetic
Shotgun - 870™	12 Gauge Stock & Fore-end	Black	Synthetic
Shotgun - 870™	12 Gauge Stock & Fore-end	Mossy Oak® Break-Up™ Camo	Synthetic
Shotgun - 870™	12 Gauge Monte Carlo Stock & Fore-end with SuperCell™ Pad	Black	Synthetic
Shotgun - 870™ Youth	12 Gauge 1" Short LOP Stock & Fore-end	Black	Synthetic
Shotgun - 870™ ShurShot™	12 Gauge Stock & Fore-end with SuperCell™ Pad	Black	Synthetic
Shotgun - 870™ ShurShot™	12 Gauge Stock & Fore-end with SuperCell™ Pad	Mossy Oak® Obsession™ Camo	Synthetic
Shotgun - 1100,™ 11-87™	12 Gauge Stock & Fore-end	Black	Synthetic
Shotgun - 1100,™ 11-87™	12 Gauge Stock & Fore-end	Mossy Oak® Break-Up™ Camo	Synthetic
Shotgun - 1100,™ 11-87™	12 Gauge Monte Carlo Stock & Fore-end with SuperCell™ Pad	Black	Synthetic
Shotgun - 1100,™ 11-87™ ShurShot™	12 Gauge Stock & Fore-end with SuperCell™ Pad	Black	Synthetic
Shotgun - 1100,™ 11-87™ ShurShot™	12 Gauge Stock & Fore-end with SuperCell™ Pad	Realtree® Hardwood® APG™ Camo	Synthetic

EXTRA BARRELS

Model 870™ Express® – 28" Vent Rib

Model 870™ Wingmaster® – 26" Vent Rib

Model 870™ – 20" Cantilever Camo

Model 887™ Nitro Mag® Camo – 20" Cantilever Camo

Model 11-87™ – Cantilever Deer

Model 11-87™ Premier® – Rifled Sights

For a complete list of extra barrels, see page 104.

SUPERCELL™ RECOIL PAD

OUR PUMP BEATS THEIR SEMI-AUTOS.

The world's most effective recoil pad. So potent, in fact, it single-handedly helped our Model 870™ generate up to 54 percent less recoil than our leading competitors' autoloading shotguns with factory pads. Its millions of tiny super cells absorb and release energy over a longer time period to create a more comfortable shooting experience than was ever before possible with conventional materials.

ADJUSTABLE LENGTH OF PULL KIT

Kit includes:
- Two ¼" LOP spacers
- One ½" LOP spacer
- Corresponding screw lengths to accommodate three different lengths

Three-pack of barrel seal O-rings now available at your local dealer.

For a complete list of compatible firearms, visit www.remington.com.

CHOKE TUBES

Rem Choke

NEW REM CHOKE UPGRADE KIT

NEW

- Improved cylinder 12 gauge Rem Choke
- Full 12 gauge Rem Choke
- Magazine Cap – 12 gauge
- Swivel Stud
- Speed wrench – 12 gauge

Wingmaster HD®

CHOKE TUBE BAG

- Holds six flush or extended chokes
- Pocket with zipper for wrench
- Heavy-duty zippered Cordura pouch
- Belt loop for carry convenience



Choke tubes and wrench not included

Choke Tubes	Type		Shot Type
Rem Choke 12 gauge	Modified	Flush	Steel or Lead
Rem Choke 12 gauge	Improved Cylinder	Flush	Steel or Lead
Rem Choke 12 gauge	Skeet	Flush	Steel or Lead
Rem Choke 12 gauge	Improved Skeet	Flush	Steel or Lead
Rem Choke 12 gauge	Turkey Extra Full	Extended	Lead Only
Rem Choke 12 gauge	Turkey Super Full	Extended	Lead Only
Rem Choke 12 gauge	Full	Flush	Steel or Lead
Rem Choke 12 gauge	Rifled	Flush	Slugs
Rem Choke 12 gauge	Rifled	Extended	Slugs
Rem Choke 20 gauge	Full	Flush	Lead Only
Rem Choke 20 gauge	Modified	Flush	Steel or Lead
Rem Choke 20 gauge	Improved Cylinder	Flush	Steel or Lead
Rem Choke 20 gauge	Skeet	Flush	Steel or Lead
Rem Choke 20 gauge	Turkey Super Full	Extended	Lead Only
Rem Choke Wingmaster HD® 12 Gauge	Flooded Timber Improved Cylinder	Extended	Steel or Lead
Rem Choke Wingmaster HD® 12 Gauge	Pass Shooting Full	Extended	Steel or Lead
Rem Choke Wingmaster HD® 12 Gauge	Over Decoys Modified	Extended	Steel or Lead
Rem Choke Wingmaster HD® 12 Gauge	Turkey/Predator Ex. Full	Extended	Steel or Lead
Rem Choke Upgrade Kit 12 Gauge	Tactical Ported	Extended	Lead Only
Rem Choke Upgrade Kit 12 gauge	IC, Mod, Speed Wrench, Universal Magazine Cap, Swivel	Flush	Steel or Lead

Remington® Tactical

CHOKE TUBE SPEED WRENCH

- Available in 12 and 20 gauge

MAGAZINES

R-15 (450 Bushmaster)

Model 700 (Magazine box)

R-15 (223 Remington)



Model 597™ (30 Round)

Model 597™

MODEL 870™ MAGAZINE EXTENSION KIT

- Add more rounds to your shotgun's capacity
- Extends magazine chamber:
  - 18" Extension adds 2 extra shots
  - 20" Extension adds 3 extra shots
- Available in Blued or Parkerized finish
- Package includes tube assembly, swivel assembly with screw, magazine extension spring and coupling

Magazines	Caliber	Capacity	Materials
Any 1911 Handgun	45 Auto	7	All Steel
Any 1911 Handgun	45 Auto	8	All Steel
Model 770™/710™	30-06, 270, 7mm Rem Mag, 300 Win. Mag.	3 to 4	Steel/Plastic
Model 770™/710™	243 Win., 306 Win., 7mm-06 Rem	4	Steel/Plastic
Models Six,™ 7600,™ 760,™ 76™	7mm-08, 306, 6mm, 243, 257 Roberts	4	All Steel
Models Six,™ 7600,™ 760,™ 76™	25-06, 30-06, 270, 35 Whelen, 280 Rem	4	All Steel
Models Four,™ 7400,™ 742,™ 740,™ 74,™ 750™ Woodsmaster®	308, 6mm, 243	4	All Steel
Models Four,™ 7400,™ 742,™ 740,™ 74,™ 750™ Woodsmaster®	30-06, 270, 35 Whelen, 280 Rem	4	All Steel
Model 700™ BDL Boxes – BLUED	Short Action - 6mm, 243, 7mm-08, 308	4	All Steel
Model 700™ BDL Boxes – BLUED	Long Action - 25-06, 270, 280, 30	4	All Steel
Model 700™ BDL Boxes – BLUED	Long Action Magnum - 7mm Rem Mag., 300 Win. Mag., 338 Win. Mag.	4	All Steel
Model R-15 VTR™– Camo	223 Rem	5	Metal
Model R-15 VTR™ – Black	223 Rem	5	Metal
Model R-15 VTR™ – Black	450 Bushmaster	4	Metal
Model 597™ – Magnum	17 HMR, 22 WMR	8	Metal
Model 597™ LR	22	10	Metal
Model 597™ LR Clear	22	30	Polymer
Model 597™ LR Black	22	30	Polymer
Models 581-S,™ 541™	22	10	Metal
Model Nylon 77™	22	10	Metal
Model 870™ Magazine Extension Kit – BLUED	18"-12 ga.	2	Stainless Steel
Model 870™ Magazine Extension Kit – PARKERIZED	18"-12 ga.	2	Stainless Steel
Model 870™ Magazine Extension Kit – BLUED	20"-12 ga.	3	Stainless Steel
Model 870™ Magazine Extension Kit – PARKERIZED	20"-12 ga.	3	Stainless Steel

For all available magazines, visit www.remington.com.

ACCESSORIES

Fixed
(Drop)

Folder
(Clip)

PREMIER® TACTICAL KNIVES

TANGO® SERIES

- Overall length – 10 ½" (Fixed), Closed measurement – 4 ¾" (Folder)
- Blade material – 5 ¼" (Fixed), 3 ⅝" (Folder); 440C stainless steel PTFE-Teflon® coated blade with etched Remington® logo
- Blade options – Drop, Clip and Tanto
- Handle material – G-10
- Sheath (Fixed only) CORDURA® fabric
- Made in Italy

Fixed
(Clip)

Folder
(Tanto)

ZULU® SERIES

- Overall length – 10 ½" (Fixed), Closed measurement – 4 ¾" (Folder)
- Blade length – 4 ¾" (Fixed), 3 ⅝" (Folder)
- Blade material – 440C stainless steel PTFE-Teflon® coated blade with etched Remington® logo
- Blade options – Drop, Clip and Tanto
- Handle material – Anodized aluminum with 3M non-slip inserts
- Sheath (Fixed only) – CORDURA® fabric
- Made in Italy

www.remington.com/accessories

PREMIER® RESCUE®

ESCAPE™

- Blade material – 440C stainless steel with Teflon® coating
- Blade options – Single: 3 ½" Sheepfoot blade
  Double: 3 ½" Sheepfoot blade and 3" push button automatic seat belt/web cutter
- Handle material – Rugged, slip-resistant Forprene handle with glow-in-the-dark insets, solid one-piece 4.5mm thick glass breaker and lanyard hole
- Handle point of interest – Open back frame spine allows easy cleaning of knife
- Double: Blade lock button in handle | Single: Pocket clip
- Sheath – Heavy duty CORDURA® fabric sheath with M.O.L.L.E. system
- Made in Italy

Single
(5 ½" Closed)
(Sheepfoot)

(Black)

CORDURA® fabric sheath with M.O.L.L.E. system

Double
(5 ½" Closed)
(Sheepfoot & Auto Belt/Web Cutter)

Glow-in-the-dark inset

(Black)

PREMIER® EXCURSION®

(Clip)

EXCURSION® (FIXED)

- Overall length – 9 ⅝" (Clip), 9 ½" (Gut Hook)
- Blade material – 420 stainless steel PTFE-Teflon® coated and etched Remington® logo, Clip: 4 ½" long, Gut Hook: 4 ¼" long
- Blade options – Clip and Gut Hook
- Handle material – Injection-molded black rubber with 420 SS frame
- Sheath – CORDURA® fabric with belt loop
- Made in Italy

(Gut Hook)

PREMIER® HUNTING KNIVES

ELITE HUNTER® SERIES

- Overall length – 9 1/8" (Fixed), Closed measurement – 4 1/2" (Folder)
- Blade material – 440C stainless steel with satin finish, 4 1/4" long
- Blade options (Fixed) – Drop Point and Clip Point
- Blade options (Folder) – Single: 3 3/8" Drop Point | Single: 3 3/8" Clip Point | 2-Blade: 3 3/8" Drop Point and 3 1/4" heavy-duty Saw | 3-Blade: 3 3/8" Drop Point, 3 1/4" heavy-duty Saw, and 3 3/8" Gut Hook
- Handle material – 6061 aircraft-aluminum scales with optional insets
- Handle options – Olive Wood and Genuine Stag insets
- Sheath – Brown handmade Italian leather sheath with belt loop
- Made in Italy

Folder Olive Wood (3-Blade)

Folder Genuine Stag (2-Blade)

Genuine Stag Drop

Olive Wood Clip

Olive Wood Drop

Genuine Stag Clip

Fixed Sheath

Folder Hip Holster

ELITE SKINNER® SERIES

- Available in Skinner or Gut Hook, Fixed or Folder, Olive Wood or G-10
- Overall length – 8" (Fixed), Closed measurement – 4" (Folder)
- Blade material – 440C stainless steel with satin finish, 3" long
- Blade options – Deep swell belly Skinner and Gut Hook
- Handle material – (6061 aircraft aluminum with inset options – Folder) or Solid with finger grooves for ergonomic grip and lanyard hole
- Handle options – Olive Wood and G-10 (insets Folder only)
- Sheath – Black and Brown handmade Italian leather sheaths with quick-release snaps and pocket clip for quick belt or pack attachment
- Made in Italy

Folder Skinner Olive Wood Inset Grip

Folder Skinner G-10 Inset Grip

Fixed Gut hook Olive Wood Grip

Folder Gut Hook G-10 Inset Grip

Folder Gut Hook Olive Wood Inset Grip

Fixed Skinner G-10 Grip

PREMIER® TACTICAL SHEATH

- Designed to fit fixed blade knives of many sizes
- Made of the best quality CORDURA® fabric and built to withstand rigorous use
- Removable belt extension
- M.O.L.L.E. securing strap
- Front pocket with removable closure
- Kydex blade protector insert that can be removed for easy cleaning
- Adjustable leg strap with rubberized weave to hold in place while active
- Tight-weave cord for extra-tie down ability and/or additional uses
- Available in Black, OD Green and Tan (shown)

Tan

Folder Sheaths

Fixed Sheaths

Dual-Option Carry Style — 1 Sheath!

ACCESSORIES

2011 BOY SCOUTS OF AMERICA® KNIFE

- 3rd-year knife of a 5-year program
- BSA® Officially Licensed Product (RS4773)
- Original scout pattern created in 1928
- Made with tooling from the original Remington Bridgeport, Connecticut factory
- Includes a 4" x 6" reproduction of Norman Rockwell's painting "A Scout Is Friendly," circa 1943
- Made in the USA



Boy Scouts of America,® the Universal Emblem, and Be Prepared® are either registered trademarks or trademarks of the Boy Scouts of America in the United States and/or other countries. "A Scout Is Friendly," by Norman Rockwell. Used with permission of the Boy Scouts of America. Manufactured under license from the Boy Scouts of America. All rights reserved.

2011 BULLET® KNIFE

- R1123L Double Lock Back Trapper
- Blade material/options:
  - 440 high carbon stainless steel or
  - Ladder Damascus Blade (limited offering)
- Blade measurements:
  - 3 ½" clip blade
  - 3 ½" spey blade
- Closed measurement – 4 ½"
- Handle material/points of interest:
  - Mahogany gunstock jigged bone with bullet shield
- Made in the USA



Special Limited Edition.

REMINGTON® CUTLERY COLLECTOR'S CLUB

In 2009, Remington® introduced the Remington Cutlery Collector's Club. With the introduction of the Club, we have experienced a renewed interest of knife collectors worldwide in expanding their Remington collections. To learn how you can join, visit us at www.remingtoncutlery.com.

HERITAGE SERIES

The Remington Arms Crest Shield, found on the front bolster of each Heritage Series knife, represents a tradition dating back to the 1800s. From 1888 to 1914, this crest could be found on every firearm manufactured by Remington Arms Co., Inc., and is still used today.

- Handle options – Delrin Stag (New for 2010), Green Jigged Bone and Laminated Wood, nickel silver bolsters and thick brass liners
- Blade materials – 440 high carbon stainless steel and hollow ground
- Made in the USA

GREEN JIGGED BONE AND DELRIN STAG

RH-123
Baby Bowie
(6 ¼" Overall Length)
(Clip)

Brown leather sheath included.

R-123
Lockback
(5" Closed)
(Clip)

Brown leather sheath included.

R-103
Congress
(4" Closed)
(Spey, Sheepfoot, Razor and Pen)

R-33
Big Game
(5" Closed)
(Clip, Saw and Gut Hook)

Brown leather sheath included.

R-23
Waterfowl
(4 ½" Closed)
(Clip, Serrated, Choke Tube Tool and Pin Punch)

R-13
Upland
(3 ⅞" Closed)
(Clip, Choke Tube Wrench/Tool and Bird Hook)

R-133
Tini Trapper
(3" Closed)
(Clip and Spey)

R-43
Mini Trapper
(3 ½" Closed)
(Clip and Spey)

R-93
2-Blade Razor
(3" Closed)
(Razor and Clip)

R-53
Gentlemen's
(3" Closed)
(Drop Point)

R-73
Mini Doctor
(2 ⅞" Closed)
(Drop Point and Pen)

R-63
Mini Pen
(2 ⅞" Closed)
(Clip and Pen)

R-83
Mini Toothpick
(2 ⅞" Closed)
(Clip)

DELRIN STAG

RH-123
Baby Bowie
(6 ¼" Overall Length)
(Clip)



All patterns also available in Delrin Stag.

Brown leather sheath included with Baby Bowie.

www.remington.com/accessories

ACCESSORIES

1911 MULTI-TOOL

- G-10 handles
- Black oxide finish
- Dual bushing wrench/plier head (Standard and Officer)
- Mainspring housing punch
- File
- Bottle opener/screwdriver
- Can opener
- 8Cr13MoV steel drop/serrated blade
- Bit driver system with 5 double-sided bits
- Liner lock and thumb stud
- Belt case included

WINGMASTER® MULTI-TOOL

- The ultimate waterfowl/upland multi-tool
- Scissor head with bone notch cut-out and lock
- 3" saw
- 1 ¾" blade
- Gut Hook
- Choke tube wrench (12 and 20 gauge)
- LED push-button light
- Ergonomic handles with rubber inserts for easy grip
- Heavy-duty nylon sheath with belt loop included

BIG GAME SKINNER SET

- Knife material – one-piece 440 stainless steel knives with mirror finish have a finger ring for easy carry and grip
- Gut hook – Easy to sharpen hook measures 7 ¼"
- Skinner – overall length: 7 ⅜"
- Caping blade – overall length: 6 ½"
- All three knives fit snugly in a heavy-duty black nylon sheath with belt loop

DOVE/QUAIL CLEANING SET

- Caping knife – overall length 5 ½"
- Hook – overall length: 4 ¼"
- Needle-nose scissors – overall length: 4 ½"
- All three tools fit into a black nylon sheath with belt loop

DUCK/PHEASANT CLEANING SET

- Caping knife – 440 stainless steel with bead blast finish and measures 6 ¾" long
- Hook – overall length 7"
- Scissors – bone notch cutout for clipping wings with ease and measures 6"
- All three tools fit into a black nylon sheath with belt loop

SPORTSMAN SERIES NON-SLIP (FIXED)

- Overall length – 9 ¾" (Drop, Skinner, Skinner Clip), 9 ⅜" (Clip), 9 3/16" (Drop w/Gut Hook)
- Blade material – 420HC high carbon stainless steel with etched Sportsman Series logo
- Blade Length – 4 ⅝" (Drop, Drop w/Gut Hook), 4 ¼" (Clip), 4 9/16" (Skinner), 3 11/16" (Skinner Clip)
- Blade options – Drop and Gut Hook
- Handle material – Black synthetic non-slip
- Sheath – Black leather

Sheath included.

KNIVES

SPORTSMAN SERIES F.A.S.T.® (FIXED)

- Blade material/options – 440 stainless steel with bead blast finish or black oxidized coating with a serrated/straight combo edge
- Blade Length – 5 ¾", 3.9mm thick
- Handle material – Anodized aluminum scales with rubberized coating riveted to a solid one-piece 3.9mm-thick tang with lanyard hole
- Handle options – Black, Mossy Oak® Obsession,® Mossy Oak® Blaze Orange or Realtree® Advantage® MAX-4 HD™
- Overall length – 10 ½"
- Sheath – Heavy-duty black nylon sheath with belt loop

Stainless Steel Black Blade
Matte Black Handle

Stainless Steel Black Blade
Mossy Oak® Blaze Orange Handle

Stainless Steel Black Blade
Mossy Oak® Obsession® Handle

Stainless Steel Black Blade
Advantage® MAX-4 HD™ Handle

Stainless Steel Blade
Advantage® MAX-4 HD™ Handle

Stainless Steel Blade
Mossy Oak® Obsession® Handle

Stainless Steel Blade
Matte Black Handle

Stainless Steel Blade
Mossy Oak® Blaze Orange Handle

SPORTSMAN SERIES F.A.S.T.® (FOLDER)

- Fast Action opening with a Soft Touch handle
- Blade material/options – 440 stainless steel with bead blast finish or black oxidized coating with a serrated/straight combo edge
- Blade lengths – Large: 3 5/8" | Medium: 3 1/8"
- Handle material – Anodized aluminum scales with rubberized coating; includes pocket clip and lanyard hole
- Handle options – Black, Mossy Oak® Obsession,® Mossy Oak® Blaze Orange or Realtree® Advantage® MAX-4 HD™
- Closed measurement – Large: 5" | Medium: 4 1/8"

Stainless Steel Black Blade
Mossy Oak® Blaze Orange Handle

Stainless Steel Blade
Mossy Oak® Blaze Orange Handle

Stainless Steel Black Blade
Matte Black Handle

Stainless Steel Black Blade
Mossy Oak® Obsession® Handle

Stainless Steel Black Blade
Advantage® MAX-4 HD™ Handle

Stainless Steel Blade
Matte Black Handle

Stainless Steel Blade
Mossy Oak® Obsession® Handle

Stainless Steel Blade
Advantage® MAX-4 HD™ Handle

ACCESSORIES

Remington SPORTSMAN SERIES

Black Laminate
(Drop)

Burl Wood
(Gut Hook)

Fixed Sheath

INSIGNIA EDITION® (FIXED)

- Overall length – 8"
- Blade material – 440 stainless steel, 3 ½" long
- Blade options – Drop and Gut Hook
- Handle material – Black Laminate and Burl Wood with Sportsman™ Series medallion inlaid in handle
- Sheath – Black leather on limited patterns

INSIGNIA EDITION® (FOLDER)

• Handle options – Black Laminate and Burl Wood with Sportsman Series medallion inlaid in handle • Blade materials – 440 stainless steel

Large Stockman
(4 ¼" Closed)
(Clip, Spey and
Sheepsfoot)

Medium Stockman
(3 5/8" Closed)
(Clip, Spey and
Sheepsfoot)

Peanut
(2 7/8" Closed)
(Clip and Pen)

Sheath
included

Mid-folding Hunter
Large (4" Closed)
Small (3 ½" Closed)
(Clip with Thumb Stud)

Whittler
(3 ½" Closed)
(Clip, Short Clip
and Pen)

Canoe
(3 5/8" Closed)
(Spear and Pen)

DECALS

- Vinyl die cut decals
- Waterproof
- Oil, acid and alkali resistant
- Usable on smooth and corrugated surfaces
- Heat resistant up to 350 degrees
- Up to 7 years outdoor durability
- Available at Remington® retailers

To see our complete line of decals, go to www.remington.com.

CAPABLE.

From our firearms to our ammunition, Remington® products are engineered to deliver the performance you need.





SPECS

Specifications, ballistics, velocity, energy, mid-range trajectory...Remington® has the information you need to make informed decisions.

SHOTGUN SPECIFICATIONS

NEW! VERSA MAX™ SHOTGUN DIMENSIONS/AVERAGE WEIGHTS

Model	Gauge/ BBL Length	Mag. Capacity	Order No.	Barrel Type	Sights	Receiver Finish	Overall Length	Length of Pull	Drop (comb)	Drop (heel)	Stock Material	Stock Finish	Avg. Wt. (lbs.)	MSRP
NEW! Versa Max™ Synthetic	12/28" [1]	3 + 1 (2 ¾" or 3" shells), 2 + 1 (3 ½" shells)	81042	Black TriNyte	HiViz®/Interchangeable	Anodized Aluminum	49 15/16"	14 ¼"	1 ½"	2 7/16"	Synthetic, w/ Over-Molded Grips	Black Synthetic	7 7/10	$1,399.00
NEW! Versa Max™ Black Synthetic	12/26" [1]	3 + 1 (2 ¾" or 3" shells), 2 + 1 (3 ½" shells)	81043	Black TriNyte	HiViz®/Interchangeable	Anodized Aluminum	47 15/16"	14 ¼"	1 ½"	2 7/16"	Synthetic, w/ Over-Molded Grips	Black Synthetic	7 ½	$1,399.00
NEW! Versa Max™ Auto, Waterfowl Camo	12/28" [2]	3 + 1 (2 ¾" or 3" shells), 2 + 1 (3 ½" shells)	81048	Nickel w/ Camo	HiViz®/Interchangeable	Anodized Aluminum	49 15/16"	14 ¼"	1 ½"	2 7/16"	Synthetic, w/ Over-Molded Grips	Mossy Oak Duck Blind® Camo	7 7/10	$1,599.00
NEW! Versa Max™ SPS, Realtree® AP™ Camo	12/26" [2]	3 + 1 (2 ¾" or 3" shells), 2 + 1 (3 ½" shells)	81054	Nickel w/ Camo	HiViz®/Interchangeable	Anodized Aluminum	47 15/16"	14 ¼"	1 ½"	2 7/16"	Synthetic, w/ Over-Molded Grips	Realtree® AP™ Camo	7 ½	$1,599.00

1 Supplied with Flush Mount ProBore® Choke Tubes — Improved Cylinder, Light Modified, Modified, Improved Modified and Full. **2** Supplied with Extended ProBore® Choke Tubes — Over Decoys, Flooded Timber, Pass Shooting and Turkey/Predator.

MODEL 887™ NITRO MAGNUM® SHOTGUN DIMENSIONS/AVERAGE WEIGHTS

Model	Gauge/ BBL Length	Mag. Capacity	Order No.	Barrel Type	Sights	Receiver Finish	Overall Length	Length of Pull	Drop (comb)	Drop (heel)	Stock Material	Stock Finish	Avg. Wt. (lbs.)	MSRP
887™ Nitro Magnum® SPS	12 (3 ½")/26	4 + 1 (2 ¾" or 3" shells), 3 + 1 (3 ½" shells)	82501	Solid Stepped Rib Rem Choke	HiViz®/Interchangeable	ArmorLokt®	46 ½"	14"	1 ½"	2 ½"	Synthetic	Matte Black	7 ¼	$428.00
887™ Nitro Magnum® SPS	12 (3 ½")/28	4 + 1 (2 ¾" or 3" shells), 3 + 1 (3 ½" shells)	82500	Solid Stepped Rib RC™ Mod Choke	HiViz®/Interchangeable	ArmorLokt®	48"	14"	1 ½"	2 ½"	Synthetic	Matte Black	7 3/8	$428.00
887™ Nitro Waterfowl Camo	12/28"	4 + 1 (2 ¾" or 3" shells), 3 + 1 (3 ½" shells)	82502	Solid Rib RC™ WF Choke	HiViz®/Interchangeable	ArmorLokt®	48"	14"	1 ½"	2 ½"	Synthetic	Realtree® Max™	7 ½	$571.00
887™ Nitro Magnum® SPS Camo Combo (22" Turkey Barrel)	12/28" or 22"	4 + 1 (2 ¾" or 3" shells), 3 + 1 (3 ½" shells)	82530	Solid Rib Rifle Sight	HiViz®/Adjustable	ArmorLokt®	48"	14"	1 ½"	2 ½"	Synthetic	Mossy Oak® Breakup® Infinity	7 ¼	$713.00
887™ Nitro Magnum® Camo Bone Collector™ Edition	12/26"	4 + 1 (2 ¾" or 3" shells), 3 + 1 (3 ½" shells)	82503	Solid Rib Rem Choke	TruGlo®/Adjustable	ArmorLokt®	46"	14"	1 ½"	2 ½"	Synthetic	Realtree® AP™	7 ¼	$642.00
887™ Nitro Magnum® Tactical 2-Shot Ext. w/Picatinny Rail	12 (3 ½")/ 18 ½"	6 + 1	82540	Solid Stepped Rib Rem Choke	HiViz®/Adjustable	ArmorLokt®	39"	14"	1 ½"	2 ½"	Synthetic	Matte Black	6 7/8	$498.00

MODEL 11-87™ SPORTSMAN® MAGNUM SHOTGUN DIMENSIONS/AVERAGE WEIGHTS

Model	Gauge/ BBL Length	Mag. Capacity	Order No.	Barrel Type[3]	Sights	Metal Finish	Overall Length	Length of Pull	Drop (comb)	Drop (heel)	Stock Material	Stock Finish	Avg. Wt. (lbs.)	MSRP
11-87™ Sportsman® Field Walnut w/Fleur-De-Lis Checkering	12/28" 20/26"	4	83700 83704	Vent Rib Rem Choke Mod[4]	Dual Bead	Matte Black, Non-Reflective	48 ½"	14"	1 ½"	2 ½"	Satin American Walnut	Satin	8.25 7.25	$845.00
11-87™ Sportsman® Authentic	4/28" 12/26" 20/28" 20/26"	4	29879 29881 29825 29827	Vent Rib Rem Choke Mod[4]	Single Bead	Matte Black, Non-Reflective	48" 46" 46" 46"	14"	1 ½"	2 ½"	Synthetic	Matte Black	8.25 8.25 7.25 7.125	$804.00
11-87™ Sportsman® Camo	12/28" 20/26"	4	29895 29917	Vent Rib Rem Choke Mod[4]	Single Bead	Mossy Oak® New-Breakup®	46"	14"	1 ½"	1 7/8"	Synthetic	Mossy Oak® New-Breakup®	8.25 7.25	$915.00
11-87™ Sportsman® Super Mag Synthetic w/Overmolded Grips	12/28" or 26"	4	83620	Vent Rib Rem Choke	HiViz® Bead Sight	Matte Black, Non-Reflective	48"	14"	1 ½"	2 ½"	Synthetic	Matte Black	8 ¼	$859.00
11-87™ Sportsman® Super Mag w/Overmolded Grips	12/28"	4	83617	Vent Rib Rem Choke	HiViz® Bead Sight	Mossy Oak Duck Blind®	48"	14"	1 ½"	2 ½"	Synthetic	Mossy Oak Duck Blind®	8 ¼	$998.00
11-87™ Sportsman®Super Mag ShurShot™ Turkey Camo w/ Overmolded Grips	12/23"	4	83616	Fully Rifled Rem Choke	TruGlo® Rifle Sights	Realtree® APG™	43"	13 ¾"	1 ½"	2"	Synthetic	Realtree® APG™ HD™	7 5/8	$998.00
11-87™ Sportsman® Synthetic w/ ShurShot™ Stock	12/21"	4	83602	Fully Rifled	Cantilever Scope Mount	Realtree® Hardwoods™ HD™	43"	13 ¾"	1 ½"	2"	Synthetic	Realtree® Hardwoods™ HD™	8	$1,012.00
11-87™ Sportsman® Synthetic Deer[1]	12/21" 20/21"	4	29858 29877	Fully Rifled	Cantilever Scope Mount	Matte Black, Non-Reflective	41"	14"	1 ½"	1 7/8"	Synthetic	Matte Black	8.5 7.5	$929.00
11-87™Sportsman® Compact Synthetic[2]	20/21"	4	83626	Vent Rib Rem Choke Mod[4]	Single Bead	Matte Black, Non-Reflective	40 ¼"	Adj.	1 ½"	2 ½"	Synthetic	Matte Black	6 ½	$804.00
11-87™ Sportsman® Compact Camo[2]	20/21"	4	83630	Vent Rib Rem Choke Mod[4]	Single Bead	Mossy Oak® New-Breakup®	40 ¼"	Adj.	1 ½"	2 ½"	Synthetic	Mossy Oak® New-Breakup®	6 ½	$915.00

1 Model 11-87™ Deer barrels are not equipped with a pressure-compensating gas system, and will not function with target or light field loads. **2** Includes new adjustable LOP kit for up to 1" of extra adjustment. **3** Model 11-87™ Sportsman shotguns have 3" chambers and will cycle 2 3/4" and 3" shotshells. **4** NOTE: All Model 11-87™ Sportsman shotguns with a Rem Choke barrel come equipped with Modified Rem Choke tubes.

TACTICAL SHOTGUN DIMENSIONS/AVERAGE WEIGHTS

Model	Gauge/ BBL Length	Mag. Capacity	Order No.	Barrel Type	Sights	Metal Finish	Overall Length	Length of Pull	Drop (comb)	Drop (heel)	Stock Material	Stock Finish	Avg. Wt. (lbs.)	MSRP
870™ Express® Tactical Camo (w/2 Shot Extension, XS® Ghost Ring Sights)	12/18 ½"	6 + 1	81204	Clean Barrel Rifle Sight Rem Choke	XS® Ghost Ring	A-TACS® Camo	38 ½" 40 ½" (choke)	13 ¾"	1 ½"	2"	Synthetic	A-TACS® Camo	7 ½	$665.00
870™ Express® Tactical Camo (w/XS® Ghost Ring Sights)	12/18 ½"	6 + 1	81198	Rem Choke[1]	XS® Ghost Ring	Blasted Black Oxide	38 ½" 40 ½" (choke)	14"	1 ½"	2 ½"	Synthetic	Matte Black	7 ½	$554.00
870™ Express® Synthetic Tactical	12/18 ½"	4 + 1	25549	Rem Choke	Single Bead	Blasted Black Oxide	38 ½"	14"	1 ½"	2 ½"	Synthetic	Matte Black	7 ½	$387.00
870™ Express® Synthetic Tactical (7-Round Capacity)	12/18 ½"	6 + 1	25077	Rem Choke	Single Bead	Blasted Black Oxide	38 ½"	14"	1 ½"	2 ½"	Synthetic	Matte Black	7 ½	$415.00
870™ Express® Synthetic Tactical (7-Round w/Knoxx Spec-Ops Stock)	20/18 ½"	6 + 1	81180	Rem Choke	Single Bead	Blasted Black Oxide	38 ½"	Adj.	1 ½"	2"	Synthetic	Matte Black	6	$512.00
870™ Express® Synthetic Tactical (7-Round Capacity)	20/18 ½"	6 + 1	81100	Rem Choke	Single Bead	Blasted Black Oxide	38 ½"	14"	1 ½"	2 ½"	Synthetic	Matte Black	6	$423.00
870™ TAC-2 Spec-Ops™ Stock	12/18"	6 + 1	81400	Fixed Cylinder	Single Bead	Blasted Black Oxide	Adj.	Adj.	1 ½"	2 ½"	Synthetic	Matte Black	7	$721.00
870™ TAC-2 Folding Stock	12/18"	6 + 1	81402	Fixed Cylinder	Single Bead	Blasted Black Oxide	Adj.	Adj.	—	—	Synthetic	Matte Black	6 7/8	$727.00
1100™ TAC-2 SFIV Stock	12/18"	6 + 1	82800	Fixed Imp. Cylinder	Single Bead	Blasted Black Oxide	38 ½"	13 ¾"	1 ½"	2 ½"	Synthetic	Matte Black	7 ½	$915.00
1100™ TAC-4	12/22"	8 + 1	82801	Rem Choke[2]	HiViz®	Blasted Black Oxide	42 ½"	14"	1 ½"	2 ½"	Synthetic	Matte Black	7 ¾	$984.00

1 Note: Supplied with Extended Rem Choke Tactical Tube. **2** Note: Supplied with Modified, Improved Cylinder and Full Rem Choke Tubes. .

MODEL 870™ WINGMASTER® SHOTGUN DIMENSIONS/AVERAGE WEIGHTS

Model	Gauge/Bore[1] BBL Length	Mag. Capacity	Order No.	Barrel Type	Sights	Metal Finish	Overall Length	Length of Pull	Drop (comb)	Drop (heel)	Stock Material	Stock Finish	Avg. Wt. (lbs.)	MSRP
Wingmaster®	12 28" or 26"	4	26927 26929	Light Contour Vent Rib Rem Choke[2]	Twin Bead	High Polish Blued	48 ½" 46 ½"	14 ¼"	1 ½"	2 ½"	American Walnut	Hi-Gloss	6 ¾ 7	$818.00
Wingmaster®	20 28" or 26"	4	26947 26949	Vent Rib Rem Choke[2]	Twin Bead	High Polish Blued	48 ½" 46 ½"	14"	1 ½"	2 ½"	American Walnut	Satin (28") Hi-Gloss (26")	6.25 6.125	$818.00
Wingmaster®	28 (2 ¾")/ 25"	4	24983	Vent Rib Rem Choke[2]	Twin Bead	High Polish Blued	45 ½"	14"	1 ½"	2 ½"	American Walnut	Satin	6	$929.00
Wingmaster®	410 Bore (3") 25"	4	24991	Vent Rib Modified	Twin Bead	High Polish Blued	45 ½"	14"	1 ½"	2 ½"	American Walnut	Satin	5 ¾	$873.00

1 NOTE: All Model 870™ Wingmaster® and Model 870™ Wingmaster® Super Magnum™ shotguns with a Rem Choke barrel come equipped with Improved Cylinder, Modified and Full Rem Choke tubes. **2** Model 870™ Wingmaster® shotguns have 3" chambers, unless otherwise noted, and will cycle 2 ¾" and 3" shotshells. 410 bore will cycle both 2 ½" and 3" shotshells.

SHOTGUN SPECIFICATIONS

MODEL 870™ EXPRESS® SHOTGUN DIMENSIONS/AVERAGE WEIGHTS

Model	Gauge[3]/ BBL Length	Mag. Capacity	Order No.	Barrel Type	Sights	Receiver Finish	Overall Length	Length of Pull	Drop (comb)	Drop (heel)	Stock Material	Stock Finish	Avg. Wt. (lbs.)	MSRP
870™ Express®	12/28" or 26"	4	25568 25569	Vent Rib Rem Choke (Mod)	Single Bead	Matte Black Non-Reflect	48 ½" 46 ½"	14"	1 ½"	2 ½"	Laminate	Satin	7 ½ 7 ¼	$398.00
870™ Express® Magnum w/ShurShot®	12 (3")/21"	4	81114	Vent Rib Rem Choke (Turkey Extra Full)	Twin Bead	Mossy Oak® Obsession®	42 ½"	13 ¾"	1 ½"	2"	Synthetic	Mossy Oak® Obsession®	7 ⅜	$512.00
870™ Express® Magnum w/ShurShot®	12/23"	4	81118	Fully Rifled	Single Bead	Matte Black Non-Reflect	44 ½"	13 ¾"	1 ½"	2"	Synthetic	Matte Black	7 ¾	$554.00
870™ Express®	20/28" or 26"	4	25583 25582	Vent Rib Rem Choke (Mod)	Single Bead	Matte Black Non-Reflect	48 ½" 46 ½"	14"	1 ½"	2 ½"	Laminate	Satin	6 ½ 6 ¼	$398.00
870™ Express® Lam. Compact	20/21"	4	255614	Vent Rib Rem Choke (Mod)	Single Bead	Matte Black Non-Reflect	40 ½"	13"	1 ½"	2 ¼"	Laminate[4]	Satin	6 ½	$859.00
870™ Express® Synthetic	12/28" or 26"	4	25587 25589	Vent Rib Rem Choke (Mod)	Single Bead	Matte Black Non-Reflect	48 ½" 46 ½"	14"	1 ½"	2 ½"	Synthetic	Matte Black	7 ½ 7 ¼	$398.00
870™ Express® Turkey Camo	12 (2 ¾" & 3")/21"	4	81115	Vent Rib Rem Choke (Mod)	Single Bead w/HiViz®	Mossy Oak® New Break-Up®	42 ½"	14"	1 ½"	2 ½"	Synthetic	Mossy Oak® New Break-Up®	7 ¼	$471.00
870™ Express® Compact	20/21"	4	81148	Vent Rib Rem Choke (Mod)	Single Bead	Matte Black Non-Reflect	40 ½"	13" Adj.	1 ½"	2 ½"	Synthetic	Matte Black	6	$398.00
870™ Express® Compact Camo	20/21"	4	81166	Vent Rib Rem Choke (Mod)	Single Bead	Realtree® Hardwoods HD™	40 ½	13" Adj.	1 ½"	2 ½"	Synthetic	Realtree® Hardwoods HD™	6	$447.00
870™ Express® Compact Jr.[1]	20/18 ¾"	4	81161	Vent Rib Rem Choke (Mod)	Single Bead	Matte Black Non-Reflect	37 ¼"	12" Adj.	1 ½"	2"	Synthetic	Matte Black	5 ¾	$398.00
870™ Express® Compact Pink Blaze Camo	20/21"	4	81150	Vent Rib Rem Choke (Mod)	Single Bead	Matte Black Non-Reflect	40 ½"	13" Adj.	1 ½"	2 ½"	Synthetic	Mossy Oak® Blaze Pink Camo	6	$447.00
870™ Express® Synthetic Fully Rifled Deer	12/20"	4	25097	Fully Rifled	Rifle Sights	Matte Black Non-Reflect	40 ½"	14"	1 ½"	1 ⅞"	Monte Carlo Synthetic	Matte Black	7	$443.00
870™ Express® Deer	12/20"	4	25565	Fixed Imp. Cyl. Choke	Rifle Sights	Matte Black Non-Reflect	40 ½"	14"	1 ½"	1 ⅞"	Monte Carlo Laminate	Satin	7 ¼	$398.00
870™ Express® Fully Rifled Deer	12/20"	4	25575	Fully Rifled	Rifle Sights	Matte Black Non-Reflect	40 ½"	14"	1½"	1 ⅞"	Monte Carlo Laminate	Satin	7 ¼	$443.00
870™ Express® Synthetic Fully Rifled Cantilever	12/23" 20/18 ½"	4	25090 25183	Fully Rifled Heavy Contour Fully Rifled	Cantilever Scope Mount	Matte Black Non-Reflect	43 ¼" 38 ¾"	14"	1 ½"	1 ⅞"	Monte Carlo Synthetic	Matte Black	8 7 ¼	$521.00
870™ Express® Synthetic ShurShot Cantilever Slug	20/18 ½"	4	81120	Fully Rifled Heavy Contour Fully Rifled	Cantilever Scope Mount	Matte Black Non-Reflect	43 ¼"	13 ¾"	1 ½"	2"	Synthetic	Matte Black	7 ¾	$554.00
870™ Express® Left Hand	12/28"	4	25577	Vent Rib Rem Choke (Mod)	Single Bead	Matte Black Non-Reflect	48 ½"	14"	1 ½"	2 ½"	Laminate	Satin	7 ½	$426.00
870™ Express® Synthetic 18"	12/23"	6	25549	Fixed Cylinder Choke	Single Bead	Matte Black Non-Reflect	38 ½"	14"	1 ½"	2 ½"	Synthetic	Matte Black	7 ¼	$387.00
870™ Express® Synthetic 2-Shot w/Knoxx SpecOps Stock	20/18"	6	81180	Fixed Cylinder Choke	Single Bead	Matte Black Non-Reflect	Adj.	Adj.	1 ½	2 ½"	Synthetic	Matte Black	7 ½	$512.00
870™ Express® Synthetic with 7-Round Capacity[2]	12/18" 20/18"	6	25077 81100	Fixed Cylinder Choke	Single Bead	Matte Black Non-Reflect	38 ½"	14"	1 ½"	2 ½"	Synthetic	Matte Black	7 ½ 6 ½	$415.00

1 Includes new adjustable LOP kit for up to 1" of extra adjustment. **2** Supplied with sling swivel studs. **3** Model 870™ Express® shotguns have 3" chambers, unless otherwise noted, and will cycle 2 ¾" and 3" shotshells. **4** Wood laminate stock model does not include Length of Pull Kit.

MODEL 870™ EXPRESS® SUPER MAGNUM SHOTGUN DIMENSIONS/AVERAGE WEIGHTS

Model	Gauge[2]/ BBL Length	Mag. Capacity	Order No.	Barrel Type	Sights	Receiver Finish	Overall Length	Length of Pull	Drop (comb)	Drop (heel)	Stock Material	Stock Finish	Avg. Wt. (lbs.)	MSRP
870™ Express® Super Mag Turkey/Waterfowl Camo	12 (3 ½")/26"	3 (3 ½") 4 (2 ¾" & 3")	81125	Vent Rib Rem Choke[3,4]	HiViz®	Mossy Oak® Bottomland	46"	14"	1 ½"	2 ½"	Synthetic	Mossy Oak® Bottomland™	7 ¼	$601.00
870™ Express® Super Mag Waterfowl Camo[1]	12 (3 ½")/28"	3 (3 ½") 4 (2 ¾" & 3")	81111	Vent Rib Rem Choke[3]	HiViz®	Mossy Oak Duck Blind®	48"	14"	1 ½"	2 ½"	Synthetic	Mossy Oak Duck Blind®	7 ½	$601.00
870™ Express® Super Mag	13 (3 ½")/28"	3 (3 ½") 4 (2 ¾" & 3")	25100	Vent Rib Rem Choke (Mod)	Single Bead	Matte Black Non-Reflect	48"	14"	1 ½"	2 ½"	Laminate	Satin	7 ½	$448.00
870™ Express® Super Mag Synthetic	12 (3 ½")/ 26" or 28"	3 (3 ½") 4 (2 ¾" & 3")	25102 25103	Vent Rib Rem Choke (Mod)	Single Bead	Matte Black Non-Reflect	46" 48"	14"	1 ½"	2 ½"	Synthetic	Matte Black	7 ¼ 7 ½	$448.00
870™ Express® Super Mag Combo	12 (3 ½")/ 26" or 20"	3 (3 ½") 4 (2 ¾" & 3")	25114 -----	Vent Rib Rem Choke (Mod) Fully Rifled (Deer)[5]	Single Bead (Vent Rib) Rifle Sights (Deer)	Matte Black Non-Reflect	46" (VR) 40 ½" (Deer)	14"	1 ½"	2 ½"	Laminate	Satin	7 ¼	$601.00

1 Supplied with sling swivel studs. **2** Model 870™ Express® Super Magnum shotguns have 3 ½" chambers and will cycle 2 ¾", 3" and 3 ½" shotshells. **3** Supplied with Rem Choke "Over-Decoys" choke tube. **4** Turkey Extra Full Rem Choke tube. **5** Combo Deer barrel has 3" chamber.

MODEL 870™ EXPRESS® COMBO SHOTGUN DIMENSIONS/AVERAGE WEIGHTS

Model	Gauge[1]/ BBL Length	Mag. Capacity	Order No.	Barrel Type	Sights	Metal Finish	Overall Length	Length of Pull	Drop (comb)	Drop (heel)	Stock Material	Stock Finish	Avg. Wt. (lbs.)	MSRP
870™ Express® Combo	12/ 26" (Vent Rib) 20" (Fully Rifled Deer)	4	25578	Vent Rib Rem Choke (Mod.) Fully Rifled Deer	Single Bead (Vent Rib) Rifle Sights (Deer BBL)	Matte Black Non-Reflect	48 ¼" (Vent Rib)	14"	1 ½"	2 ½"	Laminate	Satin	7 ¼ (Deer BBL)	$579.00
870™ Express® Combo	20/ 26" (Vent Rib)/ 20" (Fully Rifled Deer)	4	25597	Vent Rib Rem Choke (Mod.) Fully Rifled Deer	Single Bead (Vent Rib) Rifle Sights (Deer BBL)	Matte Black Non-Reflect	46 ½" (Vent Rib)	14"	1 ½"	2 ½"	Laminate	Satin	6 ½ (Deer BBL)	$582.00
870™ Express® Syn. Compact Combo	20/ 21"(Vent Rib)/ 20" (Fully Rifled)	4	25659	Vent Rib Rem Choke (Mod.) Fully Rifled Deer	Single Bead (Vent Rib) Rifle Sights (Deer BBL)	Matte Black Non-Reflect	40 ½" (Vent Rib) 39 ½" (Deer BBL)	13"	1 ½"	2 ¼"	Synthetic	Matte Black	6 (Vent Rib) 6 (Deer BBL)	$582.00

1 Model 870™ Express® shotguns have 3" chambers, unless otherwise noted, and will cycle 2 3/4" and 3" shotshells.

MODEL 870™ SPECIAL PURPOSE MAGNUM SHOTGUN DIMENSIONS/AVERAGE WEIGHTS

Model	Gauge[1]/ BBL Length	Mag. Capacity	Order No.	Barrel Type	Sights	Receiver Finish	Overall Length	Length of Pull	Drop (comb)	Drop (heel)	Stock Material	Stock Finish	Avg. Wt. (lbs.)	MSRP
870™ Marine Magnum™[2]	121/18"	6	25012	Cylinder Choke	Single Bead	Electroless Nickel-Plated	38 ½"	14"	1 ½"	2 ½"	Synthetic	Matte Black	7 ½	$804.00
870™ XCS Marine Magnum™	121/18"	6	81308	Cylinder Choke	Single Bead	Black TriNyte®	38 ½"	13 ¾"	1 ½"	2 ½"	Synthetic	Matte Black	7 ½	$637.00

1 Model 870™ Marine Magnum shotguns have 3" chambers and will cycle 2 3/4" and 3" shotshells only. **2** Will not accept certain law enforcement accessories.

MODEL 870™ SPECIAL PURPOSE SHOTGUN DIMENSIONS/AVERAGE WEIGHTS

Model	Gauge/ BBL Length	Mag. Capacity	Order No.	Barrel Type	Sights	Receiver Finish	Overall Length	Length of Pull	Drop (comb)	Drop (heel)	Stock Material	Stock Finish	Avg. Wt. (lbs.)	MSRP
870™ SP-T™ Super Mag Thumbhole[3]	12 (3 ½")[1]/23"	3 (3 ½"), 4 (2 ¾" & 3)	25189	Rifle Sight Rem Choke[2]	TruGlo®	Mossy Oak® Obsession®	44 ½"	14 ½"	1 ⅝"	2 ¾"	Laminate	Mossy Oak® Obsession®	8 ⅛	$521.00
870™ SPS Super Slug	12 (3") [1]/25 ½"	4 (2 ¾" & 3)	82101	Fully Rifled Extra Heavy (Fluted)	Drilled & Tapped	Black	47"	13 ¾"	1 ½"	2"	Synthetic	Mossy Oak® Treestand	7 ⅞	$804.00
870™ SPS Super Mag Turkey/Predator w/Scope w/Overmolded Grips	12 (3 ½") [1]/20"	3 (3½"), 4 (2 ¾" & 3)	81062	Clean Barrel Bead Sight Rem Choke	TruGlo® Red Dot	Mossy Oak® Obsession®	40 ½"	13 ¾"	1 ½"	2"	Synthetic	Mossy Oak® Obsession®	7 ⅛	$679.00
870™ SPS Super Mag Turkey w/ShurShot® Stock	12 (3 ½") [1]/23"	4 (2 ¾" & 3)	81061	Wingmaster HD® Extended Rem Choke	TruGlo®	Realtree® APG™	44 ½"	13 ¾"	1 ½"	2"	Synthetic	Realtree® APG™	7 ½	$651.00

Continued on page 98

SHOTGUN SPECIFICATIONS

MODEL 870™ SPECIAL PURPOSE SHOTGUN DIMENSIONS/AVERAGE WEIGHTS CONTINUED

Model	Gauge/ BBL Length	Mag. Capacity	Order No.	Barrel Type	Sights	Receiver Finish	Overall Length	Length of Pull	Drop (comb)	Drop (heel)	Stock Material	Stock Finish	Avg. Wt. (lbs.)	MSRP
870™ SPS Super Mag Camo[3] MAX Gobbler™	12 (3 ½")/23"	3 (3 ½"), 4 (2 ¾" & 3)	81060	Rifle Sight Rem Choke[2]	Fire Sights	Realtree® APG™	44 ½"	Adj.	1 ½"	2 ½"	Synthetic	Realtree® APG™	7 ¼	$1,599.00
870™ SPS-T Super Mag Camo[3]	13 (3 ½")/23"	3 (3 ½"), 4 (2 ¾" & 3)	25007	Vent Rib Rem Choke[2]	Twin Bead	Mossy Oak® Obsession®	44 ½"	14	1 ½"	2 ½"	Synthetic	Mossy Oak® Obsession®	7 ¼	$873.00
870™ XCS (Xtreme Conditions)	12 (3 ½")/28"	3 (3 ½"), 4 (2 ¾" & 3)	81309	Vent Rib Rem Choke[4]	Twin Bead	Matte Black	48 ½"	13 ¾"	1 ½"	2 ½"	Synthetic	Matte Black	7 ⅝	$637.00

1 All 3" and 3 ½" chambers also handle 2 ¾" shells. **2** Note: Supplied with Turkey Super Full choke tube. **3** Note: All Model 870™ Super Magnums have 3 ½" chambers except Deer barrel which has 3" chamber. Super Magnums can shoot 2 ¾", 3" and 3 ½" shells interchangeably. **4** Note: Supplied with Modified, Improved Cylinder and Full Rem Choke tubes.

COMPETITION SHOTGUN DIMENSIONS/AVERAGE WEIGHTS

Model	Gauge/ BBL Length	Mag. Capacity	Order No.	Barrel Type[1]	Sights	Receiver Finish	Overall Length	Length of Pull	Drop (comb)	Drop (heel)	Stock Material	Stock Finish	Avg. Wt. (lbs.)	MSRP
1100™ Competition	12/30"	4	26919	Vent Rib ProBore® Choke	Twin Bead	Nickel	50 ¼"	14 ¼"	1 ½"	2 ¼"	Semi-Fancy Amer. Walnut	Hi-Gloss	8 ⅛	$1,529.00
NEW! 1100™ Competition Synthetic	30"		82821											$1,180.00
870™ Wingmaster® Classic Trap	12/30"	4	24857	Lt. Contour Rib Rem Choke[2]	Twin Bead	High Polish Blued	50 ½"	14 ½"	1 7/16"	2"	Semi-Fancy Amer. Walnut	Hi-Gloss	8 ¼	$1,081.00
1100™ Classic Trap	12/30"	4	25333	Lt. Contour Rib Rem Choke[2]	Twin Bead	High Polish Blued	50 ½"	14 ½"	1 7/16"	2"	Semi-Fancy Amer. Walnut	Hi-Gloss	8 ¼	$1,206.00
1100™ Premier® Sporting 12	12/28"	4	82842	Lt. Contour Rib Rem Choke[2]	Twin Bead	High Polish Blued	49"	14 3/16"	1 ½"	2 ¼"	Semi-Fancy Amer. Walnut	Hi-Gloss	8	$1,415.00
1100™ Premier® Sporting 20	20/28"	4	82846	Lt. Contour Rib Rem Choke[3]	Twin Bead	High Polish Blued	49"	14"	1 ½"	2 ½"	Semi-Fancy Amer. Walnut	Hi-Gloss	7	$1,415.00
1100™ Premier® Sporting 28	28/27"	4	82854	Vent Rib Rem Choke[3]	Twin Bead	High Polish Blued	47 ¾"	14"	1 ½"	2 ½"	Semi-Fancy Amer. Walnut	Hi-Gloss	6 ¼	$1,470.00
1100™ Premier® Sporting 410	410 bore/27"	4	82858	Vent Rib Rem Choke[3,4]	Twin Bead	High Polish Blued	47 ¾"	14"	1 ½"	2 ½"	Semi-Fancy Amer. Walnut	Hi-Gloss	6 ¼	$1,470.00
1100™ Sporting 12	12/28"	4	25315	Lt. Contour Rib Rem Choke[3]	Twin Bead	High Polish Blued	49"	14 3/16"	1 ½"	2 ¼"	Semi-Fancy Amer. Walnut	Hi-Gloss	8	$1,151.00
1100™ Sporting 20 (LT)	20/28"	4	25399	Lt. Contour Rib Rem Choke[3]	Twin Bead	High Polish Blued	49"	14"	1 ½"	2 ½"	Semi-Fancy Amer. Walnut	Hi-Gloss	7	$1,151.00
1100™ Sporting 28	28/27"	4	29583	Vent Rib Rem Choke[3]	Twin Bead	High Polish Blued	47 ¾"	14"	1 ½"	2 ½"	Semi-Fancy Amer. Walnut	Hi-Gloss	6 ½	$1,206.00
1100™ Sporting 410	410 bore/27"	4	29549	Vent Rib Rem Choke[3,4]	Twin Bead	High Polish Blued	47 ¾"	14"	1 ½"	2 ½"	Semi-Fancy Amer. Walnut	Hi-Gloss	6 ¼	$1,206.00

1 Model 1100™ Sporting 410 shotguns have 3" chambers and will cycle 2 1/2" and 3" shotshells. **2** These guns are supplied with special Rem Chokes, Mid Handicap (.034"), Singles (.027"), and Long Handicap (.041"). **3** NOTE: Model 1100™ Sporting Shotguns are equipped with four extended Briley Rem Choke tubes (Skeet, Improved Cylinder, Light Modified and Modified.) **4** Model 1100™ shotguns have 2 3/4" chambers, unless otherwise noted.

RIFLE SPECIFICATIONS

MODEL 700™ XCR II

Order No.	Caliber	Mag. Capacity	Barrel Length	Twist–R-H 1 Turn In	Overall Length	Length of Pull	Drop (comb)	Drop (heel)	Barrel Material	Barrel Finish	Stock Material	Stock Finish	Avg. Wt. (lbs.)	MSRP
84520	25-06 Remington	4	24"	10"	44 ½"	13 ⅜"	1 ⅛"	1 ⅜"	Stainless w/TriNyte®	Black TriNyte®	OD Green Synthetic w/ Overmold	Matte	7 ⅜	$970.00
84521	270 Win.	4	24"	10"	44 ½"	13 ⅜"	1 ⅛"	1 ⅜"	Stainless w/TriNyte®	Black TriNyte®	OD Green Synthetic w/ Overmold	Matte	7 ⅜	$970.00
84522	280 Remington	3	24"	10"	44 ½"	13 ⅜"	1 ⅛"	1 ⅜"	Stainless w/TriNyte®	Black TriNyte®	OD Green Synthetic w/ Overmold	Matte	7 ⅜	$970.00
84524	7mm Remington Mag.	3	26"	9 ¼"	46 ½"	13 ⅜"	1 ⅛"	1 ⅜"	Stainless w/TriNyte®	Black TriNyte®	OD Green Synthetic w/ Overmold	Matte	7 ⅝	$998.00
84527	7mm Remington Ultra Mag.	3	26"	9 ½"	46 ½"	13 ⅜"	1 ⅛"	1 ⅜"	Stainless w/TriNyte®	Black TriNyte®	OD Green Synthetic w/ Overmold	Matte	7 ⅝	$998.00
84515 (B)	30-06 Sprg.	4	24"	10"	44 ½"	13 ⅜"	1 ⅛"	1 ⅜"	Stainless w/TriNyte®	Black TriNyte®	Camo Synthetic w/ Overmold	Realtree® AP™	7 ⅜	$1,063.00
84523	30-06 30-06 Sprg.	4	24"	10"	44 ½"	13 ⅜"	1 ⅛"	1 ⅜"	Stainless w/TriNyte®	Black TriNyte®	OD Green Synthetic w/ Overmold	Matte	7 ⅜	$970.00
84525	300 WSM	3	24"	10"	44 ½"	13 ⅜"	1 ⅛"	1 ⅜"	Stainless w/TriNyte®	Black TriNyte®	OD Green Synthetic w/ Overmold	Matte	7 ⅜	$1,047.00
84526	300 Win. Mag.	3	26"	10"	46 ½"	13 ⅜"	1 ⅛"	1 ⅜"	Stainless w/TriNyte®	Black TriNyte®	OD Green Synthetic w/ Overmold	Matte	7 ⅝	$998.00
NEW! 84541 (R)	300 Win. Mag.	3	26"	10"	46 ½"	13 ⅜"	1 ⅛"	1 ⅜"	416 Stainless	Black TriNyte®	Camo Synthetic w/ Overmold	Realtree® AP™	7 ⅝	$1,063.00
84528	300 Remington Ultra Mag.	3	26"	10"	46 ½"	13 ⅜"	1 ⅛"	1 ⅜"	Stainless w/TriNyte®	Black TriNyte®	OD Green Synthetic w/ Overmold	Matte	7 ⅝	$998.00
84530	338 Remington Ultra Mag.	3	26"	10"	46 ½"	13 ⅜"	1 ⅛"	1 ⅜"	Stainless w/TriNyte®	Black TriNyte®	OD Green Synthetic w/ Overmold	Matte	7 ⅝	$998.00
84529	338 Win. Mag.	3	26"	10"	46 ½"	13 ⅜"	1 ⅛"	1 ⅜"	Stainless w/TriNyte®	Black TriNyte®	OD Green Synthetic w/ Overmold	Matte	7 ⅝	$998.00
84531[1]	375 H&H	3	24"	12"	46 ½"	13 ⅜"	1 ⅛"	1 ⅜"	Stainless w/TriNyte®	Black TriNyte®	OD Green Synthetic w/ Overmold	Matte	7 ⅝	$998.00
84532[1]	375 Remington Ultra Mag.	3	24"	12"	46 ½"	13 ⅜"	1 ⅛"	1 ⅜"	Stainless w/TriNyte®	Black TriNyte®	OD Green Synthetic w/ Overmold	Matte	7 ⅝	$998.00

1 Equipped with Iron Sights. (R) RMEF Rocky Mountain Elk Foundation (B) Bone Collector Edition

MODEL 700™ BDL

Order No.	Caliber	Mag. Capacity	Barrel Length	Twist–R-H 1 Turn In	Overall Length	Length of Pull	Drop (comb)	Drop (heel)	Barrel Material	Barrel Finish	Stock Material	Stock Finish	Avg. Wt. (lbs.)	MSRP
25787	243 Win	4	22"	9 ⅛"	41 ⅝"	13 ⅜"	1"	1 ⅝"	Carbon Steel	Polished Blue	American Walnut	Gloss	7 ¼	$965.00
25791	270 Win	4	22"	10"	42 ½"	13 ⅜"	1"	1 ⅝"	Carbon Steel	Polished Blue	American Walnut	Gloss	7 ⅜	$965.00
25803	7mm Remington Mag	3	24"	9 ¼"	44 ½"	13 ⅜"	1"	1 ⅝"	Carbon Steel	Polished Blue	American Walnut	Gloss	7 ½	$994.00
25793	30-06 Springfield	4	22"	10"	42 ½"	13 ⅜"	1"	1 ⅝"	Carbon Steel	Polished Blue	American Walnut	Gloss	7 ⅜	$965.00
26410	300 Remington Ultra Mag	3	26"	10"	46 ½"	13 ⅜"	1"	1 ⅝"	Carbon Steel	Polished Blue	American Walnut	Gloss	7 ⅝	$994.00

MODEL 700™ CDL

Order No.	Caliber	Mag. Capacity	Barrel Length	Twist–R-H 1 Turn In	Overall Length	Length of Pull	Drop (comb)	Drop (heel)	Barrel Material	Barrel Finish	Stock Material	Stock Finish	Avg. Wt. (lbs.)	MSRP
27101 (L)	223 Remington	5	24"	12"	43 ⅝"	13 ½"	1 ⅛"	1 ⅜"	Carbon Steel	Satin Blue	American Walnut	Satin	7 ⅜	$1,027.00
27007	243 Win	4	24"	9 ⅛"	43 ⅝"	13 ½"	1 ⅛"	1 ⅜"	Carbon Steel	Satin Blue	American Walnut	Satin	7 ⅜	$998.00
27103 (L)	243Win	4	24"	9 ⅛"	43 ⅝"	13 ½"	1 ⅛"	1 ⅜"	Carbon Steel	Satin Blue	American Walnut	Satin	7 ⅜	$1,027.00
27011	270 Win	4	24"	10"	44 ½"	13 ½"	1 ⅛"	1 ⅜"	Carbon Steel	Satin Blue	American Walnut	Satin	7 ½	$998.00
27105 (L)	270 Win	4	24"	10"	44 ½"	13 ½"	1 ⅛"	1 ⅜"	Carbon Steel	Satin Blue	American Walnut	Satin	7 ½	$1,027.00
27015	7mm-08 Remington	4	24"	9 ¼"	43 ⅝"	13 ½"	1 ⅛"	1 ⅜"	Carbon Steel	Satin Blue	American Walnut	Satin	7 ⅜	$998.00
27109 (L)	7mm Remington Mag	3	26"	9 ¼"	46 ½"	13 ½"	1 ⅛"	1 ⅜"	Carbon Steel	Satin Blue	American Walnut	Satin	7 ⅝	$1,055.00
27051	7mm Remington Ultra Mag	3	26"	9 ½"	46 ½"	13 ½"	1 ⅛"	1 ⅜"	Carbon Steel	Satin Blue	American Walnut	Satin	7 ⅝	$1,027.00
27107 (L)	30-06 Springfield	4	24"	10"	44 ½"	13 ½"	1 ⅛"	1 ⅜"	Carbon Steel	Satin Blue	American Walnut	Satin	7 ½	$1,027.00
27049	300 Win Mag	3	26"	10"	46 ½"	13 ½"	1 ⅛"	1 ⅜"	Carbon Steel	Satin Blue	American Walnut	Satin	7 ⅝	$1,027.00
27053	300 Remington Ultra Mag	3	26"	10"	46 ½"	13 ½"	1 ⅛"	1 ⅜"	Carbon Steel	Satin Blue	American Walnut	Satin	7 ⅝	$1,027.00
27111 (L)	300 Remington Ultra Mag	3	26"	10"	46 ½"	13 ½"	1 ⅛"	1 ⅜"	Carbon Steel	Satin Blue	American Walnut	Satin	7 ⅝	$1,055.00

(L) Left-hand model

MODEL 700™ CDL DM

Order No.	Caliber	Mag. Capacity	Barrel Length	Twist–R-H 1 Turn In	Overall Length	Length of Pull	Drop (comb)	Drop (heel)	Barrel Material	Barrel Finish	Stock Material	Stock Finish	Avg. Wt. (lbs.)	MSRP
NEW! 84074	243 Win.	4	24"	9 ⅛"	43 ⅝"	13 ½"	1 ⅛"	1 ⅜"	Carbon Steel	Satin Blue	American Walnut	Satin	7 ⅜	$1,020.00
NEW! 84075	7mm-08 Remington	4	24"	9 ¼"	43 ⅝"	13 ½"	1 ⅛"	1 ⅜"	Carbon Steel	Satin Blue	American Walnut	Satin	7 ⅜	$1,020.00
NEW! 84076	270 Win.	4	24"	10"	44 ½"	13 ½"	1 ⅛"	1 ⅜"	Carbon Steel	Satin Blue	American Walnut	Satin	7 ½	$1,020.00
NEW! 84077	30-06 Sprg.	4	24"	10"	44 ½"	13 ½"	1 ⅛"	1 ⅜"	Carbon Steel	Satin Blue	American Walnut	Satin	7 ½	$1,020.00
NEW! 84078	7mm Remington Mag.	3	26"	9 ¼"	46 ½"	13 ½"	1 ⅛"	1 ⅜"	Carbon Steel	Satin Blue	American Walnut	Satin	7 ⅝	$1,048.00
NEW! 84079	300 Win. Mag.	3	26"	10"	46 ½"	13 ½"	1 ⅛"	1 ⅜"	Carbon Steel	Satin Blue	American Walnut	Satin	7 ⅝	$1,048.00

RIFLE SPECIFICATIONS

MODEL 700™ CDL SF

Order No.	Caliber	Mag. Capacity	Barrel Length	Twist–R-H 1 Turn In	Overall Length	Length of Pull	Drop (comb)	Drop (heel)	Barrel Material	Barrel Finish	Stock Material	Stock Finish	Avg. Wt. (lbs.)	MSRP
84019	257 Weatherby Mag.	3	26"	10"	46 ½"	13 ½"	1 ⅛"	1 ⅜"	416 Stainless	Satin Stainless	American Walnut	Satin	7 ⅝	$1,173.00
84014	270 Win.	4	24"	10"	45 ½"	13 ½"	1 ⅛"	1 ⅜"	416 Stainless	Satin Stainless	American Walnut	Satin	7 ½	$1,145.00
84013	270 WSM	3	24"	10"	43 ⅝"	13 ½"	1 ⅛"	1 ⅜"	416 Stainless	Satin Stainless	American Walnut	Satin	7 ⅜	$1,234.00
84012	7mm-08 Remington	4	24"	9 ¼"	43 ⅝"	13 ½"	1 ⅛"	1 ⅜"	416 Stainless	Satin Stainless	American Walnut	Satin	7 ⅜	$1,145.00
84016	7mm Remington Mag.	3	26"	9 ¼"	46 ½"	13 ½"	1 ⅛"	1 ⅜"	416 Stainless	Satin Stainless	American Walnut	Satin	7 ⅝	$1,173.00
84015	30-06 Sprg.	4	24"	10"	44 ½"	13 ½"	1 ⅛"	1 ⅜"	416 Stainless	Satin Stainless	American Walnut	Satin	7 ½	$1,145.00
84017	300 WSM	3	24"	10"	43 ⅝"	13 ½"	1 ⅛"	1 ⅜"	416 Stainless	Satin Stainless	American Walnut	Satin	7 ⅜	$1,234.00
NEW! 84022 (LTD)[1]	6mm Remington	4	24"	9 ⅛"	43 ⅝"	13 ½"	1 ⅛"	1 ⅜"	416 Stainless	Satin Stainless	American Walnut	Satin	7 ⅜	$1,178.00

1 LTD-2011 Model 700 CDL SF Limited Edition

MODEL 700™ SPS

Order No.	Caliber	Mag. Capacity	Barrel Length	Twist–R-H 1 Turn In	Overall Length	Length of Pull	Drop (comb)	Drop (heel)	Barrel Material	Barrel Finish	Stock Material	Stock Finish	Avg. Wt. (lbs.)	MSRP
84200	17 Remington Fireball	5	24"	9"	43 ⅝"	13 ⅜"	1 ⅛"	1 ⅜"	Carbon Steel	Matte Blue	Black Synthetic	Matte	7 ¼	$681.00
27351	223 Remington	5	24"	12"	43 ⅝"	13 ⅜"	1 ⅛"	1 ⅜"	Carbon Steel	Matte Blue	Black Synthetic	Matte	7	$681.00
27475 (C)	243 Win.	4	20"	9 ⅛"	39 ⅝"	12 ⅜"	1 ⅛"	1 ⅜"	Carbon Steel	Matte Blue	Black Synthetic	Matte	7	$681.00
84150 (C) (L)	243 Win.	4	20"	9 ⅛"	39 ⅝"	12 ⅜"	1 ⅛"	1 ⅜"	Carbon Steel	Matte Blue	Black Synthetic	Matte	7	$681.00
27355	243 Win.	4	24"	9 ⅛"	43 ⅝"	13 ⅜"	1 ⅛"	1 ⅜"	Carbon Steel	Matte Blue	Black Synthetic	Matte	7 ¼	$681.00
27361	270 Win.	4	24"	10"	44 ½"	13 ⅜"	1 ⅛"	1 ⅜"	Carbon Steel	Matte Blue	Black Synthetic	Matte	7 ⅜	$681.00
84177 (L)	270 Win.	4	24"	10"	44 ½"	13 ⅜"	1 ⅛"	1 ⅜"	Carbon Steel	Matte Blue	Black Synthetic	Matte	7 ⅜	$681.00
27331	270 WSM	3	24"	10"	43 ⅝"	13 ⅜"	1 ⅛"	1 ⅜"	Carbon Steel	Matte Blue	Black Synthetic	Matte	7 ⅜	$718.00
27391 (C)	7mm-08 Remington	4	20"	9 ¼"	39 ⅝"	12 ⅜"	1 ⅛"	1 ⅜"	Carbon Steel	Matte Blue	Black Synthetic	Matte	7	$681.00
84151 (C) (L)	7mm-08 Remington	4	20"	9 ¼"	39 ⅝"	12 ⅜"	1 ⅛"	1 ⅜"	Carbon Steel	Matte Blue	Black Synthetic	Matte	7	$681.00
27357	7mm-08 Remington	4	24"	9 ¼"	43 ⅝"	13 ⅜"	1 ⅛"	1 ⅜"	Carbon Steel	Matte Blue	Black Synthetic	Matte	7 ¼	$681.00
27385	7mm Remington Mag.	3	26"	9 ¼"	46 ½"	13 ⅜"	1 ⅛"	1 ⅜"	Carbon Steel	Matte Blue	Black Synthetic	Matte	7 ⅝	$681.00
84179 (L)	7mm Remington Mag.	3	26"	9 ¼"	46 ½"	13 ⅜"	1 ⅛"	1 ⅜"	Carbon Steel	Matte Blue	Black Synthetic	Matte	7 ⅝	$681.00
84152	7mm Remington Ultra Mag.	3	26"	9 ¼"	46 ½"	13 ⅜"	1 ⅛"	1 ⅜"	Carbon Steel	Matte Blue	Black Synthetic	Matte	7 ⅝	$681.00
27363	30-06 Sprg.	4	24"	10"	44 ½"	13 ⅜"	1 ⅛"	1 ⅜"	Carbon Steel	Matte Blue	Black Synthetic	Matte	7 ⅜	$681.00
84178 (L)	30-06 Sprg.	4	24"	10"	44 ½"	13 ⅜"	1 ⅛"	1 ⅜"	Carbon Steel	Matte Blue	Black Synthetic	Matte	7 ⅜	$681.00
27333	300 WSM	3	24"	10"	43 ⅝"	13 ⅜"	1 ⅛"	1 ⅜"	Carbon Steel	Matte Blue	Black Synthetic	Matte	7 ⅜	$718.00
27387	300 Win. Mag.	3	26"	10"	46 ½"	13 ⅜"	1 ⅛"	1 ⅜"	Carbon Steel	Matte Blue	Black Synthetic	Matte	7 ⅝	$681.00
84180 (L)	300 Win. Mag.	3	26"	10"	46 ½"	13 ⅜"	1 ⅛"	1 ⅜"	Carbon Steel	Matte Blue	Black Synthetic	Matte	7 ⅝	$681.00
27359	300 Win.	4	24"	10"	43 ⅝"	13 ⅜"	1 ⅛"	1 ⅜"	Carbon Steel	Matte Blue	Black Synthetic	Matte	7 ¼	$681.00
27389	300 Remington Ultra Mag.	3	24"	10"	46 ½"	13 ⅜"	1 ⅛"	1 ⅜"	Carbon Steel	Matte Blue	Black Synthetic	Matte	7 ⅝	$681.00

(C) Compact model (L) Left-hand model

MODEL 700™ SPS CAMO - MOSSY OAK® BREAK-UP™ INFINITY™

Order No.	Caliber	Mag. Capacity	Barrel Length	Twist–R-H 1 Turn In	Overall Length	Length of Pull	Drop (comb)	Drop (heel)	Barrel Material	Barrel Finish	Stock Material	Stock Finish	Avg. Wt. (lbs.)	MSRP
NEW! 84183	243 Win.	4	22"	9 ⅛"	41 ⅝"	13 ⅜"	1 ⅛"	1 ⅜"	Carbon Steel	Matte Blue	Camo Synthetic w/ Overmold	Break-Up™ Infinity™	7 ¼	$754.00
NEW! 84184	7mm-08 Remington	4	22"	9 ¼"	41 ⅝"	13 ⅜"	1 ⅛"	1 ⅜"	Carbon Steel	Matte Blue	Camo Synthetic w/ Overmold	Break-Up™ Infinity™	7 ⅜	$754.00
NEW! 84185	270 Win.	4	22"	10"	42 ½"	13 ⅜"	1 ⅛"	1 ⅜"	Carbon Steel	Matte Blue	Camo Synthetic w/ Overmold	Break-Up™ Infinity™	7 ⅜	$754.00
NEW! 84186	30-06 Sprg.	4	22"	10"	42 ½"	13 ⅜"	1 ⅛"	1 ⅜"	Carbon Steel	Matte Blue	Camo Synthetic w/ Overmold	Break-Up™ Infinity™	7 ⅜	$754.00
NEW! 84187	7mm Remington Mag.	3	24"	9 ¼"	44 ½"	13 ⅜"	1 ⅛"	1 ⅜"	Carbon Steel	Matte Blue	Camo Synthetic w/ Overmold	Break-Up™ Infinity™	7 ⅜	$754.00
NEW! 84188	300 Win. Mag.	3	24"	10"	44 ½"	13 ⅜"	1 ⅛"	1 ⅜"	Carbon Steel	Matte Blue	Camo Synthetic w/ Overmold	Break-Up™ Infinity™	7 ⅜	$754.00
NEW! 84189 (C)	223 Remington	5	20"	12"	39 ⅝"	12 ⅜"	1 ⅛"	1 ⅜"	Carbon Steel	Matte Blue	Camo Synthetic w/ Overmold	Break-Up™ Infinity™	7	$754.00
NEW! 84190 (C)	243 Win.	4	20"	9 ⅛"	39 ⅝"	12 ⅜"	1 ⅛"	1 ⅜"	Carbon Steel	Matte Blue	Camo Synthetic w/ Overmold	Break-Up™ Infinity™	7	$754.00
NEW! 84191 (C)	7mm-08 Remington	4	20"	9 ¼"	39 ⅝"	12 ⅜"	1 ⅛"	1 ⅜"	Carbon Steel	Matte Blue	Camo Synthetic w/ Overmold	Break-Up™ Infinity™	7	$754.00

(C) Compact Model

MODEL 700™ SPS STAINLESS

Order No.	Caliber	Mag. Capacity	Barrel Length	Twist–R-H 1 Turn In	Overall Length	Length of Pull	Drop (comb)	Drop (heel)	Barrel Material	Barrel Finish	Stock Material	Stock Finish	Avg. Wt. (lbs.)	MSRP
27131	204 Ruger	5	24"	12"	43 ⅝"	13 ⅜"	1 ⅛"	1 ⅜"	416 Stainless	Matte Stainless	Black Synthetic	Matte	7 ¼	$781.00
27133	223 Remington	5	24"	12"	43 ⅝"	13 ⅜"	1 ⅛"	1 ⅜"	416 Stainless	Matte Stainless	Black Synthetic	Matte	7 ¼	$781.00
27135	22-250 Remington	4	24"	14"	43 ⅝"	13 ⅜"	1 ⅛"	1 ⅜"	416 Stainless	Matte Stainless	Black Synthetic	Matte	7 ¼	$781.00
27263	243 Win.	4	24"	9 ⅛"	43 ⅝"	13 ⅜"	1 ⅛"	1 ⅜"	416 Stainless	Matte Stainless	Black Synthetic	Matte	7 ¼	$781.00
27251	25-06 Remington	4	24"	10"	44 ½"	13 ⅜"	1 ⅛"	1 ⅜"	416 Stainless	Matte Stainless	Black Synthetic	Matte	7 ⅜	$781.00
27267	270 Win.	4	24"	10"	44 ½"	13 ⅜"	1 ⅛"	1 ⅜"	416 Stainless	Matte Stainless	Black Synthetic	Matte	7 ⅜	$781.00
27253	270 WSM	3	24"	10"	44 ½"	13 ⅜"	1 ⅛"	1 ⅜"	416 Stainless	Matte Stainless	Black Synthetic	Matte	7 ⅜	$819.00
27265	7mm-08 Remington	4	24"	9 ¼"	43 ⅝"	13 ⅜"	1 ⅛"	1 ⅜"	416 Stainless	Matte Stainless	Black Synthetic	Matte	7 ¼	$781.00
27271	7mm Remington Mag.	3	26"	9 ¼"	46 ½"	13 ⅜"	1 ⅛"	1 ⅜"	416 Stainless	Matte Stainless	Black Synthetic	Matte	7 ⅝	$781.00
84300	7mm Remington Ultra Mag.	3	26"	9 ¼"	46 ½"	13 ⅜"	1 ⅛"	1 ⅜"	416 Stainless	Matte Stainless	Black Synthetic	Matte	7 ⅝	$781.00
27269	30-06 Sprg.	4	24"	10"	44 ½"	13 ⅜"	1 ⅛"	1 ⅜"	416 Stainless	Matte Stainless	Black Synthetic	Matte	7 ⅜	$781.00
27255	300 WSM	3	24"	10"	44 ½"	13 ⅜"	1 ⅛"	1 ⅜"	416 Stainless	Matte Stainless	Black Synthetic	Matte	7 ⅜	$819.00
27273	300 Win. Mag.	3	26"	10"	46 ½"	13 ⅜"	1 ⅛"	1 ⅜"	416 Stainless	Matte Stainless	Black Synthetic	Matte	7 ⅝	$781.00
27136	308 Win.	4	24"	10"	43 ⅝"	13 ⅜"	1 ⅛"	1 ⅜"	416 Stainless	Matte Stainless	Black Synthetic	Matte	7 ¼	$781.00
27140	300 Remington Ultra Mag.	3	26"	10"	46 1/2"	13 3/8"	1 1/8"	1 3/8"	416 Stainless	Matte Stainless	Black Synthetic	Matte	7 5/8	$781.00

MODEL 700™ SPS TACTICAL

Order No.	Caliber	Mag. Capacity	Barrel Length	Twist–R-H 1 Turn In	Overall Length	Length of Pull	Drop (comb)	Drop (heel)	Barrel Material	Barrel Finish	Stock Material	Stock Finish	Avg. Wt. (lbs.)	MSRP
NEW! 84203 (A)[1]	308 Win.	4	20"	10"	39 ¾"	13 ⅜"	1 ¼"	1 ½"	Carbon Steel	Matte Blue	Hogue Overmold Synthetic	Ghillie Green®	7 ½	$757.00
84206	223 Remington	5	20"	9"	39 ¾"	13 ⅜"	1 ¼"	1 ½"	Carbon Steel	Matte Blue	Hogue Overmold Synthetic	Matte Black	7 ½	$734.00
84207	308 Win.	4	20"	10"	39 ¾"	13 ⅜"	1 ¼"	1 ½"	Carbon Steel	Matte Blue	Hogue Overmold Synthetic	Matte Black	7 ½	$734.00

1 (A) AAC®-SD™ with 5/8x24 Threaded Muzzle

RIFLE SPECIFICATIONS

MODEL 700™ TARGET TACTICAL

Order No.	Caliber	Mag. Capacity	Barrel Length	Twist–R-H 1 Turn In	Overall Length	Length of Pull	Drop (comb)	Drop (heel)	Barrel Material	Barrel Finish	Stock Material	Stock Finish	Avg. Wt. (lbs.)	MSRP
84456	308 Win.	4	26"	11 ¼"	47 ½"	13 ⅜"–15 ⅜"	1 ½"	—	Carbon Steel	Matte Blue	Aramid Fiber Reinf.	OD Green	11 ¾	$2,053.00

Adjustable Length of Pull and Comb

MODEL 700™ XCR COMPACT TACTICAL RIFLE

Order No.	Caliber	Mag. Capacity	Barrel Length	Twist–R-H 1 Turn In	Overall Length	Length of Pull	Drop (comb)	Drop (heel)	Barrel Material	Barrel Finish	Stock Material	Stock Finish	Avg. Wt. (lbs.)	MSRP
84466	223 Remington	5	20"	9"	39 ¾"	13 ⅜"	1 ¼"	1 ½"	Stainless w/TriNyte®	Black TriNyte®	Aramid Fiber Reinf.	OD Green	7 ½	$1,465.00
84437	308 Win.	4	20"	12"	39 ¾"	13 ⅜"	1 ¼"	1 ½"	Stainless w/TriNyte®	Black TriNyte®	Aramid Fiber Reinf.	OD Green	7 ½	$881.00

MODEL 700™ XCR II TACTICAL LONG RANGE RIFLE

Order No.	Caliber	Mag. Capacity	Barrel Length	Twist–R-H 1 Turn In	Overall Length	Length of Pull	Drop (comb)	Drop (heel)	Barrel Material	Barrel Finish	Stock Material	Stock Finish	Avg. Wt. (lbs.)	MSRP
84460	223 Remington	5	26"	9"	45 ¾"	13 ⅜"	1 ¼"	1 ½"	Stainless w/TriNyte®	Black TriNyte®	Aramid Fiber Reinf.	OD Green	8 ½	$1,465.00
84461	308 Win.	4	26"	12"	45 ¾"	13 ⅜"	1 ¼"	1 ½"	Stainless w/TriNyte®	Black TriNyte®	Aramid Fiber Reinf.	OD Green	8 ½	$1,465.00
84462	300 Win. Mag.	3	26"	10"	45 ¾"	13 ⅜"	1 ¼"	1 ½"	Stainless w/TriNyte®	Black TriNyte®	Aramid Fiber Reinf.	OD Green	8 ½	$1,465.00
NEW! 84463	338 Lapua Magnum	5	26"	10"	45 ¾"	13 ⅜"	1 ¼"	1 ½"	Stainless w/TriNyte®	Black TriNyte®	Aramid Fiber Reinf.	OD Green	8 ½	$2,394.00

MODEL 700™ SPS VARMINT

Order No.	Caliber	Mag. Capacity	Barrel Length	Twist–R-H 1 Turn In	Overall Length	Length of Pull	Drop (comb)	Drop (heel)	Barrel Material	Barrel Finish	Stock Material	Stock Finish	Avg. Wt. (lbs.)	MSRP
84213	17 Remington Fireball	5	26"	9"	46 ½"	13 ⅜"	1 ⅛"	1 ⅜"	Carbon Steel	Matte Blue	Black Synthetic	Matte	8 ½	$710.00
84214	204 Ruger	5	26"	12"	46 ½"	13 ⅜"	1 ⅛"	1 ⅜"	Carbon Steel	Matte Blue	Black Synthetic	Matte	8 ½	$710.00
84216	22-250 Remington	4	26"	14"	46 ½"	13 ⅜"	1 ⅛"	1 ⅜"	Carbon Steel	Matte Blue	Black Synthetic	Matte	8 ½	$710.00
84226 (L)	22-250 Remington	4	26"	14"	46 ½"	13 ⅜"	1 ⅛"	1 ⅜"	Carbon Steel	Matte Blue	Black Synthetic	Matte	8 ½	$738.00
84215	223 Remington	5	26"	12"	46 ½"	13 ⅜"	1 ⅛"	1 ⅜"	Carbon Steel	Matte Blue	Black Synthetic	Matte	8 ½	$710.00
84227 (L)	223 Remington	5	26"	12"	46 ½"	13 ⅜"	1 ⅛"	1 ⅜"	Carbon Steel	Matte Blue	Black Synthetic	Matte	8 ½	$738.00
84217	243 Win.	4	26"	9 ⅛"	46 ½"	13 ⅜"	1 ⅛"	1 ⅜"	Carbon Steel	Matte Blue	Black Synthetic	Matte	8 ½	$710.00
84228 (L)	243 Win.	4	26"	9 ⅛"	46 ½"	13 ⅜"	1 ⅛"	1 ⅜"	Carbon Steel	Matte Blue	Black Synthetic	Matte	8 ½	$738.00
84218	308 Win.	4	26"	12"	46 ½"	13 ⅜"	1 ⅛"	1 ⅜"	Carbon Steel	Matte Blue	Black Synthetic	Matte	8 ½	$710.00
84229 (L)	308 Win.	4	26"	12"	46 ½"	13 ⅜"	1 ⅛"	1 ⅜"	Carbon Steel	Matte Blue	Black Synthetic	Matte	8 ½	$738.00

(L) Left-hand model

MODEL 700™ VLSS THUMBHOLE

Order No.	Caliber	Mag. Capacity	Barrel Length	Twist–R-H 1 Turn In	Overall Length	Length of Pull	Drop (comb)	Drop (heel)	Barrel Material	Barrel Finish	Stock Material	Stock Finish	Avg. Wt. (lbs.)	MSRP
27443	204 Ruger	5	26"	12"	45 ¾"	13 ½"	1 ¼"	2 ⅜"	416 Stainless	Polished Stainless	Brown Laminated	Satin	9 ⅛	$1,130.00
27447	22-250 Remington	4	26"	14"	45 ¾"	13 ½"	1 ¼"	2 ⅜"	416 Stainless	Polished Stainless	Brown Laminated	Satin	9 ⅛	$1,130.00
27445	223 Remington	5	26"	12"	45 ¾"	13 ½"	1 ¼"	2 ⅜"	416 Stainless	Polished Stainless	Brown Laminated	Satin	9 ⅛	$1,130.00

MODEL 700™ VTR (VARMINT TARGET RIFLE)

Order No.	Caliber	Mag. Capacity	Barrel Length	Twist–R-H 1 Turn In	Overall Length	Length of Pull	Drop (comb)	Drop (heel)	Barrel Material	Barrel Finish	Stock Material	Stock Finish	Avg. Wt. (lbs.)	MSRP
84369	204 Ruger	5	22"	12"	41 ⅝"	13 ⅜"	1 ⅛"	1 ⅜"	Carbon Steel	Matte Blue	OD Green Synthetic w/Overmold	Matte	7 ½	$881.00
84362	223 Remington	5	22"	9"	41 ⅝"	13 ⅜"	1 ⅛"	1 ⅜"	Carbon Steel	Matte Blue	A-TACS® Digital Camo	Camo	7 ½	$930.00
84370	223 Remington	5	22"	9"	41 ⅝"	13 ⅜"	1 ⅛"	1 ⅜"	Carbon Steel	Matte Blue	OD Green Synthetic w/Overmold	Matte	7 ½	$881.00
84373	22-250 Remington	4	22"	14"	41 ⅝"	13 ⅜"	1 ⅛"	1 ⅜"	Carbon Steel	Matte Blue	OD Green Synthetic w/Overmold	Matte	7 ½	$881.00
84368	243 Win.	4	22"	9 ⅛	41 ⅝"	13 ⅜"	1 ⅛"	1 ⅜"	Carbon Steel	Matte Blue	OD Green Synthetic w/Overmold	Matte	7 ½	$881.00
84364	308 Win.	5	22"	12"	41 ⅝"	13 ⅜"	1 ⅛"	1 ⅜"	Carbon Steel	Matte Blue	A-TACS® Digital Camo	Camo	7 ½	$930.00
84371	308 Win.	4	22"	12"	41 ⅝"	13 ⅜"	1 ⅛"	1 ⅜"	Carbon Steel	Matte Blue	OD Green Synthetic w/Overmold	Matte	7 ½	$881.00

MODEL 700™ VLS (LAMINATED STOCK)

Order No.	Caliber	Mag. Capacity	Barrel Length	Twist–R-H 1 Turn In	Overall Length	Length of Pull	Drop (comb)	Drop (heel)	Barrel Material	Barrel Finish	Stock Material	Stock Finish	Avg. Wt. (lbs.)	MSRP
27467	204 Ruger	5	26"	12"	45 ¾"	13 ½"	1"	1 ⅜"	Carbon Steel	Satin Blue	Brown Laminated	Satin	9 ⅜	$1,019.00
27491	223 Remington	5	26"	12"	45 ¾"	13 ½"	1"	1 ⅜"	Carbon Steel	Satin Blue	Brown Laminated	Satin	9 ⅜	$1,019.00
27489	22-250 Remington	4	26"	14"	45 ¾"	13 ½"	1"	1 ⅜"	Carbon Steel	Satin Blue	Brown Laminated	Satin	9 ⅜	$1,019.00
27495	243 Win.	4	26"	9 ⅛	45 ¾"	13 ½"	1"	1 ⅜"	Carbon Steel	Satin Blue	Brown Laminated	Satin	9 ⅜	$1,019.00
27499	308 Win.	4	26"	12"	45 ¾"	13 ½"	1"	1 ⅜"	Carbon Steel	Satin Blue	Brown Laminated	Satin	9 ⅜	$1,019.00

MODEL 700™ VS SF II

Order No.	Caliber	Mag. Capacity	Barrel Length	Twist–R-H 1 Turn In	Overall Length	Length of Pull	Drop (comb)	Drop (heel)	Barrel Material	Barrel Finish	Stock Material	Stock Finish	Avg. Wt. (lbs.)	MSRP
26339	220 Swift	4	26"	14"	45 ¾"	13 ½"	1 ¼"	1 ½"	416 Stainless	Polished Stainless	H.S. Precision Black Aramid Fiber Reinf.	Matte	8 ½	$1,387.00
26337	223 Remington	5	26"	12"	45 ¾"	13 ½"	1 ¼"	1 ½"	416 Stainless	Polished Stainless	H.S. Precision Black Aramid Fiber Reinf.	Matte	8 ½	$1,387.00
26335	22-250 Remington	4	26"	14"	45 ¾"	13 ½"	1 ¼"	1 ½"	416 Stainless	Polished Stainless	H.S. Precision Black Aramid Fiber Reinf.	Matte	8 ½	$1,387.00

MODEL 700™ SENDERO® SF II

Order No.	Caliber	Mag. Capacity	Barrel Length	Twist–R-H 1 Turn In	Overall Length	Length of Pull	Drop (comb)	Drop (heel)	Barrel Material	Barrel Finish	Stock Material	Stock Finish	Avg. Wt. (lbs.)	MSRP
27307	264 Win. Mag.	3	26"	9	45 ¾"	13 ⅜"	1 ¼"	1 ½"	416 Stainless	Polished Stainless	H.S. Precision Black Aramid Fiber Reinf.	Matte	8 ½	$1,415.00
27311	7mm Remington Mag.	3	26"	9 ¼"	45 ¾"	13 ⅜"	1 ¼"	1 ½"	416 Stainless	Polished Stainless	H.S. Precision Black Aramid Fiber Reinf.	Matte	8 ½	$1,415.00
27315	7mm Remington Ultra Mag.	3	26"	9 ½"	45 ¾"	13 ⅜"	1 ¼"	1 ½"	416 Stainless	Polished Stainless	H.S. Precision Black Aramid Fiber Reinf.	Matte	8 ½	$1,415.00
27313	300 Win. Mag.	3	26"	10"	45 ¾"	13 ⅜"	1 ¼"	1 ½"	416 Stainless	Polished Stainless	H.S. Precision Black Aramid Fiber Reinf.	Matte	8 ½	$1,415.00
27318	300 Remington Ultra Mag.	3	26"	10"	45 ¾"	13 ⅜"	1 ¼"	1 ½"	416 Stainless	Polished Stainless	H.S. Precision Black Aramid Fiber Reinf.	Matte	8 ½	$1,415.00

RIFLE SPECIFICATIONS

MODEL 700™ VARMINT SF

Order No.	Caliber	Mag. Capacity	Barrel Length	Twist–R-H 1 Turn In	Overall Length	Length of Pull	Drop (comb)	Drop (heel)	Barrel Material	Barrel Finish	Stock Material	Stock Finish	Avg. Wt. (lbs.)	MSRP
84342	22-250 Remington	5	26"	14"	45 ¾"	13 ⅜"	1 ⅛"	1 ⅜"	416 Stainless	Polished Stainless	Synthetic w/Overmold Grip Panels	Matte	8 ½	$957.00
84343	223 Remington	5	26"	12"	45 ¾"	13 ⅜"	1 ⅛"	1 ⅜"	416 Stainless	Polished Stainless	Synthetic w/Overmold Grip Panels	Matte	8 ½	$957.00
84344	220 Swift	4	26"	14"	45 ¾"	13 ⅜"	1 ⅛"	1 ⅜"	416 Stainless	Polished Stainless	Synthetic w/Overmold Grip Panels	Matte	8 ½	$957.00
84344	308 Win. Mag.	4	26"	14"	45 ¾"	13 ⅜"	1 ⅛"	1 ⅜"	416 Stainless	Polished Stainless	Synthetic w/Overmold Grip Panels	Matte	8 ½	$957.00

MODEL SEVEN™ CDL

Order No.	Caliber	Mag. Capacity	Barrel Length	Twist–R-H 1 Turn In	Overall Length	Length of Pull	Drop (comb)	Drop (heel)	Barrel Material	Barrel Finish	Stock Material	Stock Finish	Avg. Wt. (lbs.)	MSRP
26417	243 Win	4	20"	9 ⅛"	39 ¼"	13 ⅜'	1 ¼'	1 ½'	Carbon Steel	Satin	Walnut	Satin	6 ½	$998.00
26419	260 Remington	4	20"	9"	39 ¼"	13 ⅜'	1 ¼'	1 ½'	Carbon Steel	Satin	Walnut	Satin	6 ½	$998.00
26361	270 WSM	3	22"	10"	39 ¼"	13 ⅜'	1 ¼'	1 ½'	Carbon Steel	Satin	Walnut	Satin	6 ½	$1,054.00
23421	7 mm -08 Remington	4	20"	9¼"	39 ¼"	13 ⅜'	1 ¼'	1 ½'	Carbon Steel	Satin	Walnut	Satin	6 ½	$681.00
26423	308 Win	4	20"	10"	39 ¼"	13 ⅜'	1 ¼'	1 ½'	Carbon Steel	Satin	Walnut	Satin	6 ½	$998.00

MODEL SEVEN™ PREDATOR

Order No.	Caliber	Mag. Capacity	Barrel Length	Twist–R-H 1 Turn In	Overall Length	Length of Pull	Drop (comb)	Drop (heel)	Barrel Material	Barrel Finish	Stock Material	Stock Finish	Avg. Wt. (lbs.)	MSRP
85952	223 Remington	5	22"	12"	39"	13 ⅜'	1 ¼'	1 ½'	Carbon Steel	Mossy Oak® Brush®	Black Synthetic	Mossy Oak® Brush®	7	$859.00
85953	22-250 Remington	4	22"	14"	39"	13 ⅜'	1 ¼'	1 ½'	Carbon Steel	Mossy Oak® Brush®	Black Synthetic	Mossy Oak® Brush®	7	$859.00
85954	243 Win	4	22"	9 ⅛"	39"	13 ⅜'	1 ¼'	1 ½'	Carbon Steel	Mossy Oak® Brush®	Black Synthetic	Mossy Oak® Brush®	7	$859.00

MODEL SEVEN™ SYNTHETIC BOLT ACTION

Order No.	Caliber	Mag. Capacity	Barrel Length	Twist–R-H 1 Turn In	Overall Length	Length of Pull	Drop (comb)	Drop (heel)	Barrel Material	Barrel Finish	Stock Material	Stock Finish	Avg. Wt. (lbs.)	MSRP
NEW! 85910	223 Remington	5	20"	12"	39 ¼"	13 ⅜"	1 ¼"	1 ½"	Carbon Steel	Matte	Black Synthetic	Matte	6 ½	$681.00
NEW! 85911	243 Win.	4	20"	9 ⅛"	39 ¼"	13 ⅜"	1 ¼"	1 ½"	Carbon Steel	Matte	Black Synthetic	Matte	6 ½	$681.00
NEW! 85912	260 Remington	4	20"	9"	39 ¼"	13 ⅜"	1 ¼"	1 ½"	Carbon Steel	Matte	Black Synthetic	Matte	6 ½	$681.00
NEW! 85913	7mm-08 Remington	4	20"	9 ¼"	39 ¼"	13 ⅜"	1 ¼"	1 ½"	Carbon Steel	Matte	Black Synthetic	Matte	6 ½	$681.00
NEW! 85914	308 Win.	4	20"	10"	39 ¼"	13 ⅜"	1 ¼"	1 ½"	Carbon Steel	Matte	Black Synthetic	Matte	6 ½	$681.00
NEW! 85915 (C)	243 Win.	4	18"	9 ⅛"	36 ¼"	13 ⅜"	1 ¼"	1 ½"	Carbon Steel	Matte	Black Synthetic	Matte	6 ⅛	$681.00
NEW! 85916 (C)	7mm-08 Remington	4	18"	9 ¼"	36 ¼"	13 ⅜"	1 ¼"	1 ½"	Carbon Steel	Matte	Black Synthetic	Matte	6 ⅛	$681.00

MODEL 770™ BOLT ACTION RIFLE

Order No.	Caliber	Mag. Capacity	Barrel Length	Twist–R-H 1 Turn In	Overall Length	Length of Pull	Drop (comb)	Drop (heel)	Barrel Material	Barrel Finish	Stock Material	Stock Finish	Avg. Wt. (lbs.)[1]	MSRP
85630	243 Win.	4	22"	9 ⅛"	42 ½"	13 ⅜"	1 ⅛"	1 ⅜"	Carbon Steel	Matte	Black Synthetic	Matte	8 ½	$373.00
85637 (C)	243 Win.	4	20"	9 ⅛"	39 ½"	12 ⅜"	1 ⅛"	1 ⅜"	Carbon Steel	Matte	Black Synthetic	Matte	8 ¼	$373.00
85632	270 Win.	4	22"	10"	42 ½"	13 ⅜"	1 ⅛"	1 ⅜"	Carbon Steel	Matte	Black Synthetic	Matte	8 ½	$373.00
85631	7mm-08 Remington	4	22"	9 ¼"	42 ½"	13 ⅜"	1 ⅛"	1 ⅜"	Carbon Steel	Matte	Black Synthetic	Matte	8 ½	$373.00
85635	7mm Remington Mag.	3	24"	9 ¼"	44 ½"	13 ⅜"	1 ⅛"	1 ⅜"	Carbon Steel	Matte	Black Synthetic	Matte	8 ⅝	$373.00
85633	30-06 Sprg.	4	22"	10"	42 ½"	13 ⅜"	1 ⅛"	1 ⅜"	Carbon Steel	Matte	Black Synthetic	Matte	8 ½	$373.00
85636	300 Win. Mag.	3	24"	10"	44 ½"	13 ⅜"	1 ⅛"	1 ⅜"	Carbon Steel	Matte	Black Synthetic	Matte	8 ⅝	$373.00
85634	308 Win.	4	22"	10"	42 ½"	13 ⅜"	1 ⅛"	1 ⅜"	Carbon Steel	Matte	Black Synthetic	Matte	8 ½	$373.00

1 Average weight includes scope (C) Compact model

MODEL 770™ STAINLESS BOLT ACTION RIFLE

Order No.	Caliber	Mag. Capacity	Barrel Length	Twist–R-H 1 Turn In	Overall Length	Length of Pull	Drop (comb)	Drop (heel)	Barrel Material	Barrel Finish	Stock Material	Stock Finish	Avg. Wt. (lbs.)[1]	MSRP
85655	270 Win.	4	22"	10"	42 ½"	13 ⅜"	1 ⅛"	1 ⅜"	416 Stainless Steel	Matte	Synthetic	Realtree® AP™	8 ½	$455.00
85657	7mm Remington Mag.	3	24"	9 ¼"	44 ½"	13 ⅜"	1 ⅛"	1 ⅜"	416 Stainless Steel	Matte	Synthetic	Realtree® AP™	8 ½	$455.00
85656	30-06 Sprg.	4	22"	10"	42 ½"	13 ⅜"	1 ⅛"	1 ⅜"	416 Stainless Steel	Matte	Synthetic	Realtree® AP™	8 ½	$455.00
85658	300 Win. Mag.	3	24"	10"	44 ½"	13 ⅜"	1 ⅛"	1 ⅜"	416 Stainless Steel	Matte	Synthetic	Realtree® AP™	8 ½	$455.00

1 Average weight includes scope

MODEL 7600™ PUMP ACTION RIFLE

Model	Order No.	Caliber	Mag. Capacity	Barrel Length	Twist–R-H 1 Turn In	Overall Length	Length of Pull	Drop (comb)	Drop (heel)	Barrel Material	Barrel Finish	Stock Material	Stock Finish	Avg. Wt. (lbs.)	MSRP
7600™	24653	243 Win.	4	22"	9 ⅛"	42 ⅝"	13 ½"	1 3/16"	2 ¼"	Carbon Steel	Polished Blue	American Walnut	Satin	7 ½	$825.00
7600™	24655	270 Win.	4	22"	10"	42 ⅝"	13 ½"	1 3/16"	2 ¼"	Carbon Steel	Polished Blue	American Walnut	Satin	7 ½	$825.00
7600™	24667	270 Win.	4	22"	10"	42 ⅝"	13 ½"	1 3/16"	2 ¼"	Carbon Steel	Polished Blue	American Walnut	High Gloss	7 ½	$825.00
7600™ Carbine	24661	30-06 Sprg.	4	18 ½"	10"	39 ⅛"	13 ½"	1 3/16"	2 ¼"	Carbon Steel	Polished Blue	American Walnut	Satin	7 ¼	$825.00
7600™	24657	30-06 Sprg.	4	22"	10"	42 ⅝"	13 ½"	1 3/16"	2 ¼"	Carbon Steel	Polished Blue	American Walnut	Satin	7 ½	$825.00
7600™	24671	30-06 Sprg.	4	22"	10"	42 ⅝"	13 ½"	1 3/16"	2 ¼"	Carbon Steel	Polished Blue	American Walnut	High Gloss	7 ½	$825.00
7600™	24659	308 Win.	4	22"	10"	42 ⅝"	13 ½"	1 3/16"	2 ¼"	Carbon Steel	Polished Blue	American Walnut	Satin	7 ½	$825.00
7600™ Synthetic	25143	243 Win.	4	22"	9 ⅛"	42 ⅝"	13 ½"	1 3/16"	2 ¼"	Carbon Steel	Matte Blue	Black Synthetic	Matte	7 ½	$693.00
7600™ Synthetic	25145	270 Win.	4	22"	10"	42 ⅝"	13 ½"	1 3/16"	2 ¼"	Carbon Steel	Matte Blue	Black Synthetic	Matte	7 ½	$693.00
7600™ Synthetic	25149	30-06 Sprg.	4	22"	10"	42 ⅝"	13 ½"	1 3/16"	2 ¼"	Carbon Steel	Matte Blue	Black Synthetic	Matte	7 ½	$693.00
7600™ Synthetic	25151	308 Win.	4	22"	10"	42 ⅝"	13 ½"	1 3/16"	2 ¼"	Carbon Steel	Matte Blue	Black Synthetic	Matte	7 ½	$693.00
7600™ Synthetic Carbine	25153	30-06 Sprg.	4	18 ½"	10"	39 ⅛"	13 ½"	1 3/16"	2 ¼"	Carbon Steel	Matte Blue	Black Synthetic	Matte	7 ¼	$693.00

Equipped with iron sights.

MODEL R-15 MODULAR REPEATING RIFLE

Model	Order No.	Caliber	Mag. Capacity	Barrel Length	Twist–R-H 1 Turn In	Overall Length	Length of Pull	Drop (comb)	Drop (heel)	Barrel Material	Barrel Finish	Stock Material	Stock Finish	Avg. Wt. (lbs.)	MSRP
R-15 VTR Predator	60000	204 Ruger	5	22"	12"	40 ¼"	13 ⅜"	1 ⅛"	1 ⅜"	Carbon Steel	Matte	Synthetic	Advantage® MAX-1 HD™	7 ¾	$1,276.00
R-15 VTR Predator	60001	223 Remington	5	22"	9"	40 ¼"	13 ⅜"	1 ⅛"	1 ⅜"	Carbon Steel	Matte	Synthetic	Advantage® MAX-1 HD™	7 ¾	$1,276.00
R-15 VTR Predator Carbine	60003	223 Remington	5	18"	9"	36 ¼"	13 ⅜"	1 ⅛"	1 ⅜"	Carbon Steel	Matte	Synthetic	Advantage® MAX-1 HD™	6 ¾	$1,276.00
R-15 VTR Predator Carbine - CS	60005	223 Remington	5	18"	9"	33 ¼"–36 ¼"	11 ⅜"–14 ⅜"	1 ⅛"	1 ⅜"	Carbon Steel	Matte	Synthetic	Advantage® MAX-1 HD™	6 ¾	$1,276.00
R-15 VTR SS Varmint	60007	223 Remington	5	24"	9"	42 ¼"	13 ⅜"	1 ⅛"	1 ⅜"	Carbon Steel	Matte	Synthetic	Advantage® MAX-1 HD™	7 ¾	$1,470.00
R-15 VTR Byron South Signature Edition	60009	223 Remington	5	18"	9"	36 ¼"	13 ⅜"	1 ⅛"	1 ⅜"	Carbon Steel	Matte	Synthetic	Advantage® MAX-1 HD™	7 ¾	$1,845.00
R-15	60100	30 Remington AR	4	22"	10"	40 ¼"	13 ⅜"	1 ⅛"	1 ⅜"	Carbon Steel	Matte	Synthetic	Realtree® AP™ HD™	7 ¾	$1,276.00
R-15	60102	450 Bushmaster	4	18"	10"	36 ¼"	13 ⅜"	1 ⅛"	1 ⅜"	Carbon Steel	Matte	Synthetic	Mossy Oak® Break-Up™	7 ½	$1,631.00

RIFLE SPECIFICATIONS

MODEL R-25 MODULAR REPEATING RIFLE

Model	Order No.	Caliber	Mag. Capacity	Barrel Length	Twist–R-H 1 Turn In	Overall Length	Length of Pull	Drop (comb)	Drop (heel)	Barrel Material	Barrel Finish	Stock Material	Stock Finish	Avg. Wt. (lbs.)	MSRP
R-25	60030	243 Win.	4	20"	10"	38 ¼"	13 ⅜"	1 ⅛"	1 ⅜"	Carbon Steel	Matte	Synthetic	Mossy Oak® Treestand™	7 ¾	$1,631.00
R-25	60031	7mm-08 Remington	4	20"	9 ¼"	38 ¼"	13 ⅜"	1 ⅛"	1 ⅜"	Carbon Steel	Matte	Synthetic	Mossy Oak® Treestand™	7 ¾	$1,631.00
R-25	60032	308 Win.	4	20"	10"	38 ¼"	13 ⅜"	1 ⅛"	1 ⅜"	Carbon Steel	Matte	Synthetic	Mossy Oak® Treestand™	7 ¾	$1,631.00

MODEL 750™ WOODSMASTER®

Model	Order No.	Caliber	Twist–R-H 1 Turn In	Barrel Length	Overall Length	Length of Pull	Drop (comb)	Drop (heel)	Barrel Material	Barrel Finish	Stock Material	Stock Finish	Avg. Wt. (lbs.)	MSRP
750™ Woodsmaster®	27055	243 Win.	9 ⅛"	22"	42 ⅝"	13 ½"	1 ⅝"	2 ½"	Carbon Steel	Polished Blue	Walnut	Satin	7 ½	$915.00
750™ Woodsmaster®	27059	270 Win.	10"	22"	42 ⅝"	13 ½"	1 ⅝"	2 ½"	Carbon Steel	Polished Blue	Walnut	Satin	7 ½	$915.00
750™ Woodsmaster®	27061	30-06 Sprg.	9 ⅛"	10"	42 ⅝"	13 ½"	1 ⅝"	2 ½"	Carbon Steel	Polished Blue	Walnut	Satin	7 ½	$915.00
750™ Woodsmaster®	27057	308 Win.	10"	22"	42 ⅝"	13 ½"	1 ⅝"	2 ½"	Carbon Steel	Polished Blue	Walnut	Satin	7 ½	$915.00
750™ Woodsmaster®	27063	35 Whelen	16"	22"	42 ⅝"	13 ½"	1 ⅝"	2 ½"	Carbon Steel	Polished Blue	Walnut	Satin	7 ½	$915.00
750™ Woodsmaster® Carbine	27077	30-06 Sprg.	10"	18 ½"	39 ⅛"	13 ½"	1 ⅝"	2 ½"	Carbon Steel	Polished Blue	Walnut	Satin	7 ¼	$915.00

MODEL 750™ AUTOLOADING CENTERFIRE RIFLE

Model	Order No.	Caliber	Twist–R-H 1 Turn In	Barrel Length	Overall Length	Length of Pull	Drop (comb)	Drop (heel)	Barrel Material	Barrel Finish	Stock Material	Stock Finish	Avg. Wt. (lbs.)	MSRP
750™ Woodsmaster® Carbine	27075	308 Win.	10"	18 ½"	39 ⅛"	13 ½"	1 ⅝"	2 ½"	Carbon Steel	Polished Blue	Walnut	Satin	7 ¼	$915.00
750™ Woodsmaster® Carbine	27079	35 Whelen	16"	18 ½"	39 ⅛"	13 ½"	1 ⅝"	2 ½"	Carbon Steel	Polished Blue	Walnut	Satin	7 ¼	$915.00
750™ Synthetic	85682	243 Win.	9 ⅛"	22"	42 ⅝"	13 ½"	1 ⅝"	2 ½"	Carbon Steel	Matte Blue	Synthetic	Matte Black	7 ½	$805.00
750™ Synthetic	85685	270 Win.	9 ⅛"	22"	42 ⅝"	13 ½"	1 ⅝"	2 ½"	Carbon Steel	Matte Blue	Synthetic	Matte Black	7 ½	$805.00
750™ Synthetic	85686	30-06 Sprg.	10"	10"	42 ⅝"	13 ½"	1 ⅝"	2 ½"	Carbon Steel	Matte Blue	Synthetic	Matte Black	7 ½	$805.00
750™ Synthetic Carbine	85687	30-06 Sprg.	10"	18 ½"	39 ⅛"	13 ½"	1 ⅝"	2 ½"	Carbon Steel	Matte Blue	Synthetic	Matte Black	7 ¼	$805.00
750™ Synthetic	85683	308 Win.	10"	22"	42 ⅝"	13 ½"	1 ⅝"	2 ½"	Carbon Steel	Matte Blue	Synthetic	Matte Black	7 ½	$805.00
750™ Synthetic Carbine	85684	308 Win.	10"	18 ½"	39 ⅛"	13 ½"	1 ⅝"	2 ½"	Carbon Steel	Matte Blue	Synthetic	Matte Black	7 ¼	$805.00

MODEL 597™

Model	Order No.	Action Type (Caliber)	Mag. Capacity	Barrel Length	Overall Length	Length of Pull	Drop (comb)	Drop (heel)	Barrel Material	Barrel Finish	Stock Material	Stock Finish	Avg. Wt. (lbs.)	MSRP
597™ TVP	80852	Auto (22 LR)	10	20"	40"	14"	1 ½"	2 ¼"	Stainless Steel	Matte	Shady Camo Laminate	Satin	5 ½	$584.00
597™ FLX	80864	Auto (22 LR)	10	20"	40"	14"	1 ½"	2 ¼"	Carbon Steel	Matte	Next® Digital FLX	Camo	5 ½	$275.00
597™ Blaze Camo	80853	Auto (22 LR)	10	20"	40"	14"	1 ½"	2 ¼"	Carbon Steel	Matte	Mossy Oak® Blaze	Camo	5 ½	$275.00
597™ Pink Camo	80854	Auto (22 LR)	10	20"	40"	14"	1 ½"	2 ¼"	Carbon Steel	Matte	Mossy Oak® Pink	Camo	5 ½	$275.00
597™	26550	Auto (22 LR)	10	20"	40"	14"	1 ½"	2 ¼"	Carbon Steel	Matte	Gray Synthetic	Matte	5 ½	$204.00
597™ Scope Combo	26513	Auto (22 LR)	10	20"	40"	14"	1 ½"	2 ¼"	Carbon Steel	Matte	Gray Synthetic	Matte	5 ¾	$252.00
597™ Magnum	26560	Auto (22 WMR)	8	20"	40"	14"	1 ½"	2 ¼"	Carbon Steel	Matte	Black Synthetic	Matte	5 ½	$520.00
597™ HB LS Magnum	26581	Auto (22 WMR)	8	20"	40"	14"	1 ½"	2 ¼"	Carbon Steel	Matte	Brown Laminate	Satin	6	$620.00

MODEL 597™ AAC®-SD™

Model	Order No.	Action Type (Caliber)	Mag. Capacity	Barrel Length	Overall Length	Length of Pull	Drop (comb)	Drop (heel)	Barrel Material	Barrel Finish	Stock Material	Stock Finish	Avg. Wt. (lbs.)	MSRP
NEW! 85910	80910	Auto 22 LR	10	20"	40"	14"	1 ½"	2 ¼"	Carbon Steel	Matte	Black Synthetic	Matte	5 ½	$226.00

MODEL 597™ VTR

Model	Order No.	Caliber	Mag. Capacity	Barrel Length	Overall Length	Length of Pull	Drop (comb)	Drop (heel)	Barrel Material	Barrel Finish	Stock Material	Stock Finish	Avg. Wt. (lbs.)	MSRP
597™ VTR A-TACS® CS	80888	Auto (22 LR)	10	16"	31 ¼"– 35 ¼"	14"	1 ½"	2 ¼"	Carbon Steel	Matte	A-TACS® Digital Camo	Camo	5 ½	$618.00
597™ VTR Quad Rail CS	80882	Auto (22 LR)	10	16"	31 ¼"–35 ¼"	14"	1 ½"	2 ¼"	Carbon Steel	Matte	Black Synthetic	Matte	5 ½	$618.00
597™ VTR A2 Fixed Stock	80900	Auto (22 LR)	10	16"	34 ¾"	14"	1 ½"	2 ¼"	Carbon Steel	Matte	Black Synthetic	Matte	5 ½	$465.00
597™ VTR A2 Fixed Stock	80896	Auto (22 LR)	30	16"	34 ¾"	14"	1 ½"	2 ¼"	Carbon Steel	Matte	Black Synthetic	Matte	5 ½	$491.00
597™ VTR CS	80901	Auto (22 LR)	10	16"	31 ¼"–35 ¼"	14"	1 ½"	2 ¼"	Carbon Steel	Matte	Black Synthetic	Matte	5 ½	$465.00

MODEL 552™/572™

Model	Order No.	Action Type (Caliber)	Mag. Capacity	Barrel Length	Overall Length	Length of Pull	Drop (comb)	Drop (heel)	Barrel Material	Barrel Finish	Stock Material	Stock Finish	Avg. Wt. (lbs.)	MSRP
552™ BDL Deluxe Speedmaster®	25594	Auto (22, S, L, LR)	15[1]	21"	40"	13 ⅝"	1 ⅜"	2 ⅝"	Carbon Steel	Polished Blue	American Walnut	Gloss	5 ¾	$618.00
572™ BDL Deluxe Fieldmaster®	25624	Pump (22, S, L, LR)	15[1]	21"	40"	13 ⅝"	1 ⅜"	2 ⅝"	Carbon Steel	Polished Blue	American Walnut	Gloss	5 ¾	$632.00

1 Capacity is 15 on 22 Long Rifle, 17 on 22 Long, and 20 on 22 Short.

RIFLE CHAMBERING

MODEL 700™ BOLT CALIBER LISTINGS

Calibers	Mag. Capacity	Barrel Length	Twist – R-H 1 Turn In	BDL	CDL	CDL SF	Target Tactical	SPS Buckmasters	SPS	SPS Stainless	SPS DM	SPS Tactical	SPS Varmint	VLSS Thumbhole	Mountain LSS	Varmint SF	VLS	VS SF II	Sendero SF II	XCR II	XHR	VTR	XCR Tactical	XCR LR Tactical
17 Remington Fireball	5	22"	9"	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	84367	—	—
	5	24"	9"	—	—	—	—	—	84200	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	5	26"	9"	—	—	—	—	—	—	—	—	—	84213	—	—	84340	—	84352	—	—	—	—	—	—
	5	26"	9"	—	—	—	—	—	—	—	—	—	84225 (L)	—	—	—	—	—	—	—	—	—	—	—
204 Ruger	5	22"	12"	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	84369	—	—
	5	24"	12"	—	—	—	—	—	—	27131	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	5	26"	12"	—	—	—	—	—	—	—	—	—	84214	27443	—	84341	27467	26333	—	—	—	—	—	—
220 Swift	4	26"	14"	—	—	—	—	—	—	—	—	—	—	—	—	84344	—	26339	—	—	—	—	—	—
223 Remington	5	20"	9"	—	—	—	—	—	—	—	—	84206	—	—	—	—	—	—	—	—	—	—	84466	—
	5	22"	9"	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	84362 (AT)	—	—
	5	22"	9"	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	84370	—	—
	5	24"	12"	—	27101 (L)	—	—	—	27351	27133	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	5	26"	9"	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	84460
	5	26"	12"	—	—	—	—	—	—	—	—	—	84215	27445	—	84343	27491	26337	—	—	—	—	—	—
	5	26"	12"	—	—	—	—	—	—	—	—	—	84227 (L)	—	—	—	—	—	—	—	—	—	—	—
22-250 Remington	4	22"	14"	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	84373	—	—
	4	24"	14"	—	—	—	—	—	—	27135	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4	26"	14"	—	—	—	—	—	—	—	—	—	84216	27447	—	84342	27489	26335	—	—	—	—	—	—
	4	26"	14"	—	—	—	—	—	—	—	—	—	84226 (L)	—	—	—	—	—	—	—	—	—	—	—
243 Win.	4	20"	9 1/8"	—	—	—	—	—	27475 (C)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4	20"	9 1/8"	—	—	—	—	84176 (C)	84150 (CL)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4	22"	9 1/8"	25787	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	84368	—	—
	4	24"	9 1/8"	—	27007	—	—	84170	27355	27263	27338	—	—	—	—	—	—	—	—	—	84400	—	—	—
	4	24"	9 1/8"	—	27103 (L)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4	26"	9 1/8"	—	—	—	—	—	—	—	—	—	84217	—	—	—	27495	—	—	—	—	—	—	—
	4	26"	9 1/8"	—	—	—	—	—	—	—	—	—	84228 (L)	—	—	—	—	—	—	—	—	—	—	—
25-06 Remington	4	22"	9 1/8"	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4	24"	10"	—	27009	—	—	—	—	27251	—	—	—	—	—	—	—	—	—	84520	84401	—	—	—
257 Weatherby Mag.	3	26"	10"	—	—	84019	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
260 Remington	4	24"	10"	—	—	84018	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
264 Win. Mag.	3	26"	9"	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	27307	—	—	—	—	—
270 Win.	4	22"	10"	25791	—	—	—	—	—	—	—	—	—	—	26281	—	—	—	—	—	—	—	—	—
	4	24"	10"	—	27011	84014	—	84172	27361	27267	27335	—	—	—	—	—	—	—	—	84521	84402	—	—	—
	4	24"	10"	—	27105 (L)	—	—	—	84177 (L)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4	24"	10"	—	84080 (HP)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
270 WSM	3	24"	10"	—	—	84013	—	—	27331	27253	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4	24"	10"	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
280 Remington	4	22"	10"	—	—	—	—	—	—	—	—	—	—	—	84270	—	—	—	—	—	—	—	—	—
	4	24"	10"	—	—	84021 (LT)	—	—	—	—	—	—	—	—	—	—	—	—	—	84522	—	—	—	—
7mm-08 Remington	4	20"	9 ¼"	—	—	—	—	—	27391 (C)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4	20"	9 ¼"	—	—	—	—	—	84151 (CL)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4	22"	9 ¼"	—	—	—	—	—	—	—	—	—	—	—	26285	—	—	—	—	—	—	—	—	—
	4	24"	9 ¼"	—	27015	84012	—	84171	27357	27265	27341	—	—	—	—	—	—	—	—	—	84403	—	—	—
7mm Remington Mag.	3	24"	9 ¼"	25803	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	84524	84405	—	—	—
	3	26"	9 ¼"	—	27047	84016	—	—	27385	27271	27343	—	—	—	—	—	—	—	27311	—	—	—	—	—
	3	26"	9 ¼"	—	27109 (L)	—	—	—	84179 (L)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3	26"	9 ¼"	—	84082 (HP)	—	—	84174	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7mm Remington Ultra Mag.	3	26"	9 ¼"	—	—	—	—	—	84152	84300	—	—	—	—	—	—	—	—	—	—	84407	—	—	—
	3	26"	9 ½"	—	27051	—	—	—	—	—	—	—	—	—	—	—	—	—	27315	84527	—	—	—	—
30-06 Springfield	4	22"	10"	25793	—	—	—	—	—	—	—	—	—	—	26287	—	—	—	—	—	—	—	—	—
	4	24"	10"	—	27017	84015	—	84173	27363	27269	27337	—	—	—	—	—	—	—	—	84523	84404	—	—	—
	4	24"	10"	—	27107 (L)	—	—	—	84178 (L)	—	—	—	—	—	—	—	—	—	—	84515 (BC)	—	—	—	—
	4	24"	10"	—	84081 (HP)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
300 Win. Mag.	3	24"	10"	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	84526	84406	—	—	—
	3	26"	10"	—	27049	—	—	84175	27387	27273	27339	—	—	—	—	—	—	—	27313	—	—	—	—	84462
	4	26"	10"	—	—	—	—	—	84180 (L)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
300 WSM	3	24"	10"	—	—	84017	—	—	27333	27255	—	—	—	—	—	—	—	—	—	84525	—	—	—	—
	4	24"	10"	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	13 3/8"—	—	—
308 Win.	4	24"	10"	—	—	—	—	—	27359	27136	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4	20"	12"	—	—	—	—	—	—	—	—	84207	—	—	—	—	—	—	—	—	—	—	84467	—
	4	22"	12"	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	84364 (AT)	—	—
	4	22"	12"	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	84371	—	—
	4	26"	11 ¼"	—	—	—	84456	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4	26"	12"	—	—	—	—	—	—	—	—	—	84218	—	—	84345	27499	—	—	—	—	—	—	84461
	4	26"	12"	—	—	—	—	—	—	—	—	—	84229 (L)	—	—	—	—	—	—	—	—	—	—	—
300 Remington Ultra Mag.	3	24"	10"	26410	27053	—	—	—	27389	27140	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3	26"	10"	—	27111 (L)	—	—	—	—	—	—	—	—	—	—	—	—	—	27318	84528	84408	—	—	—
	3	26"	10"	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	84540 (R)	—	—	—	—
338 Win. Mag.	3	24"	10"	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	84530	—	—	—	—
	3	26"	10"	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
338 Remington Ultra Mag.	3	26"	10"	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	84529	—	—	—	—
35 Whelen	4	24"	16"	—	27019	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
375 H&H[1]	3	24"	12"	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	84531	—	—	—	—
375 Remington Ultra Mag[1]	3	24"	12"	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	84532	—	—	—	—
Stock Dimensions			Length of Pull	13 3/8"	13 ½"	13 ½"	13 ½"	13 3/8"	13 3/8"	13 3/8"	13 3/8"	13 3/8"	13 3/8"	13 ½"	13 3/8"	13 3/8"	13 ½"	13 3/8"	13 3/8"	13 3/8"	13 3/8"	13 3/8"	13 3/8"	13 3/8"
			Drop at Comb	1"	1 1/8"	1 1/8"	1 1/8"	1 1/8"	1 1/8"	1 1/8"	1 1/8"	1 1/8"	1 1/8"	1 ¼"	1 1/8"	1 1/8"	1"	1 ¼"	1 ¼"	1 ¼"	1 1/8"	1 1/8"	1 ¼"	1 ¼"
			Drop at Heel	1 5/8"	1 3/8"	1 3/8"	1 3/8"	1 3/8"	1 3/8"	1 3/8"	1 3/8"	1 3/8"	1 3/8"	2 3/8"	1 1/8"	1 3/8"	1 3/8"	1 ½"	1 ½"	1 ½"	1 3/8"	1 3/8"	1 ½"	1 ½"

(L) Left-hand model **(C)** Compact model **(AT)** A-TACS **(BC)** Bone Collector **(LT)** Limited Edition **(HP)** Polished Polish Blued **(R)** Rocky Mountain Elk Foundation **1** Equipped with Iron Sights.

BARREL SPECIFICATIONS

MODEL 870™ EXTRA BARRELS/3" CHAMBERS			
Length & Choke	**12-Gauge**	**16-Gauge**	**20-Gauge[1]**
Field Grade, Vent Rib, Wingmaster®			
28" Rem Choke	24580	—	24606
26" Rem Choke	24582	—	24608
Deer Barrel, Super Slug Cantilever Scope Mount, New Contour			
23" Fully Rifled	24551	—	—
Deer Barrel, Cantilever Scope Mount, Wingmaster®			
20" Fully Rifled	24557	—	—
Deer Barrel, Rifle Sights			
20" Rem Choke	24545[2]	24495[3]	—
20" Fully Rifled	24558	—	—
20" Imp. Cyl.	—	—	24578
SP™ Deer Barrel, Cantilever Scope Mount			
20" Fully Rifled Camo	26203[4]	—	—
20" Rem Choke	26227[5]	—	—
SP™ Deer Barrel, Rifle Sights			
20" Rem Choke	24549[3]	—	—
Express® Bead Sights	24620	—	—
Express® Vent Rib	24589	—	—
Express® Deer, Rifle Sights (20"), Imp. Cyl.	24622	—	—
Express® Deer, Fully Rifled, Rifle Sights (20")	24611[6]	—	24609[6]
SP,™ Vent Rib			
30" Rem Choke	24590	—	—
28" Rem Choke	26225	—	—

Model 870™ extra barrels with 3" chambers used on Super Magnum™ and Magnum receivers will handle both 2 3/4" and 3" shells only. Use only 2 3/4" shells when these barrels are used on non-Magnum receivers. **1** 20-gauge 870™ Lightweight barrels will not fit 20-gauge standard 870™ guns. **2** Rifle-sighted Rem Choke Deer barrels supplied with Rifled and Improved Cylinder Choke tubes. **3** Rifle-sighted Rem Choke Deer barrels supplied with Improved Cylinder Choke tube. **4** Camo Mossy Oak® Break-Up® Pattern. **5** Cantilever Rem Choke Deer barrels supplied with Improved Cylinder and Extended Rifled Choke tubes. **6** Express® 20-ga. Fully Rifled Deer barrel has 2 3/4" chamber. Model 870™ extra barrels with 2 3/4" chambers will fit both Magnum and 2 3/4" receivers. Use only 2 3/4" shells in these barrels.

MODEL 11-87™ EXTRA BARRELS / 2 3/4" CHAMBERS		
Length & Choke	**12-Gauge**	**20-Gauge[1]**
Deer Barrel, Cantilever Scope Mount[2]		
21" Fully Rifled	29615	—
SP™ Deer Barrel, Cantilever Scope Mount[2]		
21" Fully Rifled	24645	—
21" Rem Choke[3]	24647	—
SP™ Deer Barrel, Rifle Sights[2]		
21" Rem Choke[4]	29627	—
21" Fully Rifled	29609	
MODEL 11-87™ SUPER MAGNUM		
SP™ Super Magnum Deer Barrel, Rifle Sights		
23" Fully Rifled w/ Rifle Sights (3" chamber)	24629	—
SP™ Super Magnum Deer Barrel, Cantilever Scope Mount		
23" Fully Rifled (3" chamber)	80500	—

Model 11-87™ Deer barrels are not equipped with a pressure-compensating gas system, and will not function with target or light field loads. **1** 20-gauge 870™ Lightweight barrels will not fit 20-gauge standard 870™ guns. **2** Model 11-87™ Deer barrels are compatible with Model 1100™ G3 shotguns. **Fitting Standard Barrels on Light Contour Shotguns** – The fore-ends on our Light Contour Model 11-87™ shotguns are shaped to follow the curve of the slimmer-profiled LC barrel, which means that a standard Vent Rib or Deer barrel cannot be fitted to your gun unless you do one of two things: have your LC fore-end wood opened up by a competent gunsmith or stockmaker; or purchase a standard profile fore-end from our Arms Service Division by writing to: Arms Service Division, Remington Arms Co., P.O. Box 700, Madison, NC 27025-0700 or visit our website at: www.remington.com. **3** Cantilever Rem Choke Deer barrels supplied with Improved Cylinder and Extended Rifled Choke tubes. **4** Rifle-sighted Rem Choke Deer barrels supplied with Rifled and Improved Cylinder Choke tubes.

MODEL 1100™ EXTRA BARRELS/2 3/4" CHAMBERS		
Length & Choke	**12-Gauge**	**20-Gauge LT-20[1]**
Field Grade Deer, Cantilever Scope Mount		
21" Fully Rifled	26595	—
Field Grade Deer, Rifle Sights		
21" Fully Rifled	29570	—
21" Rem Choke[2]	29565	—
21" Imp. Cyl.	—	24438
SP™ Deer, Rife Sights		
21" Rem Choke[2]	29571	—
Steel Shot Barrel, Vent Rib[3] (See ammunition note below)		
30" Rem Choke	29505	—
26" Rem Choke	29509	—
Field Grade, Vent Rib		
30" Rem Choke	24488	—
28" Rem Choke	24464	24484
26" Rem Choke	24466	24486
Skeet, Vent Rib		
26" Rem Choke	24490	—

1 NOTE: LT-20, 20-gauge Lightweight barrels (4000 Series) will not fit pre-1977 20-gauge Lightweight or standard 20-gauge Model 1100™ shotguns. (Refer to parts list for pre-1977 barrels.) **2** Rifle-sighted Rem Choke Deer barrels supplied with Rifled and Imp. Cyl. Choke tubes. **3** Supplied with Full Choke only.

Please note the following ammunition recommendations for use with the Model 1100™ steel shot barrel. When used with Model 1100™ Magnum shotguns, use 2 3/4" magnum or 3" magnum steel shotshells. When used with Model 1100™ non-Magnum shotguns, use 2 3/4" magnum or 3" magnum steel shotshells. Or use 2 3/4" magnum lead shotshells. Do not use 3" magnum lead shotshells in non-Magnum Model 1100™ shotguns, as this will cause extra wear and decrease the life of the gun.

MODEL 887™ EXTRA BARREL/3" CHAMBERS	
Length & Choke	**12-Gauge**
Nitro Mag Deer Barrel, FR-RS, HiViz® Fiber Optic Rifle Sights	
22" Fully Rifled	80200

INTERCHANGEABILITY CHART

Cartridges within groups shown are interchangeable. Other substitutions should not be made without specific recommendation of the firearms manufacturer since improper combinations could result in firearm damage or personal injury.

RIMFIRE	CENTERFIRE (CONT.)	CENTERFIRE (CONT.)	CENTERFIRE (CONT.)	CENTERFIRE (CONT.)
22 W.R.F.	7mm Express, Remington	32 Colt New Police	38 Special +P (SEE NOTE B)	44 S&W Special (SEE NOTE F)
22 Remington Special	280 Remington	32 Colt Police Positive	38-44 Special +P (SEE NOTE B)	44 Win.
22 Win. Model 1890 in a 22 Win. Mag. Rimfire – but not conversely	30-30 Sav.	32 W.C.F. (SEE NOTE A)	38 Special	44 Remington
CENTERFIRE	30-30 Win.	2 Win. (SEE NOTE A)	38 Special Flat Point	44-40 Win.
25-20 Remington	30-30 Win. Accelerator (SEE NOTE A)	32-20 Win. High Speed (SEE NOTE A)	38 Short Colt in 38 Long Colt but not conversely. Both can be used in 38 Special.	44 W.C.F.
25-20 W.C.F.	30-30 Marlin	32-20 Colt L.M.R	38 Marlin	45-70 Government
25-20 Win.	30-30 Win. High Speed	32-20 W.C.F (SEE NOTE G)	38 Win. (SEE NOTE A)	45-70 Marlin
25-20 Win. High Speed	30 W.C.F.	32-20 Win.	38 Remington (SEE NOTE A)	45-70 Win.
25-20 Marlin	32 Colt Automatic	32-20 Marlin	38-40 Win.	45-70-405
25 W.C.F.	32 Auto. Colt Pistol (ACP)	38 S&W	38 W.C.F. (SEE NOTE A)	
6mm Remington	32 (7.65mm) Automatic	38 Colt New Police	38 Automatic in 38 Super +P – but not conversely	
244 Remington	7.65mm Automatic Pistol	380 Webley	380 Automatic	
25 Automatic	7.65mm Browning (not interchangeable with 7.65mm Luger)	38 Colt Special	9mm Browning Short (Corto Kurz)	
5 Auto. Colt Pistol (ACP)	32 Short Colt in 32 Long Colt but not conversely (SEE NOTE C)	38 S&W Special	9mm Luger (SEE NOTE E)	
25 (6.35mm) Automatic	32 S&W in 32 S&W Long but not conversely	8 S&W Special Mid-Range (SEE NOTE D)	9mm Parabellum	
6.35mm Browning	32 S&W Long	38 Special Targetmaster®	44 Marlin	

NOTE A: High-speed cartridges must not be used in revolvers. They should be used only in rifles made especially for them. **NOTE B:** Ammunition with "+P" on the case headstamp is loaded to higher pressure. Use only in firearms designated for this cartridge and so recommended by the gun manufacturer. **NOTE C:** Not for use in revolvers chambered for 32 S&W or 32 S&W Long. **NOTE D:** All 38 Special cartridges can be used in 357 Magnum revolvers but not conversely. **NOTE E:** 9mm sub machine gun cartridges should not be used in handguns. **NOTE F:** 44 Russian and 44 S&W Special can be used in 44 Remington Magnum revolvers but not conversely. **NOTE G:** Not to be used in Win. M-66 and M-73.

CENTERFIRE RIFLE BALLISTICS

17 REMINGTON FIREBALL – 270 WIN

Caliber	Index/ EDI No.	WT (gr)	Bullet Style	Primer No.	Velocity (ftps)						Energy (ft-lb)						Short-Range[4] Trajectory[1]						Long-Range[5] Trajectory[1]							Ballistic Coefficient
					Muzzle	100	200	300	400	500	Muzzle	100	200	300	400	500	50	100	150	200	250	300	100	150	200	250	300	400	500	
17 Remington Fireball	PRA17FB	20	AccuTip-V	7 ½	4000	3380	2840	2360	1930	1555	710	507	358	247	165	107	-0.3	0.2	0	-1.1	-3.3	-6.8	1.6	2	1.5	0	-2.8	-13.5	-33.8	0.185
	L17FBV	25	UMC® Jacketed Hollow Point	7 ½	3850	3280	2780	2330	1925	1569	823	597	429	301	206	137	0	0.9	0.9	zero	-2	-5.4	1.7	2.1	1.6	zero	-3	-14.1	-34.7	0.193
17 Remington	PRA17RA	20	AccuTip-V	7 ½	4250	3594	3028	2529	2081	1684	802	574	407	284	192	126	-0.4	0.1	zero	-0.9	-2.8	-5.9	1.3	1.7	1.3	zero	-2.5	-11.8	-29.2	0.185
	R17R2	25	Hollow Point	7 ½	4040	3428	2895	2420	1993	1617	906	652	465	325	221	145	-0.1	0.8	0.8	zero	-1.9	-5	1.5	1.9	1.5	zero	-2.7	-12.9	-32	0.187
204 Ruger	PRA204A	32	AccuTip-V	7 ½	4225	3632	3114	2652	2234	1856	1268	937	689	500	355	245	-0.4	0.1	zero	-0.9	-2.7	-5.5	0.6	0.7	zero	-1.5	-4.1	-13.1	-28.9	0.21
	PRA204B	40	AccuTip-V Boat Tail	7 ½	3900	3451	3046	2677	2336	2021	1351	1058	824	636	485	363	-0.3	0.2	zero	-1	-2.9	-5.8	0.7	0.7	zero	-1.6	-4.3	-13.2	-28.1	0.275
22 Hornet	PRA22HNA	35	AccuTip-V	6 ½	3100	2271	1591	1127	924	806	747	401	197	99	66	51	-1.5	zero	-1.6	-5.5	-13	-25.5	-1.5	zero	-3.5	-10.4	-22.3	-68.4	-155.3	0.109
	R22HN1	45	Pointed Soft Point	6 ½	2690	2042	1502	1128	948	840	723	417	225	127	90	70	0	zero	-2.1	-7.1	-16	-30	1.4	zero	-4.3	-12.4	-25.8	-74.2	-162	0.13
	R22HN2	45	Hollow Point	6 ½	2690	2042	1502	1128	948	840	723	417	225	127	90	70	0	zero	-2.1	-7.1	-16	-30	1.4	zero	-4.3	-12.4	-25.8	-74.2	-162	0.13
220 Swift	R220S1	50	Pointed Soft Point	9 ½	3780	3158	2617	2135	1710	1357	1586	1107	760	506	325	204	0	0.3	zero	-1.4	-4	-8.2	0.4	1	zero	-2.3	-6.2	-20.1	-46.1	0.175
221 Rem. Fireball	PRA221FB	50	AccuTip-V Boat Tail	7 ½	2995	2605	2247	1918	1622	1368	996	753	560	408	292	208	0.2	0.7	zero	-2.2	-6.1	-12.1	1.8	1.7	zero	-3.4	-8.8	-27.1	-58.8	0.238
222 Remington	R222R1	50	Pointed Soft Point	7 ½	3140	2602	2123	1700	1350	1107	1094	752	500	321	202	136	0.1	0.7	zero	-2.3	-6.5	-13.1	1.9	1.7	zero	-3.6	-9.7	-31.7	-72.8	0.175
	R222R3	50	Power-Lokt® Hollow Point	7 ½	3140	2635	2182	1777	1432	1172	1094	771	529	351	228	152	0.1	0.7	zero	-2.2	-6.2	-12.5	1.8	1.6	zero	-3.5	-9.2	-29.6	-67.1	0.188
	PRA222RB	50	AccuTip-V Boat Tail	7 ½	3140	2744	2380	2045	1740	1471	1094	836	629	464	336	240	0.1	0.6	zero	-1.9	-5.4	-10.7	1.6	1.5	zero	-3	-7.8	-23.9	-51.7	0.242
223 Remington	DV223RA	45	Jacketed Iron-Tin Core HP	7 ½	3550	2911	2355	1865	1451	1150	1259	847	554	347	210	132	-0.1	0.5	zero	-1.7	-5	-10.3	2.5	3	2.3	zero	-4.3	-21.1	.54.7	0.161
	L223R3	55	UMC® Metal Case	7 ½	3240	2759	2326	1933	1587	1301	1282	929	660	456	307	207	0	0.6	zero	-1.9	-5.5	-11	1.6	1.5	zero	-3.1	-8.1	-25.5	-57	0.202
	L223R7	45	UMC® Jacketed	7 ½	3550	2953	2430	1964	1559	1241	1259	871	590	385	243	154	-0.1	0.4	zero	-1.7	-4.8	-9.7	2.4	2.9	2.2	zero	-4	-19.3	-49.3	0.173
	L223R8	50	UMC® Jacketed	7 ½	3425	2899	2430	2007	1633	1324	1302	933	655	447	296	195	-0.1	0.5	zero	-1.7	-4.9	-9.9	1.3	1.3	zero	-2.8	-7.3	-23.4	-52.7	0.192
	PRA223RB	50	AccuTip-V Boat Tail	7 ½	3410	2989	2605	2252	1928	1635	1291	992	753	563	413	297	-0.1	0.4	zero	-1.5	-4.4	-8.7	2.2	2.6	2	zero	-3.4	-15.7	-37.5	0.242
	PRA223RC	55	AccuTip-V	7 ½	3240	2854	2500	2172	1871	1598	1282	995	763	576	427	312	0.2	0.6	zero	-1.8	-5.1	-9.9	1.5	1.4	zero	-2.8	-7.1	-21.7	-46.3	0.255
	R223R1	55	Pointed Soft Point	7 ½	3240	2747	2304	1905	1554	1270	1282	921	648	443	295	197	0	0.6	zero	-2	-5.6	-11.2	1.6	1.5	zero	-3.1	-8.2	-26.2	-58.6	0.197
	R223R2	55	Power-Lokt® Hollow Point	7 ½	3240	2773	2352	1969	1627	1341	1282	939	675	473	323	220	0	0.6	zero	-1.9	-5.4	-10.7	1.5	1.4	zero	-3	-7.9	-24.8	-55.1	0.209
	R223R3	55	Metal Case	7 ½	3240	2759	2326	1933	1587	1301	1282	929	660	456	307	207	0	0.6	zero	-1.9	-5.5	-11	1.6	1.5	zero	-3.1	-8.1	-25.5	-57	0.202
	PRC223R4	62	Core-Lokt® Ultra Bonded®	7 ½	3100	2695	2324	1983	1676	1409	1323	1000	743	541	386	273	0.1	0.6	zero	-2	-5.7	-11.2	1.7	1.5	zero	-3.1	-8.2	-25.2	-54.8	0.234
	R223R6	62	Hollow Point Match	7 ½	3025	2572	2162	1792	1471	1217	1260	911	643	442	298	204	0.2	0.7	zero	-2.3	-6.5	-12.9	1.9	1.7	zero	-3.6	-9.4	-29.9	-66.4	0.205
	L223R9	62	Closed-Tip Flat Base	7 ½	3100	2734	2396	2083	1795	1537	1323	1029	790	597	444	325	0.1	0.6	zero	-1.9	-5.4	-10.6	1.6	1.5	zero	-3	-7.7	-23.5	-50.1	0.261
	RM223R1	69	MatchKing® BTHP	7 ½	3000	2720	2457	2209	1975	1758	1379	1133	925	747	598	473	0.1	0.6	zero	-1.9	-5.3	-10.3	1.6	1.5	zero	-2.9	-7.4	-21.9	-45.4	0.336
	RM223R3	77	MatchKing® BTHP	7 ½	2788	2539	2303	2081	1871	1675	1329	1102	907	740	598	480	0.3	0.8	zero	-2.3	-6.2	-12	2	1.7	zero	-3.4	-8.5	-25.1	-51.7	0.362
22-250 Remington	L22S03	45	UMC® Jacketed Hollow Point	9 ½	4000	3340	2770	2266	1819	1440	1598	1114	767	513	331	207	-0.3	0.2	zero	-1.2	-3.5	-7.2	1.6	2.1	1.6	zero	-3	-14.5	-36.7	0.173
	L22S04	50	UMC® Jacketed Hollow Point	9 ½	3820	3245	2739	2286	1878	1523	1620	1169	833	580	392	258	0.1	0.9	0.9	zero	-2.1	-5.6	1.8	2.2	1.7	zero	-3.1	-14.6	-36.1	0.192
	DV22S0RA	45	Jacketed Iron-Tin Core HP	9 ½	4000	3293	2690	2159	1696	1320	1598	1084	723	466	287	174	0	0.9	0.9	zero	-2.1	-5.8	1.7	2.2	1.7	zero	-3.2	-15.7	-40.6	0.161
	PRA22S0RB	50	AccuTip-V Boat Tail	9 ½	3800	3339	2925	2546	2198	1878	1603	1238	949	720	536	392	0	0.8	0.9	0	-1.9	-4.9	1.6	2	1.5	zero	-2.7	-12.2	-29.1	0.242
	R22S01	55	Pointed Soft Point	9 ½	3680	3137	2656	2222	1832	1493	1654	1201	861	603	410	272	0	0.3	zero	-1.4	-4	-8.1	1.9	2.4	1.8	zero	-3.3	-15.5	-38.3	0.197
6mm Remington[3]	R6MM4	100	Core-Lokt® Pointed Soft Point	9 ½	3100	2829	2573	2332	2104	1889	2133	1777	1470	1207	983	792	0	0.6	zero	-1.8	-4.8	-9.3	1.4	1.3	zero	-2.6	-6.7	-19.8	-40.8	0.356
243 Win.	PRA243WB	75	AccuTip-V Boat Tail	9 ½	3375	3065	2775	2504	2248	2008	1897	1564	1282	1044	842	671	0	0.4	zero	-1.4	-4	-7.8	2	2.4	1.8	zero	-3	-13.3	-30.6	0.33
	R243W1	80	Pointed Soft Point	9 ½	3350	2955	2593	2259	1951	1670	1993	1551	1194	906	676	495	0	0.5	zero	-1.6	-4.5	-8.8	2.2	2.7	2	zero	-3.5	-15.8	-37.3	0.255
	R243W2	80	Power-Lokt® Hollow Point	9 ½	3350	2955	2593	2259	1951	1670	1993	1551	1194	906	676	495	0	0.5	zero	-1.6	-4.5	-8.8	2.2	2.7	2	zero	-3.5	-15.8	-37.3	0.255
	PCS243WB	80	Copper Solid® Tipped	9 ½	3350	3011	2696	2403	2128	1872	1993	1610	1291	1025	804	622	-0.1	0.4	zero	-1.5	-4.2	-8.2	2.1	2.5	1.9	zero	-3.2	-14.3	-33.1	0.299
	PRSC243WA	90	Swift Scirocco Bonded	9 ½	3120	2871	2635	2411	2199	1997	1946	1647	1388	1162	966	797	0	0.5	zero	-1.7	-4.5	-8.9	1.4	1.3	zero	-2.5	-6.4	-18.8	-38.3	0.39
	PRA243WA	95	AccuTip	9 ½	3120	2847	2590	2347	2118	1902	2053	1710	1415	1162	946	763	0	0.5	zero	-1.7	-4.6	-9.2	0.5	1.3	zero	-2.7	-6.6	-19.5	-40.2	0.355
	PRC243WC	100	Core-Lokt® Ultra Bonded®	9 ½	2960	2709	2471	2246	2033	1832	1945	1629	1356	1120	917	745	0	0.5	zero	-2	-5.3	-10.3	1.6	1.5	zero	-2.9	-7.3	-21.6	-44.3	0.373
	R243W3	100	Core-Lokt® Pointed Soft Point	9 ½	2960	2697	2449	2215	1993	1786	1945	1615	1332	1089	882	708	0.1	0.7	zero	-2	-5.4	-10.4	1.6	1.5	zero	-2.9	-7.5	-22.1	-45.4	0.356
25-06 Remington	R25062	100	Core-Lokt® Pointed Soft Point	9 ½	3230	2893	2580	2287	2014	1762	2316	1858	1478	1161	901	689	0	0.5	zero	-1.7	-4.6	-9.1	1.3	1.3	zero	-2.6	-6.6	-19.8	-41.7	0.292
	PRC25O6RA	115	Core-Lokt® Ultra Bonded®	9 ½	3000	2751	2516	2293	2081	1881	2298	1933	1616	1342	1106	903	0.1	0.6	zero	-1.9	-5.1	-9.9	1.6	1.4	zero	-2.8	-7.1	-20.7	-42.5	0.38
	R25063	120	Core-Lokt® Pointed Soft Point	9 ½	2990	2730	2484	2252	2032	1825	2382	1985	1644	1351	1100	887	0.1	0.6	zero	-1.9	-5.2	-10.1	1.6	1.4	zero	-2.8	-7.2	-21.4	-44.1	0.362
25-20 Win.	R25202	86	Soft Point	6 ½	1460	1194	1030	931	858	797	407	272	203	165	141	121	zero	-3.5	-13.2	-30	-54.7	-89.1	zero	-7.9	-22.9	-45.8	-78.5	-173	-315.5	0.19
250 Savage	R250SV	100	Pointed Soft Point	9 ½	2820	2504	2210	1936	1684	1461	1765	1392	1084	832	630	474	0	zero	-1.3	-4.1	-8.7	-15.3	2	1.8	zero	-3.6	-9.2	-27.7	-58.6	0.285
257 Roberts	R257	117	Core-Lokt® Soft Point	9 ½	2650	2291	1961	1663	1404	1199	1824	1363	999	718	512	373	0	zero	-1.6	-5.2	-10.5	-19.5	2.6	2.3	zero	-4.1	-11.7	-36.1	-78.2	0.24
6.5x55 Swedish	R65SWE1	140	Core-Lokt® Pointed Soft Point	9 ½	2550	2353	2164	1984	1814	1654	2021	1720	1456	1224	1023	850	0	zero	-1.5	-4.8	-9.9	-17	2.4	2.1	zero	-3.9	-9.8	-27	-57.8	0.435
6.5mm Remington Mag.	R65MM2	120	Core-Lokt® Pointed Soft Point	9 ½ M	3210	2905	2621	2353	2102	1867	2745	2248	1830	1475	1177	929	0.4	0.7	zero	-1.8	-4.9	-9.5	2.7	3	2.1	zero	-3.5	-15.5	-35.3	0.323
260 Remington	PRA260RA	120	AccuTip Boat Tail	9 ½	2890	2697	2512	2334	2163	2000	2392	2083	1807	1560	1340	1146	0.1	0.7	zero	-1.8	-4.9	-9.5	1.6	1.5	zero	-2.8	-7.2	-20.7	-41.7	0.48
	R260R1	140	Core-Lokt® Pointed Soft Point	9 ½	2750	2544	2347	2158	1979	1812	2351	2011	1712	1448	1217	1021	0.3	0.8	zero	-2.3	-6.1	-11.7	1.9	1.7	zero	-3.3	-8.3	-24	-47.2	0.435
	PRC260RB	140	Core-Lokt® Ultra Bonded®	9 ½	2750	2554	2365	2185	2013	1849	2351	2027	1739	1484	1260	1063	0.3	0.8	zero	-2.2	-6	-11.5	1.9	1.7	zero	-3.2	-8.1	-23.6	-47.6	0.457
	RL2601	140	Core-Lokt® Pointed Soft Point	9 ½	2360	2171	1991	1820	1660	1511	1731	1465	1232	1029	856	710	0.1	zero	-1.9	-5.9	-12	-20.6	2.9	2.5	zero	-4.7	-11.7	-34	-68.9	0.435
264 Win. Mag	R264W2	140	Core-Lokt® Pointed Soft Point	9 ½ M	3030	2782	2548	2326	2114	1914	2854	2406	2018	1682	1389	1139	0.1	0.6	zero	-1.8	-5	-9.6	1.5	1.4	zero	-2.7	-6.9	-20.2	-41.3	0.384
6.8mm Remington SPC	R86R1	115	Open Tip Match (OTM)	9 ½	2625	2373	2135	1911	1702	1513	1759	1437	1163	932	740	584	0.4	1	zero	2.7	-7.3	-14.1	2.3	2	zero	-3.9	-10.0	-29.6	-61.2	0.344
NEW!	L68R2	115	UMC® Metal Case	9 ½	2625	2329	2053	1797	1565	1363	1759	1385	1076	825	625	474	0.5	1	zero	-2.9	-7.8	-15.1	2.5	2.1	zero	-4.2	-10.6	-32.4	-68.3	0.292
	RM68R1	115	MatchKing® BTHP	9 ½	2625	2365	2119	1889	1676	1484	1759	1428	1147	911	717	562	0.5	1	zero	-2.7	-7.4	-14.3	2.4	2.1	zero	-4	-10.1	-30.1	-62.5	0.333
	PRC68R4	115	Core-Lokt® Ultra Bonded®	9 ½	2625	2332	2058	1805	1574	1372	1759	1389	1082	832	633	481	0.5	1	zero	-2.8	-7.8	-15	2.5	2.1	zero	-4.2	-10.7	-32.2	-67.8	0.295
270 Win.	RL270W2	115	Core-Lokt® Pointed Soft Point	9 ½	2710	2412	2133	1873	1636	1425	1875	1485	1161	896	683	519	0.1	zero	-1.6	-4.8	-10	-17.8	1	zero	-2.7	-7.4	-14.2	-35.6	-70.1	0.295
	PRA270WA	130	AccuTip Boat Tail	9 ½	3060	2845	2639	2442	2254	2076	2702	2335	2009	1721	1467	1243	0	0.5	zero	-1.7	-4.7	-9	1.4	1.3	zero	-2.4	-6.4	-18.6	-37.7	0.447
	PRSC270WA	130	Swift Scirocco Bonded	9 ½	3060	2838	2627	2425	2232	2048	2702	2325	1991	1697	1438	1211	0	0.6	zero	-1.7	-4.7	-9	1.4	1.3	zero	-2.5	-6.5	-18.8	-38.2	0.433
	R270W2	130	Core-Lokt® Pointed Soft Point	9 ½	3060	2776	2510	2259	2022	1801	2702	2225	1818	1472	1180	936	0.1	0.6	zero	-1.8	-5.1	-9.8	1.5	1.4	zero	-2.8	-7	-20.9	-43.3	0.336
	R270W3	130	Bronze Point	9 ½	3060	2802	2559	2329	2110	1904	2702	2267	1890	1565	1285	1046	0	0.6	zero	-1.8	-4.9	-9.5	1.5	1.3	zero	-2.7	-6.8	-20	-41.1	0.372
	PCS270WA	130	Copper Solid® Tipped	9 ½	3060	2837	2625	2422	2229	2044	2702	2323	1988	1693	1434	1206	0	0.6	zero	-1.7	-4.7	-9.1	2.4	2.8	2	zero	-3.4	-14.8	-33.2	0.431
	PRC270WB	140	Core-Lokt® Ultra Bonded®	9 ½	2925	2667	2424	2193	1975	1771	2659	2211	1826	1495	1212	975	0.1	0.7	zero	-2	-5.5	-10.7	1.7	1.5	zero	-3	-7.6	-22.5	-46.4	0.36
	RS270WA	140	Swift A-Frame PSP	9 ½	2925	2652	2394	2152	1923	1711	2659	2186	1782	1439	1150	910	0.2	0.7	zero	-2.1	-5.6	-10.9	1.7	1.5	zero	-3.1	-7.8	-23.2	-48	0.339
	R270W4	150	Core-Lokt® Soft Point	9 ½	2850	2504	2183	1886	1618	1385	2705	2087	1587	1185	872	639	0.3	0.8	zero	-2.4	-6.7	-13	2	1.8	zero	-3.6	-9.4	-28.6	-61.2	0.261

Note: These ballistics reflected a test barrel length of 24" except those for 30 Carbine and 44 Remington Magnum, which are 20" barrels. Specifications are nominal. Ballistics figures established in test barrels. Individual rifles may vary from test barrel results. "Zero" indicates yardage at which rifle was sighted in.

1 Inches above or below line of sight. Hold low for positive numbers, high for negative numbers.
2 280 Remington and 7mm Express Remington are interchangeable.
3 6mm Remington and 244 Remington are interchangeable.
4 Bullet does not rise more than 1" above line of sight from muzzle to sighting-in range.
5 Bullet does not rise more than 3" above line of sight from muzzle to sighting-in range.

MANAGED-RECOIL® *(PAGE 72)*
PREMIER® COPPER SOLID® *(PAGE 65)*
PREMIER® CORE-LOKT® ULTRA BONDED® *(PAGE 64)*
PREMIER® DISINTEGRATOR® VARMINT *(PAGE 67)*
PREMIER® MATCH *(PAGE 65)*
PREMIER® ACCUTIP *(PAGE 65)*
PREMIER® SCIROCCO BONDED *(PAGE 63)*
PREMIER® A-FRAME *(PAGE 62)*
UMC® *(PAGES 75–76)*
CORE-LOKT® *(PAGE 70)*

CENTERFIRE RIFLE BALLISTICS

270 WSM – 308 MARLIN EXPRESS

Caliber	Index/ EDI No.	WT (gr)	Bullet Style	Primer No.	Velocity (ftps)						Energy (ft-lb)						Short-Range[4] Trajectory[1]						Long-Range[5] Trajectory[1]						Ballistic Coefficient
					Muzzle	100	200	300	400	500	Muzzle	100	200	300	400	500	50	100	150	200	250	300	100	150	200	250	300	400	500	
270 WSM	R270WSM1	130	Core-Lokt® Soft Point	9 ½ M	3285	2986	2707	2444	2196	1963	3114	2573	2114	1724	1392	1112	-0.1	0.4	zero	-1.5	-4.2	-8.2	2.1	2.5	1.9	zero	-3.2	-14.1	-32.2	0.336
280 Remington[4]	PRA280RA	140	AccuTip	9 ½	3000	2804	2617	2437	2265	2099	2797	2444	2129	1846	1594	1369	0.1	0.6	zero	-1.8	-4.8	-9.2	2.5	2.9	2.1	zero	-3.4	-14.8	-33	0.486
	R280R3	140	Core-Lokt® Pointed Soft Point	9 ½	3000	2758	2528	2309	2102	1905	2797	2363	1986	1657	1373	1128	0.1	0.6	zero	-1.9	-5.1	-9.8	1.5	1.4	zero	-2.8	-7	-20.5	-42	0.39
	R280R1	150	Core-Lokt® Pointed Soft Point	9 ½	2890	2624	2373	2135	1912	1705	2781	2293	1875	1518	1217	968	0.2	0.7	zero	-2.1	-5.8	-11.2	1.8	1.6	zero	-3.1	-8	-23.6	-48.8	0.346
	R280R2	165	Core-Lokt® Soft Point	9 ½	2820	2510	2220	1950	1701	1479	2913	2308	1805	1393	1060	801	0	zero	-1.3	-4.1	-8.6	-15.2	2	1.8	zero	-3.6	-9.1	-27.4	-57.8	0.29
7mm-08 Remington	R7M082	120	Hollow Point	9 ½	3000	2725	2467	2223	1992	1778	2398	1979	1621	1316	1058	842	0.1	0.6	zero	-1.9	-5.3	-10.2	1.6	1.4	zero	-2.9	-7.3	-21.7	-44.9	0.343
	R7M081	140	Core-Lokt® Pointed Soft Point	9 ½	2860	2625	2402	2189	1988	1798	2542	2142	1793	1490	1228	1005	0.2	0.7	zero	-2.1	-5.7	-11	1.8	1.6	zero	-3.1	-7.8	-22.9	-46.8	0.39
	PRA7M08RB	140	AccuTip Boat Tail	9 ½	2860	2670	2489	2314	2146	1986	2542	2216	1925	1664	1432	1225	0.2	0.7	zero	-2	-5.4	-10.3	1.7	1.5	zero	-2.9	-7.3	-21.1	-42.5	0.486
	RL7M081	140	Core-Lokt® Pointed Soft Point	9 ½	2361	2151	1951	1764	1590	1433	1732	1437	1183	967	786	638	0.1	zero	-2	-6	-12.4	-21.3	3	2.5	zero	-4.8	-12.2	-35.6	-72.8	0.39
7mm Rem Magnum	PRC7MMRA	140	Core-Lokt® Ultra Bonded®	9 ½ M	3175	2934	2707	2490	2283	2086	3133	2676	2277	1927	1620	1353	0.1	0.5	zero	-1.6	-4.3	-8.4	1.3	1.2	zero	-2.4	-6	-17.7	-36	0.409
	R7MM4	140	Core-Lokt® Pointed Soft Point	9 ½ M	3175	2923	2684	2458	2243	2039	3133	2655	2240	1878	1564	1292	0	0.5	zero	-1.6	-4.4	-8.5	2.2	2.6	1.9	zero	-3.2	-14.2	-32	0.39
	RL7MM4	140	Core-Lokt® Pointed Soft Point	9 ½ M	2710	2482	2265	2059	1865	1683	2283	1915	1595	1318	1081	880	-0.1	zero	-1.3	-4.2	-8.7	-15.1	0.9	zero	-2.4	-6.5	-12.5	-30.8	-59.2	0.388
	PCS7MMA	140	Copper Solid® Tipped	9 ½	3175	2964	2762	2570	2385	2208	3133	2730	2372	2053	1768	1516	-0.1	0.5	zero	-1.5	-4.2	-8.1	2.1	2.5	1.8	zero	-3.1	-13.2	-29.5	0.468
	PRSC7MMB	150	Swift Scirocco Bonded	9 ½ M	3110	2927	2751	2582	2419	2262	3221	2852	2520	2220	1948	1704	0	0.5	zero	-1.6	-4.3	-8.2	1.3	1.2	zero	-2.3	-5.9	-17	-34	0.533
	PRA7MMRA	140	AccuTip Boat Tail	9 ½ M	3175	2971	2777	2591	2412	2241	3133	2744	2397	2086	1808	1560	-0.1	0.5	zero	-1.5	-4.2	-8	2.1	2.5	1.8	zero	-3	-13	-29	0.486
	PRA7MMRB	150	AccuTip Boat Tail	9 ½ M	3110	2926	2749	2579	2415	2258	3221	2850	2516	2215	1943	1697	0	0.5	zero	-1.6	-4.3	-8.2	1.3	1.2	zero	-2.3	-5.9	-17	-34.1	0.53
	R7MM2	150	Core-Lokt® Pointed Soft Point	9 ½ M	3110	2830	2568	2320	2085	1866	3221	2667	2196	1792	1448	1160	0	0.6	zero	-1.7	-4.8	-9.3	1.4	1.3	zero	-2.6	-6.7	-19.9	-41.1	0.346
NEW	R57MMA	160	A-Frame PSP	9 ½ M	2900	2659	2430	2212	2006	1812	2987	2511	2097	1739	1430	1166	0.2	0.7	zero	-2	-5.5	-10.7	1.7	1.5	zero	-3	-7.6	-22.4	-45.8	0.382
7mm Mauser (7x57)	PRC7MMRC	160	Core-Lokt® Ultra Bonded®	9 ½ M	2950	2724	2510	2305	2109	1924	3091	2636	2237	1887	1581	1315	0.1	0.6	zero	-1.9	-5.2	-10	1.6	1.4	zero	-2.8	-7.1	-20.8	-42.4	0.415
7 x 64 Brenneke NEW	R7X641	140	Core-Lokt PSP	9 ½	2950	2710	2483	2266	2061	1867	2705	2283	1916	1597	1320	1083	0.1	0.7	zero	-1.9	-5.3	-10.2	1.6	1.5	zero	-2.9	-7.3	-21.3	-43.6	0.39
	R7X642	175	Core-Lokt PSP	9 ½	2600	2397	2203	2018	1842	1678	2626	2232	1885	1582	1319	1093	0.4	1	zero	-2.6	-7	-13.4	2.3	2	zero	-3.8	-9.5	-27.5	-55.8	0.427
7mm Remington SA Ultra Mag®	PR7SM2	150	Core-Lokt® Pointed Soft Point	9 ½ M	3110	2831	2568	2321	2087	1867	3221	2669	2197	1793	1450	1161	0	0.6	zero	-1.7	-4.8	-9.3	2.5	2.9	2.1	zero	-3.6	-15.7	-35.9	0.346
	PR7SM4	160	Core-Lokt® Ultra Bonded®	9 ½ M	2960	2733	2518	2313	2117	1931	3112	2654	2252	1900	1592	1323	0.1	0.6	zero	-1.9	-5.2	-9.9	2.7	3.1	2.2	zero	-3.7	-16.2	-36.5	0.414
7mm Rem Ultra Mag®	PR7UM1	140	Core-Lokt® Ultra Bonded®	9 ½ M	3425	3170	2929	2701	2485	2278	3646	3123	2667	2268	1919	1613	-0.2	0.3	zero	-1.3	-3.6	-7	1.8	2.2	1.6	zero	-2.7	-11.7	-26.4	0.409
	PRSC7UM1	150	Swift Scirocco Bonded	9 ½ M	3325	3132	2948	2771	2602	2438	3682	3267	2894	2558	2254	1979	-0.1	0.4	zero	-1.3	-3.6	-7	1.8	2.2	1.6	zero	-2.6	-11.4	-25.3	0.533
POWER LEVEL III	PR7UM5	175	Swift A-Frame PSP	9 ½ M	3025	2831	2645	2467	2296	2212	3555	3114	2718	2364	2047	1764	0	0.6	zero	-1.7	-4.7	-9	2.4	2.8	2	zero	-3.4	-14.5	-32.2	0.493
POWER LEVEL II	PR7UM2-P2	160	Core-Lokt® Ultra Bonded®	9 ½ M	2950	2724	2508	2303	2108	1922	3091	2635	2235	1884	1578	1312	0.1	0.6	zero	-1.9	-5.2	-10	1.6	1.4	zero	-2.8	-7.1	-20.8	-42.4	0.414
POWER LEVEL I	R7UM1-P1	140	Core-Lokt® Pointed Soft Point	9 ½ M	3000	2768	2549	2339	2139	1950	2797	23882	2019	1700	1422	1181	0.1	0.6	zero	-1.8	-5	-9.6	2.6	3	2.2	zero	-3.6	-15.8	-35.6	0.409
30 Carbine	L30CR1	110	UMC® Metal Case	6 ½	1990	1567	1236	1035	923	842	967	600	373	262	208	173	0.6	zero	-4.2	-12.9	-27.2	-48.6	2.8	zero	-7.3	-20.4	-40.3	-105.6	-211.8	0.166
	R30CAR	110	Soft Point	6 ½	1990	1567	1236	1035	923	842	967	600	373	262	208	173	0.6	zero	-4.2	-12.9	-27.2	-48.6	zero	-4.2	-12.9	-27.2	-48.6	-117.1	-225.5	0.166
30 Remington AR	PRA30RAR1	125	AccuTip Boat Tail	7 ½	2800	2531	2278	2039	1816	1610	2176	1778	1440	1153	915	719	0.3	0.8	zero	-2.3	-6.3	-12.2	2	1.7	zero	3.4	8.7	25.8	-53.5	0.335
	R30RAR1	125	Core-Lokt® Pointed Soft Point	7 ½	2800	2465	2154	1867	1606	1380	2176	1686	1288	967	716	529	0.3	0.9	zero	-2.5	-6.9	-13.4	2.1	1.9	zero	3.8	9.7	-29.4	-62.7	0.267
	R30RAR2	150	Core-Lokt® Pointed Soft Point	7 ½	2575	2302	2047	N/A	N/A	N/A	2208	1765	1395	N/A	N/A	N/A	0	zero	-1.6	-5.1	-10.6	-18.5	2.5	2.2	zero	-4.3	-10.9	-32.5	-67.9	0.314
	L30RAR1	123	Metal Case	7 ½	2800	2464	2152	1864	1603	1376	2141	1658	1264	948	701	517	0.3	0.9	zero	-2.5	-6.9	-13.5	2.1	1.9	zero	-3.8	-9.7	-29.5	-62.9	0.266
30-30 Win	RL30301	125	Core-Lokt® Pointed Soft Point	9 ½	2175	1820	1508	1255	1082	975	1313	919	631	437	325	264	0.3	zero	-3	-9.1	-19.1	-33.7	2	zero	-5.2	-14.1	-27.8	-72.5	-146.9	0.215
	R30301	150	Core-Lokt® Soft Point	9 ½	2390	1973	1605	1303	1095	974	1902	1296	858	565	399	316	0.2	zero	-2.4	-7.6	-16.1	-28.8	1.6	zero	-4.3	-12.1	-24	-64.2	-133.2	0.193
	PSC3030WA	150	Copper Solid® Tipped	9 ½	2220	1806	1448	1185	1022	924	1641	1086	698	468	348	284	0.5	zero	-3.6	-10.3	-21.2	-37.3	5.2	4.2	zero	-8.3	-21.8	-68.6	-149	0.186
	R30302	170	Core-Lokt® Soft Point	9 ½	2200	1895	1619	1381	1191	1061	1827	1355	989	720	535	425	0.3	zero	-2.7	-8.3	-17.1	-29.9	1.8	zero	-4.6	-12.6	-24.5	-62.6	-125.3	0.254
	R30303	170	Core-Lokt® Hollow Point	9 ½	2200	1895	1619	1381	1191	1061	1827	1355	989	720	535	425	0.3	zero	-2.7	-8.3	-17.1	-29.9	1.8	zero	-4.6	-12.6	-24.5	-62.6	-125.3	0.254
30-40 Krag	R30402	180	Core-Lokt® Pointed Soft Point	9 ½	2430	2213	2007	1813	1632	1468	2360	1957	1610	1314	1064	861	0.1	zero	-1.8	-5.6	-11.6	-19.9	1.2	zero	-3.2	-8.5	-16.2	-39.9	-76.7	0.383
30.16 Sprg. Accelerator®	R30069	55	Pointed Soft Point	9 ½	4080	3484	2964	2499	2080	1706	2033	1482	1073	763	528	355	-0.4	0.2	zero	-1	-3	-6.2	1.4	1.8	1.4	zero	-2.6	-12.2	-30	0.197
30-06 Springfield	R30061	125	Pointed Soft Point	9 ½	3140	2780	2447	2138	1853	1595	2736	2145	1662	1269	953	706	0	0.6	zero	-1.9	-5.2	-10.1	1.5	1.4	zero	-2.8	-7.4	-22.4	-47.6	0.268
	RL30062	125	Core-Lokt® Pointed Soft Point	9 ½	2660	2335	2034	1757	1509	1300	1964	1513	1148	856	632	469	-0.1	zero	-1.5	-4.9	-10.4	-18.3	1	zero	-2.9	-7.8	-15.2	-38.9	-78	0.267
	L30062	150	UMC® Metal Case	9 ½	2910	2617	2342	2084	1843	1622	2820	2281	1827	1446	1131	876	-0.2	zero	-1.1	-3.6	-7.7	-13.6	1.6	1.6	zero	-3.2	-8.2	-24.4	-50.9	0.314
	PRSC3006C	150	Swift Scirocco Bonded	9 ½	2910	2696	2492	2298	2111	1934	2820	2421	2069	1758	1485	1246	0.1	0.7	zero	-2	-5.3	-10.2	1.6	1.5	zero	-2.9	-7.3	-21.1	-42.3	0.435
	PRA3006A	150	AccuTip Boat Tail	9 ½	2910	2686	2473	2270	2077	1893	2820	2403	2037	1716	1436	1193	0.1	0.7	zero	-2	-5.4	-10.3	1.7	1.5	zero	-2.9	-7.4	-21.5	-43.7	0.415
	R30062	150	Core-Lokt® Pointed Soft Point	9 ½	2910	2617	2342	2083	1843	1622	2820	2281	1827	1445	1131	876	0.2	0.7	zero	-2.2	-5.9	-11.4	1.8	1.6	zero	-3.2	-8.2	-24.4	-50.9	0.314
	R30063	150	Bronze Point	9 ½	2910	2656	2416	2189	1974	1773	2820	2349	1944	1596	1298	1047	0.2	0.7	zero	-2	-5.6	-10.8	1.7	1.5	zero	-3	-7.7	-22.7	-46.6	0.365
	PRC3006A	150	Core-Lokt® Ultra Bonded®	9 ½	2910	2631	2368	2121	1889	1674	2820	2305	1868	1498	1188	933	0.2	0.7	zero	-2.1	-5.8	-11.2	1.8	1.6	zero	-3.1	-8	-23.8	-49.3	0.331
	PCS3006A	150	Copper Solid® Tipped	9 ½	2910	2678	2458	2248	2048	1860	2820	2388	2012	1683	1397	1152	0.1	0.7	zero	-2	-5.4	-10.4	1.7	1.5	zero	-2.9	-7.4	-21.8	-44.5	0.4
	PCS3006B	165	Copper Solid® Tipped	9 ½	2800	2597	2403	2217	2039	1870	2872	2470	2115	1800	1523	1281	0.1	zero	-1.4	-4.3	-8.6	-14.6	2.1	1.8	zero	-3.3	-8.2	-23.4	-47.1	0.447
	PRA3006B	165	AccuTip Boat Tail	9 ½	2800	2597	2403	2217	2039	1870	2872	2470	2115	1800	1523	1281	0.2	0.8	zero	-2.1	-5.9	-11.1	1.8	1.6	zero	-3.2	-7.9	-22.8	-46.2	0.447
	R3006B	165	Core-Lokt® Pointed Soft Point	9 ½	2800	2534	2283	2047	1825	1621	2872	2352	1909	1534	1220	963	0.3	0.8	zero	-2.3	-6.3	-12.1	2	1.7	zero	-3.4	-8.7	-25.9	-53.2	0.339
	PRA3006C	180	AccuTip Boat Tail	9 ½	2725	2539	2360	2188	2024	1867	2967	2576	2226	1914	1637	1393	0.3	0.8	zero	-2.3	-6.1	-11.6	0.9	2	zero	-3.3	-8.2	-23.7	-47.7	0.48
	RS3006A	180	Swift A-Frame PSP	9 ½	2700	2465	2243	2032	1833	1648	2913	2429	2010	1650	1343	1085	0	zero	-1.3	-4.2	-8.9	-15.4	2.1	1.8	zero	-3.6	-9.1	-26.6	-54.4	0.377
	PRC3006C	180	Core-Lokt® Ultra Bonded®	9 ½	2700	2480	2270	2070	1882	1704	2913	2457	2059	1713	1415	1161	0	zero	-1.3	-4.2	-8.7	-15.1	2.1	1.8	zero	-3.5	-8.9	-25.8	-52.7	0.402
	PRSC3006B	180	Swift Scirocco Bonded	9 ½	2700	2522	2351	2186	2028	1878	2913	2542	2208	1910	1644	1409	0	zero	-1.3	-4	-8.3	-14.2	2	1.7	zero	-3.3	-8.3	-23.9	-47.9	0.5
	R30064	180	Core-Lokt® Soft Point	9 ½	2700	2348	2023	1727	1466	1251	2913	2203	1635	1192	859	625	0	zero	-1.5	-4.9	-10.3	-18.3	2.4	2.1	zero	-4.3	-11	-33.8	-72.8	0.248
	R30065	180	Core-Lokt® Pointed Soft Point	9 ½	2700	2469	2250	2042	1846	1663	2913	2436	2023	1666	1362	1105	0	zero	-1.3	-4.2	-8.8	-15.4	2.1	1.8	zero	-3.5	-9	-26.3	-54	0.383
	R30066	180	Bronze Point	9 ½	2700	2485	2280	2084	1899	1725	2913	2468	2077	1736	1441	1189	0	zero	-1.3	-4.2	-8.7	-15	2.1	1.8	zero	-3.5	-8.8	-25.5	-52	0.412
	R30067	220	Core-Lokt® Soft Point	9 ½	2410	2130	1870	1632	1422	1246	2837	2216	1708	1301	988	758	0.1	zero	-2	-6.2	-12.9	-22.4	1.3	zero	-3.5	-9.5	-18.4	-46.4	-91.6	0.294
300 Savage	R30SV2	150	Core-Lokt® Pointed Soft Point	9 ½	2630	2354	2095	1853	1631	1432	2303	1845	1462	1143	886	685	0	zero	-1.5	-4.8	-10.1	-17.6	2.4	2.1	zero	-4.1	-10.4	-30.9	-64.6	0.314
300 Win. Mag	R300W1	150	Core-Lokt® Pointed Soft Point	9 ½ M	3290	2950	2634	2340	2065	1810	3605	2897	2311	1823	1420	1091	0	0.5	zero	-1.6	-4.4	-8.7	1.3	1.2	zero	-2.4	-6.3	-18.9	-39.8	0.294
	RL300W1	150	Core-Lokt® Pointed Soft Point	9 ½	2650	2373	2113	1870	1646	1446	2339	1875	1486	1164	902	696	-0.1	zero	-1.5	-4.7	-9.9	-17.2	1	zero	-2.7	-7.4	-14.3	-35.8	-70.3	0.314
	PRC300WA	150	Core-Lokt® Ultra Bonded®	9 ½ M	3290	2967	2666	2384	2120	1873	3605	2931	2366	1893	1496	1168	-0.1	0.5	zero	-1.6	-4.3	-8.5	1.2	1.2	zero	-2.4	-6.1	-18.4	-38.5	0.31
	PCS300WA	150	Copper Solid® Tipped	9 ½	3290	3037	2799	2572	2357	2152	3605	3072	2608	2204	1850	1542	-0.1	0.4	zero	-1.4	-4	-7.7	2	2.4	1.8	zero	-3	-12.9	-29.2	0.4
	PCS300WB	165	Copper Solid®	9 ½ M	3110	2892	2685	2487	2298	2116	3543	3064	2641	2266	1934	1641	0	zero	-1.1	-3.2	-6.6	-11.3	1.6	1.4	zero	-2.6	-6.5	-18.6	-37.2	0.447
	PRSC300WB	180	Swift Scirocco Bonded	9 ½ M	2960	2274	2595	2424	2259	2100	3501	3075	2692	2348	2039	1762	0.1	0.6	zero	-1.8	-4.9	-9.4	1.5	1.4	zero	-2.6	-6.7	-19.3	-38.7	0.507
	PRC300WC	180	Core-Lokt® Ultra Bonded®	9 ½ M	2960	2774	2505	2294	2093	1903	3501	2971	2508	2103	1751	1448	0.1	0.6	zero	-1.9	-5.2	-10	2.7	3.1	2.2	zero	-3.8	-16.4	-37	0.402
	PRA300WC	180	AccuTip Boat Tail	9 ½ M	2960	2764	2577	2397	2224	2058	3501	3053	2653	2295	1976	1693	0.1	0.6	zero	-1.8	-4.9	-9.5	1.5	1.4	zero	-2.7	-6.8	-19.6	-39.5	0.481
	R300W2	180	Core-Lokt® Pointed Soft Point	9 ½ M	2960	2715	2482	2262	2052	1856	3501	2945	2463	2044	1683	1375	0.1	0.6	zero	-1.9	-5.3	-10.2	1.7	1.5	zero	-2.9	-7.4	-21.3	-43.7	0.383
NEW	RS300WMB	180	Swift A-Frame PSP	9 ½ M	2960	2712	2476	2253	2042	1842	3501	2938	2451	2029	1666	1356	0.1	0.6	zero	-1.9	-5.3	-10.2	1.6	1.5	zero	-2.9	-7.3	-21.5	-44	0.377
300WSM	R300WSM1	150	Core-Lokt® Pointed Soft Point	9 ½ M	3320	2977	2660	2364	2087	1830	3671	2952	2356	1861	1451	1116	-0.1	0.4	zero	-1.5	-4.3	-8.5	1.2	1.2	zero	-2.4	-6.2	-18.6	-39	0.294
	PRA300WSMB	180	AccuTip Boat Tail	9 ½ M	3010	2812	2622	2440	2265	2097	3621	3159	2746	2378	2050	1757	0.1	0.6	zero	-1.8	-4.8	-9.1	2.5	2.9	2.1	zero	-3.4	-14.8	-32.9	0.48
	PRSC300WSMB	180	Swift Scirocco Bonded	9 ½ M	2980	2793	2614	2442	2276	2116	3549	3118	2730	2382	2070	1790	0.1	0.6	zero	-1.8	-4.8	-9.2	1.5	1.3	zero	-2.6	-6.6	-19	-38.1	0.507
308 Marlin Express	R308ME1	150	Soft Point	9 ½	2725	2275	1871	1519	1239	1057	2473	1724	1166	768	511	372	0	zero	-1.6	-5.3	-11.5	-20.7	2.7	2.3	zero	-4.8	-12.7	-40.8	-91.5	0.193

CENTERFIRE RIFLE BALLISTICS

308 WIN. – 450 BUSHMASTER

Caliber	Index/ EDI No.	WT (gr)	Bullet Style	Primer No.	Velocity (ftps)						Energy (ft-lb)						Short-Range[4] Trajectory[1]						Long-Range[5] Trajectory[1]							Ballistic Coefficient
					Muzzle	100	200	300	400	500	Muzzle	100	200	300	400	500	50	100	150	200	250	300	100	150	200	250	300	400	500	
308 Win.	RL308W1	125	Core-Lokt® Pointed Soft Point	9 ½	2660	2382	2121	1878	1653	1453	1964	1575	1249	978	759	586	-0.1	zero	-1.5	-4.7	-9.8	-17.1	1	zero	-2.7	-7.3	-14.1	-35.5	-69.6	0.314
	L308W4	150	UMC® Metal Case	9 ½	2820	2533	2263	2010	1775	1561	2648	2137	1705	1345	1049	811	-0.1	zero	-1.2	-3.9	-8.4	-14.7	2	1.7	zero	-3.4	-8.8	-26.2	-54.8	0.314
	PRC308WA	150	Core-Lokt® Ultra Bonded®	9 ½	2820	2546	2288	2046	1819	1611	2648	2159	1744	1394	1102	864	0.2	zero	-1.2	-3.9	-8.2	-14.4	1.9	1.7	zero	-3.4	-8.6	-25.5	-53.1	0.331
	R308W1	150	Core-Lokt® Pointed Soft Point	9 ½	2820	2533	2263	2009	1774	1560	2648	2137	1705	1344	1048	810	0	zero	-1.2	-3.9	-8.4	-14.7	2	1.7	zero	-3.4	-8.8	-26.2	-54.8	0.314
	PCS308WA	150	Copper Solid® Tipped	9 ½	2820	2593	2376	2171	1975	1791	2648	2238	1881	1569	1299	1068	0.2	0.8	zero	-2.2	-5.9	-11.3	1.8	1.6	zero	-3.2	-8	-23.4	-47.8	0.4
	PRA308WB	165	AccuTip Boat Tail	9 ½	2700	2501	2311	2129	1956	1792	2670	2292	1957	1661	1401	1176	-0.1	zero	-1.3	-4.1	-8.5	-14.7	2	1.8	zero	-3.4	-8.6	-24.8	-50.1	0.447
	RM308W7	168	MatchKing® BTHP	9 ½	2680	2493	2314	2143	1979	1823	2678	2318	1998	1713	1460	1239	0	zero	-1.3	-4.1	-8.5	-14.7	2.1	1.8	zero	-3.4	-8.6	-24.7	-49.9	0.475
	RM308W8	175	MatchKing® BTHP	9 ½	2609	2433	2264	2102	1946	1798	2644	2300	1992	1716	1472	1256	0.4	0.9	zero	-2.5	-6.7	-12.8	2.2	1.9	zero	-3.6	-9	-25.9	-51.9	0.496
	PRC308WC	180	Core-Lokt® Ultra Bonded®	9 ½	2620	2404	2198	2002	1818	1644	2743	2309	1930	1601	1320	1080	0	zero	-1.4	-4.5	-9.4	-16.3	2.3	2	zero	-3.8	-9.5	-27.7	-56.4	0.402
	R308W2	180	Core-Lokt® Soft Point	9 ½	2620	2274	1955	1666	1414	1212	2743	2066	1527	1109	799	587	0	zero	-1.7	-5.3	-11.2	-19.7	2.6	2.3	zero	-4.6	-11.8	-36.3	-78.2	0.248
	R308W3	180	Core-Lokt® Pointed Soft Point	9 ½	2620	2393	2178	1974	1782	1604	2743	2288	1896	1557	1269	1028	0	zero	-1.5	-4.6	-9.5	-16.5	2.3	2	zero	-3.8	-9.7	-28.3	-57.8	0.383
300 Weatherby Mag.	R300WB1	180	Core-Lokt® Pointed Soft Point	9 ½ M	3120	2866	2626	2398	2181	1976	3890	3282	2755	2298	1902	1561	0	0.5	zero	-1.7	-4.6	-9	1.4	1.3	zero	-2.5	-6.4	-18.9	-38.7	0.383
303 British	L303B1	174	UMC® Metal Case	9 ½	2475	2209	1960	1729	1520	1338	2366	1885	1484	1155	893	692	0.1	zero	-1.9	-5.9	-12.2	-21.4	2.8	2.4	zero	-4.7	-11.9	-35.6	-74.3	0.315
	R303B1	180	Core-Lokt® Soft Point	9 ½	2460	2124	1817	1542	1311	1137	2418	1803	1319	950	687	517	0.1	zero	-2	-6.3	-13.2	-23.1	1.3	zero	-3.6	-9.8	-19.1	-49.4	-99.9	0.247
7.62 x 39mm	L762391	123	UMC® Metal Case	9 ½	2365	2060	1780	1529	1315	1150	1527	1159	865	638	472	361	0.1	zero	-2.2	-6.8	-14.1	-24.5	1.5	zero	-3.8	-10.4	-20.2	-51.5	-103	0.266
	R762391	125	Pointed Soft Point	9 ½	2365	2062	1783	1533	1320	1154	1552	1180	882	652	483	370	0.1	zero	-2.2	-6.7	-14	-24.5	1.5	zero	-3.8	-10.4	-20.1	-51.3	-102.5	0.267
300 Remington Short Action Ultra Mag®	PR300SM2	165	Core-Lokt® Poined Soft Point	9 ½ M	3075	2792	2527	2276	2040	1819	3464	2856	2339	1898	1525	1213	0.1	0.6	zero	-1.8	-5	-9.7	1.5	1.4	zero	-2.7	-7	-20.7	-42.1	0.339
	PR300SM4	180	Core-Lokt® Ultra Bonded®	9 ½ M	2960	2727	2506	2295	2094	1904	3501	2972	2509	2105	1753	1449	0.1	0.6	zero	-1.9	-5.2	-10	1.6	1.4	zero	-2.8	-7.1	-20.9	-42.6	0.403
300 Remington Ultra Mag®	PR300UM5	150	Swift Scirocco Bonded	9 ½ M	3450	3208	2980	2762	2556	2358	3964	3427	2956	2541	2175	1852	0	0.3	zero	-1.2	-3.4	-6.7	1.7	2.1	1.5	zero	-2.6	-11.2	-25.3	0.435
POWER LEVEL III	PR300UM3	180	Swift Scirocco Bonded	9 ½ M	3250	3048	2856	2672	2495	2325	4221	3714	3260	2853	2487	2160	0	0.4	zero	-1.4	-3.9	-7.5	2	2.3	1.7	zero	-2.8	-12.3	-27.3	0.5
	PCS300UMB	165	Copper Solid® Tipped	9 ½ M	3200	2978	2767	2565	2372	2188	3751	3248	2804	2410	2061	1753	0	zero	-1	-3	-6.1	-10.5	1.5	1.3	zero	-2.4	-6.1	-17.4	-35	0.447
	PR300UM4	180	Core-Lokt® Ultra Bonded®	9 ½ M	3250	2988	2742	2508	2287	2076	4221	3568	3003	2513	2088	1721	0	0.4	zero	-1.5	-4.2	-8.1	2.1	2.5	1.8	zero	-3.1	-13.6	-30.7	0.382
NEW	RS300UM1	180	Swift A-Frame PSP	9 ½ M	3250	2985	2735	2499	2274	2061	4221	3560	2989	2495	2067	1698	-0.1	0.4	zero	-1.5	-4.2	-8.1	2.1	2.5	1.8	zero	-3.1	-13.6	-30.9	0.377
	RS300UM2	200	Swift A-Frame PSP	9 ½ M	3032	2791	2562	2345	2138	1942	4083	3459	2916	2442	2030	1675	0.1	0.6	zero	-1.8	-4.9	-9.5	1.5	1.4	zero	-2.7	-6.8	-19.9	-40.7	0.395
POWER LEVEL II	PR300UM2-P2	180	Core-Lokt® Ultra Bonded®	9 ½ M	2980	2742	2515	2300	2096	1902	3549	3004	2528	2114	1755	1445	0.1	0.6	zero	-1.9	-5.1	-9.9	1.6	1.4	zero	-2.8	-7.1	-20.7	-42.4	0.395
	PR300UM3-P2	180	Swift Scirocco Bonded	9 ½ M	2980	2793	2614	2442	2276	2116	3549	3118	2730	2382	2070	1790	0.1	0.6	zero	-1.8	-4.8	-9.2	1.5	1.3	zero	-2.6	-6.6	-19	-38.1	0.507
POWER LEVEL I	PRA300UM1-P1	150	AccuTip Boat Tail	9 ½ M	2910	2686	2473	2270	2077	1893	2820	2403	2037	1716	1436	1193	0.1	0.7	zero	-2	-5.4	-10.3	1.7	1.5	zero	-2.9	-7.4	-21.5	-43.7	0.415
	R300UM1-P1	150	Core-Lokt® Pointed Soft Point	9 ½ M	2910	2617	2342	2083	1843	1622	2820	2281	1827	1445	1131	876	0.2	0.7	zero	-2.2	-5.9	-11.4	1.8	1.6	zero	-3.2	-8.2	-24.4	-50.9	0.314
Managed Recoil	RL300UM1	150	Core-Lokt® Pointed Soft Point	9 ½	2815	2528	2258	2005	1770	1556	2639	2127	1698	1339	1043	806	0.3	0.8	zero	-2.3	-6.4	-12.3	2	1.8	zero	-3.5	-8.8	-26.4	-55.1	0.314
32-20 Win.	R32201	100	Lead	6 ½	1210	1021	913	834	769	712	325	231	185	154	131	113	zero	-5.7	-19.7	-43.1	-76.9	-122.2	zero	-11.2	-31.7	-62.7	-105.2	-228.5	-410.8	0.166
32 Win. Special	R32WS2	170	Core-Lokt® Soft Point	9 ½	2250	1921	1626	1372	1175	1044	1911	1393	998	710	521	411	0.3	zero	-2.6	-8	-16.7	-29.3	1.7	zero	-4.5	-12.4	-24.1	-62.1	-125.3	0.239
8mm Rem. Magnum	RS8MMRA	200	Swift A-Frame PSP	9 ½ M	2900	2623	2361	2115	1885	1672	3734	3054	2476	1987	1577	1241	0.2	0.7	zero	-2.1	-5.8	-11.2	1.8	1.6	zero	-3.1	-8	-23.9	-49.6	0.332
8mm Mauser	R8MSR	170	Core-Lokt® Soft Point	9 ½	2360	1969	1622	1333	1123	997	2102	1463	993	671	476	375	0.2	zero	-2.4	-7.6	-16.1	-28.6	1.6	zero	-4.4	-12	-23.7	-62.8	-128.9	0.205
338 Marlin Express	R338ME1	250	Soft Point	9 ½	2360	1969	1622	1333	1123	997	2102	1463	993	671	476	375	0.2	zero	-2.4	-7.6	-16.1	-28.6	1.6	zero	-4.4	-12	-23.7	-62.8	-128.9	0.205
338 Win. Mag.	RS338WA	225	Swift A-Frame PSP	9 ½ M	2785	2517	2266	2029	1808	1605	3871	3165	2565	2057	1633	1286	0	zero	-1.2	-4	-8.5	-14.8	2	1.8	zero	-3.5	-8.8	-26.1	-54.1	0.337
	R338W1	225	Core-Lokt® Pointed Soft Point	9 ½ M	2780	2572	2374	2184	2003	1832	3860	3305	2815	2383	2004	1676	0	0.8	zero	-2.2	-5.9	-11.4	1.9	1.7	zero	-3.2	-8.1	-23.4	-47.5	0.435
	PRC338WA	225	Core-Lokt® Ultra Bonded®	9 ½ M	2780	2582	2392	2210	2036	1871	3860	3329	2858	2440	2071	1748	0.2	0.8	zero	-2.2	-5.9	-11.2	1.9	1.6	zero	-3.2	-7.9	-23	-46.5	0.456
	R338W2	250	Core-Lokt® Pointed Soft Point	9 ½ M	2660	2456	2261	2075	1898	1731	3927	3348	2837	2389	1999	1663	0	zero	-1.4	-4.3	-8.9	-15.4	2.1	1.9	zero	-3.5	-8.9	-26	-52.7	0.431
338 Remington Ultra Mag®	PR338UM2	250	Core-Lokt® Pointed Soft Point	9 ½ M	2860	2647	2443	2249	2064	1887	4540	3888	3314	2807	2363	1977	0.2	0.7	zero	-2.1	-5.6	-10.6	1.7	1.5	zero	-3	-7.6	-22	-44.7	0.431
	PR338UM1	250	Swift A-Frame PSP	9 ½ M	2860	2645	2440	2244	2057	1879	4540	3882	3303	2794	2347	1960	0.2	0.7	zero	-2	-5.6	-10.7	1.7	1.5	zero	-3	-7.6	-22.1	-44.9	0.427
338 Lapua Magnum	RM338LMR1	250	Scenar	9 ½ M	2960	2820	2683	2551	2423	2299	4863	4412	3996	3613	3259	2932	0.1	0.6	zero	-1.7	-4.7	-8.9	1.4	1.3	zero	-2.5	-6.3	-17.9	-35.4	0.675
35 Remington	R35R1	150	Core-Lokt® Pointed Soft Point	9 ½	2300	1874	1506	1218	1039	934	1762	1169	755	494	359	291	0.3	zero	-2.7	-8.6	-18.2	-32.6	1.8	zero	-4.9	-13.7	-27.1	-73	-150.8	0.184
	R35R2	200	Core-Lokt® Soft Point	9 ½	2080	1698	1376	1140	1001	911	1921	1280	841	577	445	369	0.5	zero	-3.5	-10.7	-22.6	-40.1	2.3	zero	-6.1	-16.7	-33	-86.6	-174.8	0.192
35 Whelen	R35WH1	200	Core-Lokt® Pointed Soft Point	9 ½ M	2675	2378	2100	1842	1606	1399	3177	2510	1958	1506	1145	869	0	zero	-1.5	-4.7	-9.9	-17.3	2.3	2	zero	-16.8	-33.1	-86.9	-175.4	0.294
	R35WH3	250	Pointed Soft Point	9 ½ M	2400	2197	2005	1823	1652	1496	3197	2680	2230	1844	1515	1242	0.1	zero	-1.9	-5.7	-11.8	-20.4	1.3	zero	-3.2	-8.6	-16.6	-40	-76.3	0.409
350 Remington Mag	R350M1	200	Core-Lokt® Pointed Soft Point	9 ½ M	2775	2471	2186	1921	1678	1461	3419	2711	2122	1639	1250	947	-0.1	zero	-1.3	-4.2	-9	-15.8	2.1	1.8	zero	-3.6	-9.4	-28.3	-59.7	0.293
9.3 x 62mm NEW	R93x621	286	PSP	9 ½	2360	2155	1960	1777	1607	1451	3536	2948	2440	2005	1639	1337	0.1	zero	-2	-6	-12.3	-21.1	1.3	zero	-3.4	-9	-17.1	-42	-80.3	0.400
375 H&H Mag.	R375M1	270	Soft Point	9 ½ M	2690	2363	2060	1780	1530	1317	4338	3347	2543	1900	1403	1039	0.4	1	zero	-2.8	-7.6	-14.8	2.4	2.1	zero	-4.1	-10.6	-32.3	-69	0.267
	RS375MA	300	Swift A-Frame PSP	9 ½ M	2522	2280	2051	1836	1637	1458	4238	3462	2802	2245	1786	1415	0	zero	-1.7	-5.2	-10.8	-18.7	2.6	2.2	zero	-4.3	-10.9	-32.2	-66.5	0.35
375 Remington Ultra Mag®	PR375UM2	270	Soft Point	9 ½ M	2900	2558	2241	1947	1678	1442	5041	3922	3010	2272	1689	1246	0	0.8	zero	-2.3	-6.3	-12.3	1.9	1.7	zero	-3.5	-8.9	-27	-57.6	0.267
	PR375UM3	300	Swift A-Frame PSP	9 ½ M	2760	2505	2263	2035	1822	1624	5073	4178	3412	2759	2210	1757	0.3	0.8	zero	-2.4	-6.4	-12.4	2	1.8	zero	-3.5	-8.8	-26.1	-53.9	0.35
416 Rem. Magnum	RS416RA	400	Swift A-Frame PSP	9 ½ M	2400	2175	1962	1763	1579	1414	5115	4201	3419	2760	2214	1775	0.1	zero	-1.9	-5.9	-12.1	-20.8	1.3	zero	-3.3	-8.9	-17	-41.9	-80.8	0.367
44 Rem. Magnum	R44MG2	240	Soft Point	2 ½	1760	1380	1114	970	878	806	1650	1015	661	501	411	346	zero	-2.1	-8.7	-21.2	-40.6	-68.2	zero	-5.6	-17	-35.4	-61.9	-143.8	-270.9	0.166
	R44MG3	240	Semi-Jacketed Hollow Point	2 ½	1760	1380	1114	970	878	806	1650	1015	661	501	411	346	zero	-2.1	-8.7	-21.2	-40.6	-68.2	zero	-5.6	-17	-35.4	-61.9	-143.8	-270.9	0.166
444 Mar.	R444M	240	Soft Point	9 ½	2350	1815	1377	1087	941	846	2942	1755	1010	630	472	381	0.3	zero	-2.9	-9.3	-20.4	-37.4	1.9	zero	-5.4	-15.5	-31.5	-86.8	-181.5	0.146
45-70 Government	R4570L	300	Semi-Jacketed Hollow Point	9 ½	1810	1497	1244	1073	969	895	2182	1492	1031	767	625	533	zero	-1.7	-7.3	-17.6	-33.5	-56	zero	-4.7	-14.2	-29.2	-50.9	-117.6	-221.3	0.213
	R4570G	405	Soft Point	9 ½	1330	1168	1055	977	918	869	1590	1227	1001	858	758	679	zero	-4.1	-14.6	-32.2	-57.6	-91.4	zero	-8.4	-24	-47.3	-79	-170.4	-303	0.281
450 Bushmaster	R450B1	250	Soft Point	7 ½	2200	1831	1508	148	1073	967	2686	1860	1262	864	639	519	0.3	zero	-2.9	-9	-18.9	-33.5	2	zero	-5.1	-14	-27.6	-72.6	-147.6	0.208
	PRA450B1	260	AccuTip	7 ½	2180	1665	1263	1028	904	817	2743	1601	1263	609	472	385	0.4	zero	-3.6	-11.4	-24.6	-44.7	2.4	0	-6.6	-18.6	-37.5	-101.3	-207.5	0.144

Note: These ballistics reflected a test barrel length of 24" except those for 30 Carbine and 44 Remington Magnum, which are 20" barrels. Specifications are nominal. Ballistics figures established in test barrels. Individual rifles may vary from test barrel results. "Zero" indicates yardage at which rifle was sighted in.

1 Inches above or below line of sight. Hold low for positive numbers, high for negative numbers.
2 280 Remington and 7mm Express Remington are interchangeable.
3 6mm Remington and 244 Remington are interchangeable.
4 Bullet does not rise more than 1" above line of sight from muzzle to sighting-in range.
5 Bullet does not rise more than 3" above line of sight from muzzle to sighting-in range.

MANAGED-RECOIL® *(PAGE 72)*
PREMIER® COPPER SOLID® *(PAGE 65)*
PREMIER® CORE-LOKT® ULTRA BONDED® *(PAGE 64)*
PREMIER® DISINTEGRATOR® VARMINT *(PAGE 67)*
PREMIER® MATCH *(PAGE 65)*
PREMIER® ACCUTIP *(PAGE 65)*
PREMIER® SCIROCCO BONDED *(PAGE 63)*
PREMIER® A-FRAME *(PAGE 62)*
UMC® *(PAGES 75–76)*
CORE-LOKT® *(PAGE 70)*

CENTERFIRE PISTOL AND REVOLVER BALLISTICS

REMINGTON® PISTOL & REVOLVER CARTRIDGES

Caliber	Index/EDI No.	Primer No.	Wt. (grs.)	Bullet Style	Velocity (ft/sec)			Energy (ft.-lbs.)			Mid-range Trajectory (in.)		Barrel Length
					Muz.	25 yds.	50 yds.	Muz.	50 yds.	100 yds.	50 yds.	100 yds.	
32 S&W Long	R32SWL	1 ½	98	Lead Round Nose	705	670	635	115	98	88	2.3"	10.5"	4"
32 (7.65mm) Auto.	R32AP	1 ½	71	Metal Case	905	855	810	129	115	97	1.4"	5.8"	4"
	L32AP	1 ½	71	Metal Case	905	855	810	129	115	97	1.4"	5.8"	4"
357 Mag.**	R357M7	5 ½	110	Semi-Jacketed Hollow Point	1295	1094	975	410	292	232	0.8"	3.5"	4"
	R357M1	5 ½	125	Semi-Jacketed Hollow Point	1450	1240	1090	583	427	330	0.6"	2.8"	4"
	L57M12	5 ½	125	Jacketed Soft Point	1450	1240	1090	583	427	330	0.6"	2.8"	4"
	GS357MA	5 ½	125	Brass Jacketed Hollow Point	1220	1095	1009	413	333	283	0.8"	3.5"	4"
	R357M2	5 ½	158	Semi-Jacketed Hollow Point	1235	1104	1015	535	428	361	0.8"	3.5"	4"
	R357M3	5 ½	158	Soft Point	1235	1104	1015	535	428	361	0.8"	3.5"	4"
	R357M5	5 ½	158	Semi-Wadcutter	1235	1104	1015	535	428	361	0.8"	3.5"	4"
	R357M10	5 ½	180	Semi-Jacketed Hollow Point	1145	1053	985	524	443	388	0.9"	3.9"	8 3/8"
357 Sig.	L357S1	5 ½	125	Metal Case	1350	1146	1018	506	422	359	0.7"	3.3"	4"
	L357S2	5 ½	125	Jacketed Hollow Point	1350	1157	1032	506	372	296	0.7"	3.2"	4"
9mm Luger	R9MM1	1 ½	115	Jacketed Hollow Point	1155	1047	971	341	280	241	0.9"	3.9"	4"
	R9MM3	1 ½	115	Metal Case	1145	1048	978	335	280	244	0.9"	4.0"	4"
	R9MM6	1 ½	115	Jacketed Hollow Point +P ‡	1250	1113	1019	399	316	265	0.8"	3.5"	4"
	L9MM1	1 ½	115	Jacketed Hollow Point	1135	1041	973	329	277	242	0.9"	4.0"	4"
	L9MM3	1 ½	115	Metal Case	1145	1048	978	335	280	244	0.9"	4.0"	4"
	LN9MM3	1 ½	115	Metal Case	1145	1048	978	335	280	244	0.9"	4.0"	4"
	LL9MM11	1 ½	115	Flat Nose Enclosed Base	1145	1048	978	335	280	244	0.9"	4.0"	4"
	LL9MM2	1 ½	124	Flat Nose Enclosed Base	1100	1030	971	339	292	252	1.0"	4.1"	4"
	R9MM2	1 ½	124	Metal Case	1110	1030	971	339	292	259	1.0"	4.1"	4"
	GS9MMB	1 ½	124	Brass Jacketed Hollow Point	1125	1031	963	349	293	255	1.0"	4.0"	4"
	GS9MMD	1 ½	124	Brass Jacketed Hollow Point +P ‡	1180	1089	1021	384	327	287	0.8"	3.8"	4"
	HD9MMB	1 ½	124	Brass Jacketed Hollow Point	1125	1031	963	349	293	255	1.0"	4.0"	4"
	L9MM2	1 ½	124	Metal Case	1100	1030	971	339	292	259	1.0"	4.1"	4"
	LN9MM2	1 ½	124	Metal Case	1100	1030	971	339	292	259	1.0"	4.1"	4"
	R9MM8	1 ½	147	Jacketed Hollow Point (Subsonic)	990	941	900	320	289	264	1.1"	4.9"	4"
	GS9MMC	1 ½	147	Brass Jacketed Hollow Point	990	941	900	320	289	264	1.1"	4.9"	4"
	L9MM9	1 ½	147	Metal Case	990	941	900	320	289	264	1.1"	4.9"	4"
	LL9MM9	1 ½	147	Flat Nose Enclosed Base	990	941	900	320	289	264	1.1"	4.9"	4"
380 Auto.	R380A1	1 ½	88	Jacketed Hollow Point	990	920	868	191	165	146	1.2"	5.1"	4"
	L380AP	1 ½	95	Metal Case	955	865	785	190	160	130	1.4"	5.9"	4"
	LN380AP	1 ½	95	Metal Case	955	865	785	190	160	130	1.4"	5.9"	4"
	LL380AP2	1 ½	95	Flat Nose Enclosed Base	955	865	785	190	160	130	1.4"	5.9"	4"
	R380AP	1 ½	95	Metal Case	955	865	785	190	160	130	1.4"	5.9"	4"
	GS380B	1 ½	102	Brass Jacketed Hollow Point	940	901	866	200	184	170	1.2"	5.1"	4"
38 Super Auto	L38SUP	1 ½	130	Metal Case +P ‡	1215	1099	1017	426	348	298	0.8"	3.6"	4"
38 S&W	R38SW	1 ½	146	Lead Round Nose	685	650	620	150	135	125	2.4"	10"	4"
38 Special**	R38S10	1 ½	110	Semi-Jacketed Hollow Point +P ‡	995	926	871	242	210	185	1.2"	5.1"	4"
	R38S16	1 ½	110	Semi-Jacketed Hollow Point	950	890	840	220	194	172	1.4"	5.4"	4"
	R38S2	1 ½	125	Semi-Jacketed Hollow Point +P ‡	945	898	858	248	224	204	1.3"	5.4"	4"
	GS38SB	1 ½	125	Brass Jacketed Hollow Point +P ‡	975	929	885	264	238	218	1.0"	5.2"	4"
	HD38SB	1 ½	125	Brass Jacketed Hollow Point +P ‡	975	929	885	264	238	218	1.0"	5.2"	4"
	LL38S17	1 ½	125	Flat Nose Enclosed Base	850	822	796	201	188	176	1.4"	6.4"	4"
	LL38S2	1 ½	125	Flat Nose Enclosed Base +P ‡	975	935	899	264	242	224	1.2"	4.9"	4"
	L38S2	1 ½	125	Jacketed Hollow Point +P ‡	945	898	858	248	224	204	1.3"	5.4"	4"
	L38S11	1 ½	130	Metal Case	790	766	743	173	163	153	1.7"	7.2"	4"
	LN38S11	1 ½	130	Metal Case	790	766	743	173	163	153	1.7"	7.2"	4"
	R38S3	1 ½	148	Targetmaster® Lead WC Match	710	634	566	166	132	105	2.4"	10.8"	4"
	R38S5	1 ½	158	Lead Round Nose	755	723	692	200	183	168	2.0"	8.3"	4"
	R38S6	1 ½	158	Semi-Wadcutter	755	723	692	200	183	168	2.0"	8.3"	4"
	R38S12	1 ½	158	Lead Hollow Point +P ‡	890	855	823	278	257	238	1.4"	6.0"	4"
	L38S5	1 ½	158	Lead Round Nose	755	723	692	200	183	168	2.0"	8.3"	4"
38 Short Colt**	R38SC	1 ½	125	Lead Round Nose	730	685	645	150	130	115	2.2"	9.4"	6"
40 S&W	R40SW1	5 ½	155	Jacketed Hollow Point	1205	1095	1017	499	413	356	0.8"	3.6"	4"
	GS40SWA	5 ½	165	Brass Jacketed Hollow Point	1150	1040	964	485	396	340	1.0"	4.0"	4"
	HD40SWA	5 ½	165	Brass Jacketed Hollow Point	1150	1040	964	485	396	340	1.0"	4.0"	4"
	L40SW4	5 ½	165	Metal Case	1150	1040	964	485	396	340	1.0"	4.0"	4"
	LN40SW4	5 ½	165	Metal Case	1150	1040	964	485	396	340	1.0"	4.0"	4"
	R40SW2	5 ½	180	Jacketed Hollow Point	1015	960	914	412	368	334	1.3"	4.5"	4"
	GS40SWB	5 ½	180	Brass Jacketed Hollow Point	1015	960	914	412	368	334	1.3"	4.5"	4"
	L40SW2	5 ½	180	Jacketed Hollow Point	1015	960	914	412	368	334	1.3"	4.5"	4"
	L40SW3	5 ½	180	Metal Case	990	940	898	392	353	322	1.1"	4.9"	4"
	LN40SW3	5 ½	180	Metal Case	990	940	898	392	353	322	1.1"	4.9"	4"
	LL40SW5	5 ½	180	Flat Nose Enclosed Base	990	940	898	392	353	322	1.1"	4.9"	4"
10mm Auto.	L10MM6	2 ½	180	Metal Case	1150	1063	998	529	452	398	0.9"	3.7"	4"
41 Rem. Mag.**	R41MG1	2 ½	210	Soft Point	1300	1162	1062	788	630	526	0.7"	3.2"	4"
44 Rem. Mag.**	L44MG7	2 ½	180	Jacketed Soft Point	1610	1365	1175	1036	745	551	0.5"	2.3"	4"
	R44MG2	2 ½	240	Soft Point	1180	1081	1010	741	623	543	0.9"	3.7"	4"
	R44MG3	2 ½	240	Semi-Jacketed Hollow Point	1180	1081	1010	741	623	543	0.9"	3.7"	4"
44 S&W Special**	R44SW	2 ½	246	Lead Round Nose	755	725	695	310	285	265	2.0"	8.3"	6"
45 Colt**	R45C1	2 ½	225	Semi-Wadcutter	960	890	832	460	395	346	1.3"	5.5"	5"
45 Auto.	R45C	2 ½	250	Lead Round Nose	860	820	780	410	375	340	1.6"	6.6"	5"
	R45AP2	2 ½	185	Jacketed Hollow Point	1000	939	889	411	362	324	1.1"	4.9"	5"
	GS45APA	2 ½	185	Brass Jacketed Hollow Point	1015	951	899	423	372	332	1.1"	4.5"	5"
	GS45APC	2 ½	185	Brass Jacketed Hollow Point +P ‡	1140	1042	971	534	446	388	1.0"	4.0"	5"
	L45AP1	2 ½	185	Metal Case	1015	955	907	423	375	338	1.1"	4.8"	5"
	LN45AP1	2 ½	185	Metal Case	1015	955	907	423	375	338	1.1"	4.8"	5"
	R45AP4	2 ½	230	Metal Case	835	800	767	356	326	300	1.6"	6.8"	5"
	R45AP7	2 ½	230	Jacketed Hollow Point (Subsonic)	835	800	767	356	326	300	1.6"	6.8"	5"
	GS45APB	2 ½	230	Brass Jacketed Hollow Point	875	833	795	391	355	323	1.5"	6.1"	5"
	HD45APB	2 ½	230	Brass Jacketed Hollow Point	875	833	795	391	355	323	1.5"	6.1"	5"
	L45AP4	2 ½	230	Metal Case	835	800	767	356	326	300	1.6"	6.8"	5"
	LN45AP4	2 ½	230	Metal Case	835	800	767	356	326	300	1.6"	6.8"	5"
	L45AP7	2 ½	230	Jacketed Hollow Point	835	800	767	356	326	300	1.6"	6.8"	5"
	LL45AP8	2 ½	230	Flat Nose Enclosed Base	835	800	767	356	326	300	1.6"	6.8"	5"
45 GAP	L45GAP4	2 ½	230	Metal Case	880	841	805	395	361	331	1.5"	6.2"	5"

‡Ammunition with "+P" on the case headstamp is loaded to higher pressure. Use only in firearms designated for this cartridge and so recommended by the manufacturer.
*Test Barrel Length ** Vented Barrel Ballistics

REMINGTON® *(PAGE 74)* **UMC®** *(PAGES 75–76)* **UMC® TARGET** *(PAGE 75)* **GOLDEN SABER®** *(PAGE 74)* **HOME DEFENSE** *(PAGE 75)* **UMC® LEADLESS** *(PAGE 76)*

1-800-243-9700



www.REMINGTON.com
Find Remington on Facebook at remington.com/facebook

FOR MORE INFO, VISIT www.REMINGTON.com OR CALL 1-800-243-9700

300, ADL, Accelerator, AWR, BDL, Bandit, Brite Bore, Bronze Point, BuckHammer, Bullet, Bullet Design, CBEE 22, CDL, Classic, Conquest, Copper-Lokt, Copper Solid, Core-Lokt, Custom Carry, Cyclone, D-Series, Deer Hunter, Desert Recon, Disintegrator, DriLube, Driving Band, Drop-Dead Better, Duplex, Echo, Elite Hunter, Elite Skinner, Elsag, E.R. Remington & Sons, Escape, ETA, EtronX, Excursion, Express, Express-Steel, EZ, F.A.S.T., Fast Action Soft Touch, Figure 8, Fireball, Flexitab, FLX, G3, Gamemaster, Genesis, Green Color, Golden, Golden Saber, Grizzly, Gun Club, Hi-Speed, Ideal, Insignia Edition, Kleanbore, Lead-Lokt, LV SF, M24, M24A2, M24A3, MAX Gobbler, M-Series, Managed-Recoil, Marine Magnum, MCS Picatinny, Model Five, Model Seven, Model 105 CTi, Model 11-87, Model 11-87P, Model 32, Model 332, Model 365, Model 40-X, Model 40-XB, Model 40-XBBR, Model 40-XC, Model 40-XR, Model 40-XRBR, Model 40-XS, Model 412, Model 504, Model 504-T, Model 552, Model 572, Model 597, Model 673, Model 700, Model 700P, Model 700P USR, Model 710, Model 750, Model 770, Model 798, Model 799, Model 830, Model 870, Model 870 MCS, Model 870P, Model 870P MAX, Model 887, Model 1100, Model 7400, Model 7600, Model 7600P, Model 7615, Model 7615P, Model SP-10, MoistureGuard, Nitro 27, Nitro CLP, Nitro Mag, Nitro Turkey, Nitro-Steel, Parker, Peters, Pheasant, Power-Lokt, Power Piston, Predator, Premier, ProBore, Quick Look, R, R-15, R-25, R-P, Rangemaster, Ready, Realwood, Rem, Rem Dri 35, Rem DriLube, RemCloth, RemGrip, Rem-Line, Rem-Lite Rem-Tech, Remington, Remington Fieldmaster, Remington Law Enforcement, Remington Leadless, Remington Racing, Remington Shooting School and Remington Shooting School logo, Remington Targetmaster, Remington Ultra, Rescue, Rustless, S.A.S.S., Sendero, Shoot Like A Girl . . . If You Can!, ShurShot, Slugger, SP, SPS, SP-T, SPS-T, Speedmaster, Sportsman, STS, Subsonic, SuperCell, Super Magnum, Super Slug, SWIFT-LOKT, TAC 8, Tango, Targetmaster, The Deadliest Mushroom in the Woods, Thunderbolt, TorchCam, TriNyte, TVP, Ultra Bonded, Ultra Mag, UMC, Unibody, Viper, VLS, Vortex and Vortex logo, VS, VSF, VS SF, VTR, Weathermaster, Wetproof, Wingmaster, Wingmaster HD, Woodsmaster, XCR Extreme, XHR, XM3, X-Mark Pro, XR-100, Yellow Jacket and Zulu are trademarks of RA Brands, L.L.C., Madison, NC 27025. Palusol is a trademark of BASF. Boy Scouts of America is a registered trademark of Boy Scouts of America. Briley is a trademark of Briley Manufacturing. Bushnell and Sharpshooter are trademarks of Bushnell. TORX is a trademark of Camcar LLC. Delrin, Kevlar, Teflon and Tyvek are trademarks of DuPont. Match Ki trademark of Sierra Bullet Co., LLC. Swift, A-Frame and Scirocco are trademarks of Swift Bullet Co. Break-Up, Brush, Duck Blind, Mossy Oak, New Break-Up, Treestand, and Obsession are trademarks of Haas Outdoors, Inc. V-Max trademark of Hornady Manufacturing Company. Hogue is a trademark of Hogue, Inc. Advantage, Advantage Max-4, Advantage Timber, AP, APG, HD and Realtree are trademarks of Jordan Outdoor Enterprises, Ltd. SpecOps is a trademark of Knoxx Industries, LLC., HiViz is a trademark of North Pass, Ltd. Kraton is a trademark of Shell. Sako is a trademark of Sako, Ltd., Shilen is a trademark of Shilen, Inc., Speedfeed is a trademark of Armory Accessories, Inc. LimbSaver is a trademark of Steven Sims, Inc. Digital Tiger is a trademark of Tiger Stripe Products. TRUGLO is a trademark of Truglo, Inc. Skyline, Excel and Fall Flight are trademarks of Skyline Cover, LLC. Weaver is a trademark of Weaver Outdoor Optics. Williams and Fire Sights are trademarks of Williams Gun Sight Co. A-TACS is a trademark of Digital Concealment Systems. Judge is a trademark of Taurus International. Pardus is a trademark of DPMS Panther Arms. The Collector is a trademark of Michael Waddell, LLC. XS is a trademark of XS Sight Systems, Inc.

Weights, stock dimensions, checkering pattern and wood grain may vary according to the individual firearm. Remington reserves the right to change or modify its products without notice. Pricing may vary by model, specificat color, size and availability. Follow the safety rules printed in firearms instruction books and on ammunition boxes. If you do not have an instruction book for your Remington firearm, write to Remington Arms Company, Inc., Remington Drive, PO Box 700, Madison, NC 27025, for a free copy or visit our website at www.remington.com/manuals. Please specify the model and serial number. The firearms herein have been photographed with their actions closed to properly showcase their features. In actual practice, any firearm not in use must be left with ammunition removed, action open and safety on. Consumer Information, Arms Service, Parts and Repairs and Custom Shop: (800) 243-9700. Visit us on the web at: www.remington.com.

PARTNERS

Air Rifles and Soft Air Rifles

CROSMAN CORP.
7629 Route 5 & 20
Bloomfield, NY 14469
1-800-7AIRGUN
crosman.com

Area Rugs, Mats and Carpet

MILLIKEN & CO.
201 Lukken Industrial Dr. West
La Grange, GA 30240
800-342-5539

ATV Accessories

ARCTIC CAT
601 Brooks Ave. South
Thief River Falls, MN 56701
218-681-8558
arcticcat.com

Calendars and Promotional Materials

CALENDAR PROMOTIONS / GLOBAL MARKETING
2121 Belvedere
Charlotte, NC 28205
800-862-8393
countrygallerycalendars.com

Decorative Wooden Collectables

VINTAGE EDITIONS, INC.
88 Bluff Lane
Taylorsville, NC 28681
828-632-4185
vintageeditions.com

Dog Kennels

KENNEL AIRE
801 E. North St.
Ottawa, KS 66067
800-346-0134
kennel-aire.com

Eye and Hearing Protection, Safety Gloves, Hard Hats, Vests and Footwear

RADIANS
7580 Bartlett Corp Drive
Bartlett, TN 38133
877-723-4267
radiansinc.com

Food Plot Products, Scent Lures and Game Calls

BUCK EXPERT
2350 95th Street
Saint-Georges, Quebec
G5Y 8J4
Canada
418-227-0058
buckexpert.com

Flashlights, Lanterns, Headlights and Spotlights

RAYOVAC
601 Rayovac Drive
Madison, WI 53711
800-237-7000
rayovac.com

Gun Cases, Paper Targets and Shooting Accessories

THE ALLEN COMPANY
P.O. Box 445
525 Burbank St.
Broomfield, CO 80020
303-469-1857
allencompany.net

Gun Safes and Cabinets

LIBERTY SAFE AND SECURITY, INC.
1199 West Utah Ave.
Payson, UT 84651
800-247-5625
libertysafe.com

(Europe)

HARTMANN TRESORE AG & LIE
Am Ziegenberg 3
D - 33106
Paderborn, Germany
49 (0) 5251/1744-64
www.hartmann-tresore.de

Headwear

OUTDOOR CAP COMPANY, INC.
1200 Melissa Drive
Bentonville, AR 72712
800-826-6047
outdoorcap.com

Heavy Cotton and Fleece Graphic T-Shirts

PARAMOUNT
1 Paramount Drive
Bourbon, MO 65441
800-255-4287
paramountapparel.com

Lighters and Lighter Accessories
ZIPPO
33 Barbour Street
Bradford, PA 16701
814-368-2700
zippo.com

Meat Snacks, Steak Snacks, and Sausage Sticks
TRAIL STEAKS
4295 Cromwell Road, Suite 205
Chattanooga, TN 37421
877-875-3759
trailsteaks.com

Outdoor Clothing
THE BRINKMANN CORPORATION
4215 McEwen Rd
Dallas, TX 75244
877-525-9070
brinkmann.net

Remington® Firearms with Advanced Graphics and Inlays
AMERICA REMEMBERS
10226 Timber Ridge Drive
Ashland, VA 23005
804-550-9616
AmericaRemembers.com

Socks
FOX RIVER MILLS
P.O. Box 298
Osage, IA 50461
800-247-1815
foxsox.com

Sporting Dog Products
COASTAL PET PRODUCTS
911 Leadway Ave.
Alliance, OH 44601
800-321-0248
coastalpet.com

Sporting Sunglasses and Disposable Lighters
HALPERN
2890 Amwiler Road
Atlanta, GA 30360
800-624-5280
halpernimport.com

Tin Signs, Magnets, License Plates and Light Switch Covers
DESPERATE ENTERPRISES, INC.
P.O. Box 604
Sharon Center, OH 44274
800-732-4859
desperate.com

Treestands
W.I.C. REMINGTON TREESTANDS
P.O. Box 352
Windom, MN 56101
507-831-2540
remingtontreestand.com

Video Games
MASTIFF LLC
2762B Octavia St.
San Francisco, CA 94123
415-674-6615
mastiff-games.com

Wallpaper Borders and Bathroom Accessories
YORK WALLCOVERINGS
750 Linden Ave.
York, PA 17404
717-846-4456
yorkwall.com

Wildlife Feeders and Digital Game Cameras
BA PRODUCTS
602 Fountain Parkway
Grand Prairie, TX 75050
800-847-8269
remingtonfeeders.com

FOR MORE INFORMATION
OR LICENSEE OPPORTUNITIES,

CONTACT US AT **800-243-9700** OR VALUEDPARTNER@REMINGTON.COM

www.remington.com/licensedproducts

Remington®

The morning light is cresting over the horizon. Nature is awakening and you're in position. You see a flock in the distance. The moment of truth. You ready your shotgun, factor wind and distance correctly, pull up and squeeze the trigger. Soon you'll have a story to tell for generations. Just like many of our My Remington Moment members who have shared their own special hunts on this cover.

At Remington, we've been helping these memories happen for 195 years.

One moment. One shot.™

Find Remington on Facebook at remington.com/facebook.

©2011 Remington Arms Company, Inc., Madison, NC 27025
Facebook is a registered trademark of Facebook, Inc.
For Consumer Information, Arms Service, Parts and Repairs and Custom Shop: call (800) 243-9700 or visit www.remington.com

Printed in U.S.A.
RM2120